

Physical Geology

Physical Geology

ANNE HUTH



Physical Geology Copyright © by Lumen Learning is licensed under a Creative Commons Attribution 4.0 International License, except where otherwise noted.

Contents

Part I. Faculty Resources

1. Welcome to GLG101 Physical Geology	3
2. Required Materials	11
3. Optional Online Resources - Arizona Geological Survey	12
4. Optional Resource - PCC Rock and Mineral Guide	17
5. I Need Help	18

Part II. Module 1 - Earth's Origin, and an Introduction to Topographic Maps

6. Introduction	21
7. Assignment: Topographic Maps	29
8. Discussion 1: Introduce Yourself	32
9. Module 1 Quiz	36

Part III. Module 2 - Earth's Interior

10. Introduction	39
11. Assignment: Exploring Earth's layers and seismic-wave travel times	43
12. Module 2 Quiz	47

Part IV. Module 3 - Plate Tectonics

13. Introduction	51
14. Assignment: Using Google Earth to Visualize Plate Boundaries	63
15. Discussion 2: Plate Tectonics	69
16. Module 3 Quiz	73

Part V. Module 4 - Minerals

17. Introduction	77
18. Module 4 Quiz	86
19. PCC Rock and Mineral Guide (optional)	87

Part VI. Module 5 - Igneous Rocks

20. Introduction	91
21. Igneous Rock Identification	103
22. Assignment: Igneous Rock Lab	112
23. Exam 1 Information - Design Your Own Mineral Kit (Modules 1-5)	127
24. Module 5 Quiz	132
25. Exam 1	133
26. PCC Rock and Mineral Guide (optional)	134

Part VII. Module 6 - Volcanism

27. Introduction	137
28. Assignment: Exploring Volcanic Features of the United States	146
29. Discussion 3: Current Events in Geology	156

30. Module 6 Quiz	162
-------------------	-----

Part VIII. Module 7 - Weathering, Erosion, and Sedimentary Rocks

31. Introduction	165
32. Sedimentary Rock Identification	176
33. Assignment: Sedimentary Rock Lab	182
34. Module 7 Quiz	188
35. PCC Rock and Mineral Guide (optional)	189

Part IX. Module 8 - Metamorphism and Metamorphic Rock

36. Introduction	193
37. Metamorphic Rock Identification	209
38. Assignment: Metamorphic Rock Lab	215
39. Module 8 Quiz	222

Part X. Module 9 - Geologic Time

40. Introduction	225
41. Assignment: Relative Dating and Cross Cutting Relationships	236
42. Module 9 Quiz	242

Part XI. Module 10 - Earthquakes

43. Introduction	245
44. Discussion 4: Current Events in Geology	252
45. Exam 2 Information (Modules 6-10)	257

46. Module 10 Quiz	264
47. Exam 2	265

Part XII. Module 11 - Structural Geology

48. Introduction	269
49. Assignment: Identifying Structural Features in a Geological Landscape	278
50. Module 11 Quiz	282

Part XIII. Module 12 - Streams and Floods

51. Introduction	285
52. Assignment: Calculating and Assessing Flood Recurrence Intervals	293
53. Module 12 Quiz	300

Part XIV. Module 13 - Groundwater

54. Introduction	303
55. Assignment: Design Your Own Fieldtrip	309
56. Module 13 Quiz	313

Part XV. Module 14 - Mass Wasting and Glaciers

57. Introduction	317
58. Assignment: A Virtual Field Trip Guide to Exploring the Volcanic History and Evidence of Mass Wasting at Sentinel Peak, Tucson, Arizona	327
59. Discussion: Climate Change	335
60. Module 14 Quiz	339

Part XVI. Module 15 - Climate Change

61. Introduction	343
62. Assignment: Changes in Extent of Sea Ice at the Poles	348
63. Exam 3 Information (Final Exam)	355
64. Module 15 Quiz	361
65. Exam 3: Final Exam	362

Part XVII. Module 16 - Geologic History of North America

66. Introduction	365
67. Physiographic Provinces of the United States of America	370
68. Assignment: Making North America	377
69. Module 16 Quiz	379

PART I

FACULTY RESOURCES

I. Welcome to GLG101 Physical Geology

Read Me First

A water fall in a red rock canyon, falling into a pool of blue-green water

Figure 1.
Mooney
Falls, one of
the Havasu
Falls in the
Grand
Canyon,
Arizona. 'Of
note are the
huge
travertine
stalactites
hanging
from the lip.
They are just
like the
stalactites
you find in
caves,
formed by
the slow
crystalization
of
travertine
from
millions of
water
droplets that
dripped from
the roof of
the
overhanging
cliff' – Lon
Abbott,
Hiking the
Grand
Canyon's
Geology

Welcome to GLG 101IN Physical Geology

The Earth is an active planet shaped by dynamic forces. Such forces can build mountains and crumple and fold rocks. As rocks respond to these forces, they undergo deformation, which results in changes in shape and/or volume of the rocks. The resulting features are termed geologic structures. This deformation can produce dramatic and beautiful scenery, as evidenced in the figure of above, which shows the deformation of originally horizontal rock layers.

Welcome to GLG 101IN *Physical Geology*

This online course has been designed to offer students an opportunity to learn about the basic principles and concepts of geology without needing to go to a PCC campus, classroom, or testing center. It is our hope that you will find this course challenging, stimulating, and relevant to your daily lives. This page will introduce you to the course. Be sure to also read all of the Syllabus pages that follow and browse the first module (Module 1) right away, so that you can get an idea of how the course works.

How the course is organized

This course is divided into 16 modules. Each module generally consists of the following elements.

- **Lessons:** The content of this course is presented in the form of interactive online lessons with learning outcomes. YouTube videos and links to recent news stories are provided throughout in order to enhance your understanding, help you to properly pronounce many of the biological terms, and

create a sense of relevancy. There is no textbook required for this course, and thus no assigned readings from a book.

- **Assignments:** These get you actively involved with biology, applying what you have learned in the lessons, often in a hands-on way. Family participation in these activities is highly encouraged! Many are almost identical to the “wet labs” that you would have completed in a face-to-face class, but are instead done in your home using common household items and groceries that you can obtain from a store for a small cost. Others are online activities.
- **Class participation:** Most discussions in this course are based on current events in geology. They are asynchronous which means that you contribute at the times of your choice and return later to see what others have contributed. The topics in which you can choose to participate are very flexible. You are free to reply to one or more of the posted threads within the discussion topic and/or come up with one of your own threads, based on something in the news that really catches your attention.
- **Module Quizzes:** The quizzes assess your understanding of the material presented in the lessons and assignments. They are taken online and are not proctored.
- **Exams:** These exams have questions that are very similar to the ones on the module quizzes. They are also taken online.

Course navigation

You will use the dropdown menus and links located at the top of your screen to access the various D2L tools, such as Assignments, Discussions, Quizzes, and Grades.

- *Content* – Click on the **Content** link to access the Syllabus pages and module content. Here you will find the links to all of

the course instructions and lessons.

- **Assessments** – Click on the **Assessments** dropdown menu to access the Assignments, Grades, and Quizzes areas.
- **Course Resources** – Click on the **Course Resources** dropdown menu to access the Calendar, Checklist, and User Progress tools. The Calendar provides another way to track important dates. Note that the Course Schedule in the Syllabus contains the same information. The Checklist and User Progress tools can also help to keep you on track.
- **Help** – Click on the **Help** dropdown menu to access PCC D2L Student Support, PCC Tech Support, and the PCC Library.

A plan for success

Orientation to Online Learning: If you are new to online learning, or have struggled in the past with online classes, it is recommended that you complete the College's "Orientation to Online Learning" course. You can access it by logging into MyPima and searching for it under the "My Courses" tab. It takes about 1-2 hours to complete.

Taking a class online is different than completing it face-to-face in a more traditional setting. The fully online version of this course is not for everyone, so carefully read and examine what will be required for this class and decide if it is right for you. This modality of learning is likely a great fit for you, but some students are better suited to learn in a more traditional classroom setting. Please consider your learning preferences and style to determine if this is the right course modality for your own success.

Plan ahead. Stay on track. Carefully review the assigned dates to make sure that you can meet all of the deadlines. It is suggested that you put them all in a detailed calendar. Stay up to date on your weekly lessons and complete them early in the week! They provide necessary background for the completion of assignment activities.

Complete all of the required work: It may sound obvious, but

you cannot expect to do well in this class if you miss turning in assignments, taking quizzes or exams, or earning participation points by posting in discussion boards. Most students who complete all of the required work in the course have a very good chance at passing it with a decent grade. It is usually the student who has missed a lot of work who ends up having to withdraw or take a failing grade for the class. Make a commitment to yourself right now to not miss any points in the class as the result of not completing something because you missed the window of availability to turn it in.

Repetition: For most students, reading each of the lessons once is not enough. You need to go through them at least a few times, until true understanding has occurred, and again when you are preparing to take an assessment.

Assignments and Discussions: Be sure to read all of my replies to your discussion posts and feedback in your grade comments to make sure that you are on the right track. You absolutely cannot wait until the last day of a deadline to begin assignments and discussions! You must read through the directions at the beginning of the work week, so that you can plan ahead and secure the necessary materials. Some parts of assignments and discussions require early submissions of some of the work. Failure to plan ahead could end up costing you a lot of points in this course!

The Course Schedule, instructor emails, and news items: Pay constant attention to the Course Schedule, check for emails from your instructor often, and view all posted news items. You should never go more than a few days without checking in.

Stay in touch: And, most importantly, stay in touch. Let your instructor know if you have any questions, concerns, or need clarification.

Your questions and concerns

Please contact your instructor if you have any questions. You may do so either via email or in the “General course questions” discussion board.

- **General Questions:** If your question is of a general nature such that other students would benefit from the answer, go to the Discussions area and post it as a question in the “General course questions” discussion thread.
- **Personal Questions:** If your question is personal, (e.g. regarding my comments to you specifically), feel free to send me an email.

Getting started

Step 1

Make a realistic assessment of your ability to succeed in this course.

- **Time.** The amount of time required for an online class is comparable to a traditional lecture and lab course. Generally, this is 6 hours per week in the classroom and another 12 hours per week at home reading, studying, and completing activities. If you are taking this class in the accelerated 8 week format, or during the summer as a 5 week course, note that you will need to spend significantly more time than that per week. The 8 week course moves at twice the pace of the 16 week course, and 5 week summer classes move at three times the pace.
- **Materials and space.** In addition to many online activities, you will be required to do hands-on activities in your home using

some items that you likely already have, and other materials that you will need to purchase at either a grocery store or pharmacy.

Step 2

Read the following especially carefully. You print a copy of each of the pages for reference for when you are away from your computer.

- Welcome to GLG 101IN *Physical Geology* (this page)
- All pages of the Syllabus

Step 3

After you have carefully read all of the Syllabus pages, find Module 1 in the Content area, click on the **Module 1 Start Page**, and get started. (Always begin a module by first accessing its start page and reading all of the directions.)

Good luck, and we hope that you enjoy the class! You are expected to begin work on this course starting on the first day of the semester session.

2. Required Materials

Course Materials

Two rock formations of red rock that are shaped like mittens

*Figure 1.
Rock
formations
called the
'Mittens,'
Monument
Valley,
Arizona*

Course Textbook

Image of Physical Geology textbook

Physical Geology by Steven Earle and used under a CC-BY 4.0 international license.

You may read online, or download this book for free courtesy of BC Campus OpenEd.

3. Optional Online Resources - Arizona Geological Survey

A natural bridge of red rock hikers standing on top
overlooking a valley

*Figure 1.
Devil's
Bridge,
Sedona,
Arizona*

Geologic Resources

Select Geologic Resources for GLG101IN, assembled by Michael Conway, PhD, Arizona Geological Survey (AZGS).

Numerous geologic maps and geohazard maps exist online for Tucson Basin and Santa Catalina Mountains and environs, too.

Online Geologic Map of Arizona

Arizona Major Mines – 2012

Exhuming the Remains of the Inactive Mountain-Front Pirate Fault, Santa Catalina Mountains, Southeastern Arizona

Geologic Evaluation of the Tucson Basin for Carbon Dioxide Sequestration Potential v. 1.0

Arizona is Earthquake Country – 44 p.

Arizona Earthquakes

Mapping of Holocene River Alluvium along the San Pedro River, Aravaipa Creek, and Babocomari River, Southeastern Arizona

Homeowners Online Guide to Geologic Hazards in Arizona

A Variety of Topics: Earthquakes, Floods, Debris Flows, Radon, Land Subsidence and Earth Fissures and more

Geology and geological hazards field trip of Sabino Canyon: results of the July 2006 storms

A Field Trip Guide To Sabino Canyon and the Mount Lemmon Highway – Report

A Guide to the Geology of Catalina State Park and the Western Santa Catalina Mountains – 57 p.

Arizona Geology Articles (selected from more than 160 articles published over 40 years)

Tracking Arizona's Ancient Landscapes (PDF, approx. 3.75 GB)

Catastrophic Natural Disasters in Arizona? (PDF, approx. 3.5 GB)

Volcanic History of Arizona (PDF, approx. 1.6 GB)

Geologic History of the South Mountains (PDF, approx. 1.9 GB)

Windows of the Past: Fossils of the San Pedro Valley (PDF, approx. 1.8 GB)

Archives of the Arizona Geology Newsletter.

AZGS YouTube

See the AZGS YouTube channel for some excellent, short videos on historical seismicity in Arizona. All told the eight earthquake videos have been viewed over 10,000 times. Example: Earthquakes in Arizona: 1852-2011 – time-lapse video.

Other AZGS Publications at the AZGS

Document Repository

AZGS Document Repository

McKittrick, M.A., 1988, Surficial geologic maps of the Tucson metropolitan area [Avra, Brown Mountain, Cat Mountain, Jaynes, Marana, Mt. Lemmon, Oro Valley, Ruelas Canyon, Sabino Canyon, Tucson, Tucson East, and Tucson North 7.5 min]: Arizona Geological Survey Open-File Report 88-18, 6 p., 12 sheets, scale 1:24,000.

Jackson, G.W., 1989, Surficial geologic maps of the northeastern, southeastern, and southwestern portions of the Tucson metropolitan area [Agua Caliente Hill, Tanque Verde Peak, Vail, Tucson SE, Tucson SW, San Xavier Mission, and San Xavier Mission SW 7.5 min]: Arizona Geological Survey Open-File Report 89-02, 6 p., 7 sheets, scale 1:24,000.

Klawon, J.E., Dickinson, W.R., and Pearthree, P.A., 1999, Surficial geology and geologic hazards of the northern Tucson Basin, Pima County, Arizona [Tucson North and Sabino Canyon 7.5 min]: Arizona Geological Survey Open-File Report 99-21, 28 p., 1 sheet, scale 1:24,000.

Pearthree, P.A., and Biggs, T.H., 1999, Surficial geology and geologic hazards of the Tucson Mountains, Pima County, Arizona [Avra, Brown Mountain, Cat Mountain, and Jaynes 7.5 min]: Arizona Geological Survey Open-File Report 99-22, 19 p., 2 sheets, scale 1:24,000.

Pearthree, P.A., and Youberg, Ann, 2000, Surficial geologic maps and geologic hazards of the Green Valley – Sahuarita area, Pima County, Arizona [Sahuarita, Green Valley, Esperanza Mill, and Twin Buttes 7.5 min]: Arizona Geological Survey Open-File Report 00-13, 21 p., 2 sheets, scale 1:24,000 [now available as Arizona Geological Survey Digital Geologic Map Series DGM-03]

USGS Publications

Most of these documents are available as PDF or SID downloads from USGS Publications Warehouse. The Papago documents are probably some of the earliest scientific studies of water in the area.

Aldridge, B.N. and Eychaner, J.H., 1984, Floods of October 1977 in southern Arizona and March 1978 in central Arizona: U.S. Geological Survey, Water-Supply Paper 2223, scale 1:63000.

Davidson, E.S., 1973, Geohydrologic and water resources of the Tucson basin, Arizona: U.S. Geological Survey, Water-Supply Paper 1939-E, scale 1:62500.

Hanson, R.T., 1989, Aquifer-system compaction, Tucson basin and Avra Valley, Arizona: U.S. Geological Survey, Water-Resources Investigations Report 88-4172, scale 1:72700.

Moore, B.N., Tolman, C.F., Butler, B.S., and Hernon, R.M., 1949, Geology of the Tucson quadrangle, Arizona: U.S. Geological Survey, Open-File Report OF-49-1, scale 1:100000.

Anderson, S.R., 1987, Cenozoic stratigraphy and geologic history of the Tucson basin, Pima County, Arizona: U.S. Geological Survey, Water-Resources Investigations Report 87-4190, scale 1:254000.

Anderson, S.R., 1988, Potential for aquifer compaction, land subsidence, and earth fissures in the Tucson basin, Pima County, Arizona: U.S. Geological Survey, Hydrologic Investigations Atlas HA-713, scale 1:250000.

Brown, S.G., 1976, Components of the water budget in the Tucson area, Arizona, 1970-72: U.S. Geological Survey, Miscellaneous Investigations Series Map I-844-M, scale 1:250000.

Bryan, Kirk, 1922, Routes to desert watering places in the Papago country, Arizona: U.S. Geological Survey, Water-Supply Paper 490-D, scale 1:250000.

Bryan, Kirk, 1925, The Papago country, Arizona, a geographic, geologic, and hydrologic reconnaissance with a guide to desert watering places: U.S. Geological Survey, Water-Supply Paper 499, scale 1:250000.

Burkham, D.E., 1970, Depletion of streamflow by infiltration in the main channels of the Tucson basin: U.S. Geological Survey, Water-Supply Paper 1939-B, scale 1:250000.

Cooley, M.E., 1973, Map showing distribution and thickness of alluvial deposits in the Tucson area, Arizona: U.S. Geological Survey, Miscellaneous Investigations Series Map I-844-C, scale 1:250000.

De La Torre, A.C., 1970, Streamflow in the upper Santa Cruz River basin, Santa Cruz and Pima Counties, Arizona: U.S. Geological Survey, Water-Supply Paper 1939-A, scale 1:250000.

Dickinson, W.R., 1992, Geologic map of Catalina core complex and San Pedro trough, Pima, Pinal, Gila, Graham, and Cochise Counties, Arizona: Arizona Geological Survey, Contributed Map CM-92-C, scale 1:125000.

Drewes, Harald, 1980, Tectonic map of southeast Arizona: U.S. Geological Survey, Miscellaneous Investigations Series Map I-1109, scale 1:125000.

4. Optional Resource - PCC Rock and Mineral Guide

PCC Rock and Mineral Guide

5. I Need Help



Need more information about this course? Have questions about faculty resources? Can't find what you're looking for? Experiencing technical difficulties?

We're here to help! Contact oyer@achievingthedream.org.

PART II

MODULE 1 - EARTH'S
ORIGIN, AND AN
INTRODUCTION TO
TOPOGRAPHIC MAPS

6. Introduction

Module I

Earth's Origin, and an Introduction to Topographic Maps

An observatory on a hill with a sky full of stars

Figure 1. The
ESO

3.6-metre
telescope at
La Silla,
during
observations.

Across the
plan of the
picture, is
the Milky
Way, our
own galaxy,
a
disc-shaped
structure
seen

perfectly
edge-on.

Above the
telescope's
dome, here
lighted by the
Moon, and
partially
hidden

behind dark
dust clouds,
is the
yellowish
and

prominent
central bulge
of the Milky
Way. The

whole plan of
the galaxy is
populated by
hundred
thousand
million of
stars, as well

as a
conspicuous
amount of
interstellar
gas and

dusts. The
dust absorbs
the visible

light and
reemits it at
longer
wavelength,
appearing
totally
opaque at
our eyes.
Located 600
km north of
Santiago, at
2400 m
altitude in
the outskirts
of the
Chilean
Atacama
Desert, La
Silla was
first ESO site
in Chile and
the largest
observatory
of its time.

Introduction

In the first module of the course, we will briefly introduce you to the field of geology (Chapter 1). It will also give you a sense of the diversity of topics we will be discussing in detail during the semester. Then, we will move on to the origin of Earth and the Solar System (Chapter 22). This information is important for understanding the key processes and forces at work on both our planet and throughout the universe.

In addition to learning about the formation of our planet, you will also be introduced to topographic maps and their use in visualizing Earth's surface. A topographic map is an extremely useful type of map that adds a third dimension (vertical) to an otherwise two- dimensional map defined by the north, south, east, and west compass directions. This third dimension on a topographic map is represented by contour lines, which are imaginary lines drawn on a map that represent an elevation above sea level. A map with such elevation lines will provide the map reader with detailed information regarding the shape of the Earth's surface.

Knowledge of how to interpret a topographic map will allow a person to locate and identify features on the Earth's surface such as hills, valleys, depressions, steep cliffs and gentle slopes. In addition, the map reader will be able to identify areas that may be prone to geologic hazards such as landslides and flooding. Any person interested in purchasing property, landscaping, planning a hike or camping trip, or who needs to survey an area for construction of a road, dam, or building will want to first consult a topographic map.

Select images throughout this course to see them larger.

Select an image to view larger

Two large telescope
buildings with a sky full of
stars.

*Figure 2.
Sitting atop
Cerro
Paranal high
above the
Atacama
Desert in
Chile, two of
the Very
Large
Telescope's
Unit
Telescopes
quietly bask
in the
starlight,
observing the
Milky Way as
it arches
over ESO's
Paranal
Observatory. Several
interesting
objects can
be seen in
this picture.
Some of the
most
prominent
are the two
Magellanic
Clouds — one
Small (SMC),
one Large
(LMC) —
which
appear
brightly in
between the
two
telescopes.
By contrast,
the dark
Coalsack
Nebula can
be seen as an
obscuring
smudge
across the*

Milky Way, resembling a giant cosmic thumbprint above the telescope on the left. The Magellanic Clouds are both located within the Local Group of galaxies that includes our galaxy, the Milky Way.

Figure 3.
VST image of the star-forming region Messier 17

Figure 4.
Topographic al map of Tucson showing Saguaro National Park (West)

Module Objectives

At the completion of this module you will be able to:

1. Explain what the field of geology is, why it is important, and the type of work geologists do.
2. Describe what happened during the Big Bang, when it

- happened, and the evidence for it.
3. Explain how clouds of gas and dust can form stars, planets, and solar systems.
 4. Describe the early stages of Earth's formation, how the moon formed, and the age of each.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 1 (Introduction to Geology)
- Chapter 22 (The Origin of the Earth and the Solar System)

Discussion

30 points, class participation

For this week's discussion topic, "Introductions" you should earn at least 30 points toward your required 150 points of class participation.

Pay close attention to the Course Schedule for when each of your

posts are due. Some are due earlier than others. Failure to post on time will result in lost points.

Discussion 1 Instructions

Module 1 Assignment: Topographic Maps

10 points

After you complete the reading, you can start working on Module 1 Assignment – Topographic Maps.

Module 1 Quiz

10 points

Module 1 Quiz has 10 multiple-choice questions and is based on the content of the Module 1 readings and Assignment 1.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature

such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

7. Assignment: Topographic Maps

Module 1 Assignment

Topographic Maps

A picture of John Wesley Powell, Director of the USGS 1881-1894. Quote showing: A government cannot do any scientific work of more value to the people at large than by causing the construction of topographic maps of the country. Facts showing: U.S. Geological Survey: a History of the National Program for Topographic Mapping (1884–2009) and Continuing Innovation into the Future. Topographic maps became a signature product of the USGS because the public found them — then and now — to be a critical and versatile tool for viewing the nation’s vast landscape. From the 1880’s until the advent of computers and geographic information system (GIS) software, topographic maps served as the essential instrument for the integration and analysis of place-based information. In the last quarter-century, advancing technologies have transformed topographic mapping science from the printed product to digital data and on-line based applications. Along with highlighting a legacy of more than 130 years of topographic mapping, the National Geospatial Program of the USGS is proud to release a new type of digital topographic map and the new interactive viewer for The National Map.

Figure 1.

Instructions

NOTE: For all of the following figures, assume North is up.

1. (2 pts) The following topographic map is from a coastal area and features an interesting geological hazard in addition to the ocean. Using a contour interval of 40 meters, label the elevation of every contour line on Map 1 below. (Note: elevation is meters above sea level, which makes sea level = ___m)

Map 1.

2. (4 pts) Imagine you are a geologist for the United States Geological Survey. You are tasked with creating your own coastal topographic map, so you hike around the area with a GPS receiver (Global Positioning System) and every so often you record your position along with the elevation in meters at that point, which results in Map 2 below. Complete this map by adding in the contour lines using a contour interval of 100 meters. Draw the contour lines so that they are continuous (do not die off), and either continue off the map or form an enclosed circle (look at the topographic map in Question 1 for an example). More often than not, your contour lines will fall between the GPS points on your map, so do your best to determine the contour line positions.

Map 2.

3. (1 pt) What is the contour interval on Map 3 above?

Map 3.

4. (1 pt) What is the regional relief on Map 3 above?
5. (1 pt) Using the contour lines on Map 3, which area along the red line is steeper— A to B or B to C? Explain how you came to this conclusion.
6. (2 pts) What is the gradient from A to B and B to C on Map 3?

Show your work.

7. (2 pts) Drumlins can be used to determine the original direction of flow in a glacier, with the glacier originally moving toward the shallower side of the structure and then retreating in the opposite direction (see illustration below). Using your previous answers from Questions 5 and 6 above and the illustration below, what direction was the glacier traveling originally traveling, before it retreated? Explain your answer. (Remember that North is up on the map.)

Map 4.

8. (4 pts) Construct a topographic profile from A to A' on the graph paper below.

Map 5

9. (3 pts) Based on the scale you choose for the topography (vertical axis) in question 8, calculate the amount of vertical exaggeration on the topographic profile you constructed above. Show your work.

8. Discussion 1: Introduce Yourself

Module 1 Discussion

Introductions

A horseshoe shaped river curving around a red rock canyon

*Figure 1.
Horseshoe
Bend, a
meander of
the Colorado
River, near
Page,
Arizona*

Introduction

Welcome to the class! It is important to feel engaged in this class – you shouldn't feel isolated and alone at your computer. That is the purpose of these class discussions.

If you read the directions carefully, follow the listed suggestions, use proper grammar and spelling, make lots of meaningful replies, and post on time, you will have no trouble earning all of the required participation points in this class, and will likely earn lots of extra credit points, too!

For this discussion, you will write an initial post and reply to at least TWO of your classmates' posts. Follow the guidelines for each posting below:

Basic Guidelines for Initial Post

(20 points, required)

Under the Discussion 1 topic, create a new thread. You need to include all of the following in your post:

1. Put your full name somewhere in the subject line. For example, you could write “Hello from so and so...”.
2. In the message box, start by telling us your preferred name, if you have one other than what the school assigned you, and let us know where you are currently located. It is fun to see who is located outside of Pima County, and it could help me to plan ahead for field trips.
3. Share with your instructor and fellow students why you are taking this class. Is it to fulfill your transfer or AGEC requirements, or the requirements of a particular program at this or another college? Explain. This information is particularly helpful to me in terms of future planning for this online course. If you are willing to share, I would also like to know why you chose this particular course and format (online), rather than enroll in a different one.
4. Tell us whatever else you want to share about yourself. You might consider including information about your major, current job, current classes, educational goals, family, recent accomplishments, etc. It is up to you what you want to include.
5. Talk about your experience with taking online classes. Is this your first online class, or have you taken many of them? If you are new to online, share your fears or reservations about this class format. If you have taken other online courses, please share your tips for success. What do you think are your personal challenges to success in this class?
6. Upload a picture of yourself. Be sure that it is large enough so that we can clearly see you, and tell us which person in the picture is you if there are multiple people shown. Being able to

see what each other looks like will make us feel more like a community, and this class feel as much like a regular, face-to-face classroom as possible. Seeing each other helps a lot!

Basic Guidelines for Replies to Students

(10 points, required)

1. You are free to make replies to students with regard to either
 - a. your own introductory post, or
 - b. another student's introduction (including mine).
2. Each reply must contain 6 or 7 meaningful sentences responding to a student's post. Any encouraging phrases and support are welcome!
3. You must reply to at least 2 other students. (3, or more, for extra credit.)
4. If your replies are too short, you will need to make more than 2 replies to reach your full sentence count for the discussion (2 replies x 6 or 7 sentences each = 12-14 sentences required in each discussion).
5. Do not wait until the last day of the discussion to make your replies. You only receive credit for one reply (up to 10 points max) on the last day.
6. Reply early and often, and earning your full discussion points will be easy!

Extra Credit

(5 points, optional)

Make a third reply (or more!) to a student following the guidelines above.

Learning Outcomes

As a result of your participation in the discussion, you will be introduced to the other students in the course and your instructor. It will also give you a chance to evaluate yourself as an online learner, as well as an opportunity to share successful study tips with your fellow classmates.

9. Module 1 Quiz

[Click here for the Word file for Quiz 1.](#)

PART III

MODULE 2 - EARTH'S INTERIOR

10. Introduction

Module 2

Earth's Interior

A hole in rocky earth showing glowing lava

*Figure 1.
Lava Flow,
Hawaii
Volcano
Observatory*

Introduction

Earth is a dynamic planet, but not everything happens on the surface! A lot of the exciting activity is also happening in Earth's interior. Before we move into a discussion of Plate Tectonics (Module 3), we first need to learn something about the inside of the Earth. Unfortunately, geologists don't have any way to see what's going on in the interior, so they have to use other tools that can help visualize its inner workings.

Studying the Earth's interior poses a significant challenge due to the lack of direct access. Many processes observed at the Earth's surface are driven by the heat generated within the Earth, however, making an understanding of the interior essential. Volcanism, earthquakes, and many of the Earth's surface features are a result of processes happening within the Earth.

Much of what we know regarding the Earth's interior is through indirect means, such as using seismic data to determine Earth's internal structure. Scientists discovered in the early 1900s that

seismic waves generated by earthquakes could be used to help distinguish the properties of the Earth's internal layers. The velocity of these waves (called primary and secondary waves, or P and S waves) changes based on the density of the materials they travel through. As a result, seismic waves do not travel through the Earth in straight lines, but rather get reflected and refracted, which indicates that the Earth is not homogeneous.

The Earth's interior consists of an inner and outer core, the mantle, and the crust. Located in the center of the Earth is the inner core, which is very dense and under incredible pressure, and is thought to be composed of an iron and nickel alloy. It is solid, and surrounded by a region of liquid iron and nickel called the outer core. The outer core is thought to be responsible for the generation of the Earth's magnetic field. A very large portion of the Earth's volume is in the mantle, which surrounds the core. This layer is less dense than the core, and consists of a solid that can behave in a plastic (deformable) manner. The thin outer layer of the Earth is the crust. The two types, continental and oceanic crust, vary from each other in thickness, composition, and density.

Module Objectives

At the completion of this module you will be able to:

1. Explain the variations in the composition and characteristics of Earth's different layers
2. Compare the characteristics, behavior, and velocities of the two types of seismic body waves, and how they can be used to interpret Earth's interior.
3. Describe temperature variations within the interior and how this relates to mantle convection.
4. Explain the origins of Earth's magnetic field.
5. Describe the isostatic relationship between the crust and the

mantle, and the implications of that relationship for geological processes on Earth.

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 9 (Earth's Interior)

Module 2 Assignment: Exploring Earth's Layers and Seismic-wave Travel Times

10 points

After you complete the reading, you can start working on Module 2 Assignment – Exploring the Earth's Layers and Seismic-wave Travel Times.

Module 2 Quiz

10 points

Module 2 Quiz has 10 multiple-choice questions and is based on the content of the Module 2 readings and Assignment 2.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

II. Assignment: Exploring Earth's layers and seismic-wave travel times

Module 2 Assignment

Exploring Earth's layers and seismic-wave travel times

An outcropping of rocks amidst a lush landscape

*Figure 1.
Once in a
while a piece
of the Earth's
interior is
visible on
Earth's
surface! This
is an
ophiolite
outcrop
located near
Firenzuola,
Italy. An
ophiolite is
piece of the
interior
where
mantle meets
ocean crust
that has been
pushed up on
the Earth's
surface.*

Overview

Earth's interior layers can be distinguished in two ways: by their chemical composition or by their physical characteristics and the way they “move” (in a rigid or a “plastic” manner, for instance). Sometimes the different terms we use to describe the interior are confused with one another, or they are treated as interchangeable terms, when really they are quite different. For example, the terms crust, mantle, and core are differentiated by their chemical composition, while the terms lithosphere and asthenosphere are differentiated by their physical (mechanical) properties. However, the terms crust and lithosphere are often (and incorrectly) used interchangeably.

Instructions

Part 1

1. Consider the following terms that are used to describe various layers of Earth's interior:
 - Crust
 - Continental crust
 - Oceanic crust
 - Lithosphere
 - Asthenosphere
 - Mantle
 - Mesosphere
 - Core
 - Outer core (liquid)
 - Inner core (solid)

How might you hand-draw a figure for a textbook that includes all of these components of Earth's interior? In other words, how might you reconcile these components of Earth's interior and the two different ways they are characterized (chemical vs. physical/mechanical properties) in a single illustration?

2. Write a paragraph (at least 5 – 6 sentences) that summarizes what tools scientists use to determine the depths at which these layers are situated in Earth's interior.

Part 2

1. The March 11th, 2011 earthquake in Japan was a magnitude 9.1—one of the most powerful earthquakes to ever be recorded on Earth. Let's assume the P-waves traveled outward from the focus of the earthquake at a rate of 5 km/s, and the S-waves traveled outward at a rate of 4 km/s.
 - a. Which waves, P or S, would arrive at seismograph stations first?
 - b. S-waves are more damaging than P-waves, and surface waves are the most damaging seismic waves of all. How much warning did residents of the following cities have before the more serious shaking began, starting with arrival of the S-waves? (*Hint: Calculate the difference in arrival time between the P- and S-waves in each city.*) **Show all your work.**
 1. Sendai (130 km from epicenter)
 2. Tokyo (373 km from epicenter)
 3. Osaka (770 km from epicenter)

Grading

10 points: Accurately responded to each question, including a clearly drawn figure of Earth's interior, a well-written brief summary, and showing the math for each of the 3 calculations. Any sources used were cited.

8 points: Responded to each question, but may have addressed one or two incorrectly.

5 points: More than two questions missed or answered incorrectly; sources were not cited.

2 points: Only very partial information provided.

0 points: Did not complete the assignment.

12. Module 2 Quiz

[Click here for the Word file for Quiz 2.](#)

PART IV

MODULE 3 - PLATE TECTONICS

13. Introduction

Module 3

Plate Tectonics

A tall snowcapped mountain with green grass and a dirt road in the foreground

Figure 1. Mt. Denali, Alaska. Because of active plate tectonics, earthquakes are frequent in the Denali area. It is estimated that there are some 600 seismic events per year. This seismic activity at the root of Denali suggests that uplift of the mountain continues to this day. Numerous faults, including the Denali fault (a major fault system), demonstrate a long history of active plate tectonics and associated earthquake activity. (National Park Service)

Introduction

In this module, you will be introduced to a fundamental theory in geology: Plate Tectonics. You will learn about the important hypotheses that eventually led to the development and acceptance of the plate tectonics theory over the last century, including Alfred Wegener's hypothesis of continental drift and Harry Hess' hypothesis of sea floor spreading. You will also learn about the key drivers of plate movement and the tectonic processes at work at plate margins. We will revisit this topic many times during the semester.

A theory is a well-supported explanation for a natural phenomenon that still cannot be completely proven. A Grand Unifying Theory is a set of ideas that is central and essential to a field of study such as the theory of gravity in physics or the theory of evolution in biology. The Grand Unifying Theory of geology is the theory of Plate Tectonics, which defines the outer portion of the earth as a brittle outer layer that is broken into moving pieces called tectonic plates. This theory is supported by many lines of evidence, including the shape of the continents, the distribution of fossils and rocks, the distribution of environmental indicators, as well as the location of mountains, volcanoes, trenches, and earthquakes. The movement of plates can be observed on human timescales and easily measured using GPS satellites.

Plate tectonics is integral to the study of geology because it aids in reconstructing earth's history. This theory helps to explain how the first continents were built, how oceans formed, and it even helps inform hypotheses for the origin of life. The theory also helps explain the geographic distribution of geologic features such as mountains, volcanoes, rift valleys, and trenches. Finally, it helps us assess the potential risks of geologic catastrophes such as earthquakes and volcanoes across the earth. The power of this theory lies in its ability to create testable hypotheses regarding Earth's history, as well as predictions regarding its future.

Select an image to view larger

Aerial view of the Himalayas

*Figure 2.
Satellite
view of the
Himalayas,
on the border
between
southeastern
China and
northern
India. This
majestic
mountain
range formed
at a
continent-co
ntinent
convergent
boundary
between two
tectonic
plates.*

GPS monitor on a stand sitting on top of a mountain,
overlooking another range of mountains

Figure 3. A
GPS station
in Denali,
near
Tokosha. The
Plate
Boundary
Observatory
(PBO) has
installed
more than
1,100 Global
Positioning
System
stations in
North
America,
including
two in
Denali—near
Tokosha
(above) and
on
Wickersham
Dome.

uplifted mountain range

Figure 4.
Capitol Reef,
Utah. Long
after the
sedimentary
rocks were
deposited,
the entire
region was
uplifted
thousands of
vertical feet,
due to
large-scale
plate
tectonic
forces. Most
of the
Colorado
Plateau was
uplifted
relatively
evenly,
keeping the
layers
roughly
horizontal,
creating the
'layer cake'
appearance
common
throughout
the region
(such as at
the Grand
Canyon).
Capitol Reef
is a giant
exception to
this
pattern—due
to the
Waterpocket
Fold. The
Waterpocket
Fold defines
Capitol Reef
National
Park. A
nearly

100-mile
long warp in
the Earth's
crust, the
Waterpocket
Fold is a
classic
monocline, a
'step-up' in
the rock
layers. It
formed
between 50
and 70
million years
ago when a
major
mountain
building
event in
western
North
America, the
Laramide
Orogeny,
reactivated
an ancient
buried fault
in this
region.
Movement
along the
fault caused
the west side
to shift
upwards
relative to
the east side.
The
overlying
sedimentary
layers were
draped above
the fault and
formed a
monocline.
The rock
layers on the
west side of
the fold have
been lifted

*more than
7,000 feet
(2,134 m)
higher than
the layers on
the east.*

sunrise over a mountain range and valley

Figure 5.
Dante's View
in Death
Valley
National
Park,
California.
Time passed
and the sea
began to
slowly recede
to the west
as land was
pushed up.
This uplift
was due to
movement
occurring far
beneath the
Earth's
surface.
Scientists
have
discovered
that the
Earth's crust
is composed
of
inter-connec
ted sections,
or plates.
Death Valley
lies near the
boundary
between two
of these
plates. As the
plates slowly
move in
relation to
each other,
compression
al forces
gradually
fold, warp
and fracture
the brittle
crust. This
widespread
rock

deformation
and faulting
occurred
through most
of the
Mesozoic Era
(251 – 65.5
million years
ago.) While
the Rocky
Mountains
and the
Sierra
Nevada
formed,
active
mountain
building
alternated
with times
when erosion
prevailed,
working to
breaking
down the
mountains
that had
formed.
(National
Park Service)

Module Objectives

At the completion of this module you will be able to:

- Describe the development of the theory of plate tectonics, including the concepts of seafloor spreading and continental drift.
- Name the three types of plate boundaries, describe the type of motion, and describe the features associated with each.
- Explain the distribution and origin of most volcanoes, earthquakes, young mountain belts and major seafloor features.

Activities Overview

See the *Schedule of Work* for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 10 (Plate Tectonics)

Discussion 2 – Plate Tectonics

30 points

This week we will be having a conversation about plate tectonics and the ways in which the hazards associated with movement of the plates might personally affect you or your family. Now that you have completed Module 3 (Plate Tectonics), you should have some basic knowledge about the subject and can make educated post(s).

Discussion 2 Instructions

Pay close attention to the Course Schedule for when each of your posts are due. Some are due earlier than others. Failure to post on time will result in lost points.

Module 3 Assignment: Using Google Earth to Visualize Plate Boundaries

10 points

After you complete the reading, you can start working on Module 3 Assignment: Using Google Earth to Visualize Plate Boundaries

Module 3 Quiz

10 points

Module 3 Quiz has 10 multiple-choice questions and is based on the content of the Module 3 readings and Assignment 3.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

14. Assignment: Using Google Earth to Visualize Plate Boundaries

Module 3 Assignment

Using Google Earth to Visualize Plate Boundaries

people in multicolored wetsuits snorkeling between to large rock formations

Figure 1. Snorkeling in the Silfra canyon, a rift between the tectonic plates (North American and Eurasian), Þingvellir National Park, Southern Region, Iceland.

Overview

This week you will complete an exercise on plate boundaries using Google Earth tools and any other Internet or textbook resources at your disposal. Please make sure you have completed the module reading before you complete the assignment. Please write your

answers in a separate document and submit it to Assignment 1 in the Assignments Tool.

Installation

You should have the Google Earth application downloaded on your computer.

If you haven't done that yet, please visit <https://www.google.com/earth/> to download it and install it on your machine.

It is not recommended to use an iPad or a Chrome book to do this assignment. The .kmz file may not load properly and you will be unable to do the assignment.

Downloading and opening the KMZ file:

1. Download this KMZ file: Plate Boundaries
2. Launch the Google Earth application. Choose File → Open... and navigate to the Downloads folder on your computer.
3. Choose the “plate-boundaries.kmz” file to open it in Google Earth.

Figure 2. Screenshot of the Google Earth Application

Instructions

When opening the “plate-boundaries.kmz” file in Google Earth, it should automatically zoom in on the San Andreas Fault Zone in California. Take some time to acquaint yourself with the Google Earth zoom and rotation tools on the right-hand side of the window

and with legend on the left side of the Google Earth window. Explore the plate boundaries in this region and across the globe. To return to the original view, simply double-click on the name of the KMZ file ("Earth's Tectonic Plates" in the Places legend on the left-hand side of the Google Earth window). The yellow arrows indicate relative movement between the plates. Your current view should look like this:

Figure 3. This is what your Google Earth window should look like when the KMZ file is first launched.

West Coast Tectonics

As you have learned, the San Andreas Fault is actually a transform boundary between the Pacific and North American plates.

1. Name the two plates that form the San Andreas transform fault boundary. What direction is each plate moving relative to the other?*Next, zoom in on the San Andreas Fault Zone until the cities of Los Angeles and San Francisco appear on your map. (Hint: They will appear as red labeled dots. Los Angeles may appear on the map first, then zoom in a bit more and San Francisco should appear, as well).*
2. On which tectonic plate are the following cities located (please include one screenshot of the general area that includes at least two of these cities):
 - a. Los Angeles, CA
 - b. Bakersfield, CA
 - c. San Francisco, CA
3. Based on the relative motion between these two plates, is the distance between San Francisco and Los Angeles becoming greater or shorter over time? Briefly explain.*Next, return to the original map view by double-clicking the name of the KMZ file*

“Earth’s Tectonic Plates” under the Places Legend on the left side of the Google Earth window.

4. Describe the names and types of plate boundaries, as well as their relative movement, along the West coast of North America, from the Gulf of California (Sea of Cortez) northward to British Columbia, Canada. *Next, zoom in on the Juan de Fuca plate, just off the coast of Washington and Oregon.*
5. Based on the types of plate boundaries that form the perimeter of the Juan de Fuca plate, in addition to what you have learned in the textbook about their relative rate of movement, what is the ultimate fate of the Juan de Fuca plate?
6. Describe the tectonic processes that formed the Cascade Range (which includes Mt. St. Helens) in the U.S. Pacific Northwest.

Figure 4. Screenshot of the Juan de Fuca plate.

Divergent Plate Boundaries

Next, zoom out and take a few minutes to explore the other plate boundaries around the globe.

7. Where are most of the divergent plate boundaries located around the globe— on landmasses or in ocean basins?
8. Identify at least one location where a divergent boundary is situated in a shallow, narrow sea between landmasses. Include a screenshot. *You might notice that divergent and transform boundaries often occur together in an alternating pattern. Zoom in on a region on Earth where this occurs.*
9. Why are mid-ocean ridges (divergent boundaries) usually offset by numerous transform faults along their length? Feel free to refer to your textbook or do some internet research

(citing your sources) to determine this. Include a screenshot of the location you chose to zoom in on.

Spreading Rates

Please visit the National Oceanic and Atmospheric Administration (NOAA) website: 2008 Age of Oceans Plates)

Take a moment to study and zoom in on the map and its legend (see the screenshot of this image on the next page).

10. Describe what this image is illustrating.
11. Using data from the image, where is the oldest seafloor in the world and what is its age? How does this age compare to the oldest continental rocks?
12. What is the reason for the discrepancy between these two ages?

Figure 5. 2008 Age of Oceans image from NOAA website. Next, use both Google Earth and the image above to explore the types of plate boundaries and the seafloor ages in the mid-Atlantic Ocean and Pacific Ocean basins.

13. Compare the seafloor ages between the mid-Atlantic Ocean and the Pacific Ocean, off the coast of South America. Which spreading ridge is spreading faster? How does seafloor age help you determine this?

Grading Rubric

10 points: All questions were answered thoroughly and accurately. Screenshots were included where requested.

8 points: All questions were answered and were mostly accurate. Screenshots were included where requested.

5 points: Answers were too brief and a 1-2 questions were unanswered. Screenshots were not included.

2 points: Only very partial information was given. Screenshots were not included.

0 points: Did not complete the assignment.

15. Discussion 2: Plate Tectonics

Discussion 2

Plate Tectonics

Tilted and jagged rock formations among hills and trees

Figure 1. Vasquez Rocks. Just north of Los Angeles, the uplifted rocks are a result of collisions along the Elkhorn Fault, an offshoot of the San Andreas Fault.

Introduction

This week we will be having a conversation about plate tectonics and the ways in which the hazards associated with movement of the plates might personally affect you or your family. Now that you have completed Module 3 (Plate Tectonics), you should have some basic knowledge about the subject and can make educated post(s).

For this discussion, you will write an initial post and reply to at

least TWO of your classmates' posts. Follow the guidelines for each posting below:

Basic Guidelines for Initial Post

(20 points, required)

Under the Discussion 2 topic, create a new thread. Answer the following questions thoroughly. Each question should be addressed in complete sentences and 4 – 5 sentences each.

1. Where did you grow up, or where do you call home? Where are the closest plate boundaries to your home (name the specific plates involved)? Is the boundary you identified a divergent, transform, or convergent boundary, or some combination of these? Describe this boundary in more detail if possible.
2. If a family member asked you to describe the potential danger of living near the plate boundary located closest to your home, what would you tell them?
3. Knowing what you do now about plate tectonics and the hazards associated with plate boundaries, how would this new knowledge play a role in where you choose to live in the future? How much risk might you be willing to live with?
4. Find two web pages or articles from two different sources that you feel provide a good overview of plate tectonics. How might you determine if it is a credible source for information? Describe what you liked (or didn't like) about the way the information was presented.

Basic Guidelines for Replies to Students

(10 points, required)

1. Make **two** replies to **two** different students, thoughtfully addressing
 - a. their concerns and/or assessments about the hazards associated with plate tectonics as they relate to them, and
 - b. at least one of the websites they chose as a good source for information on plate tectonics.
2. Each reply must contain 6 or 7 meaningful sentences directly related to article content. Phrases like “that is a great article!” and “I really liked your summary” do not count as meaningful content. However, these are still encouraging phrases in support of your peers so please feel free to include them in your post.
3. You must reply to at least 2 other students. (3, or more, for extra credit.)
4. Do not wait until the last day of the discussion to make your replies. You only receive credit for one reply (up to 10 points max) on the last day.
5. Reply early and often, and earning your full discussion points will be easy!

Extra Credit

(5 points, optional)

Make a third reply (or more!) to a student following the guidelines above.

Learning Outcomes

As a result of your participation in the discussion, you will become more aware of current events and news articles relating to topics in geology (i.e. become a more informed citizen). You will have some

freedom in customizing this course to pursue your own interests in geology, including things not covered in the content of this course, by finding news articles on topics that relate to you.

Grading Rubric

Initial Post

20 points: Initial post met length and content requirements

15 points: Initial post needs minor improvements in length and content

10 points: Initial post needs major improvements in length or content

5 points: Initial post was made but with very little effort

0 points: Initial post was not made

Reply posts (each)

5 points: Reply was thoughtful, relevant, and met length requirements.

4 points: Reply needs minor improvements in relevancy and/or length.

2.5 points: Reply needs major improvements in relevancy and/or length.

1 points: Reply was made but with very little effort.

0 points: Reply was not made.

16. Module 3 Quiz

[Click here for the Word file for Quiz 3.](#)

PART V

MODULE 4 - MINERALS

17. Introduction

Module 4

Minerals

A plant shaped formation of Malachite inside of a geode

*Figure 1.
Malachite
construction
on allophane
from
Valcroze
mine in the
South of the
France.*

Introduction

In this module you will be learning about the building blocks of all of the materials that exist on the Earth. Atoms, comprised of protons, electrons and neutrons, form the elements of the Periodic Table. In turn, different elements combine to form different types of minerals. The properties of different materials are directly dependent on the elements that they contain. During this module, you will be learning about different minerals and carrying out a lab experiment to see first hand how properties vary from mineral to mineral.

Have you used a mineral yet today? While many people may initially say no, answer these questions: Have you brushed your teeth? Have you eaten anything that might contain salt? Did you put on makeup this morning, or do you have painted fingernails or

toenails? Have you used a cellphone? What about a car, bike, or public transportation? If you have done any of those things, you have used at least one mineral, and in many cases you have used a great number of minerals. Minerals are very useful and common in everyday products, but most people do not even realize it.

A mineral is defined as a naturally occurring, inorganic solid with a definite chemical composition and a characteristic crystalline structure. Let's break that definition down. By naturally occurring, it means that anything humans have created, like the beautiful synthetic bismuth in the figure below, does not count as a mineral.

Figure 2. Bismuth is a chemical element that has the symbol Bi and atomic number 83. This is a bismuth crystal, that may be synthetic (see Hopper crystal).

To be an inorganic solid, the mineral must not be composed of the complex carbon molecules that are characteristic of life and must be in the solid state, rather than vapor or liquid. This means that water, a liquid, is not a mineral, while ice, a solid, would be (as long as it is not man-made). A definite chemical composition refers to the chemical formula of a mineral. For most minerals, this does not vary (for example, halite is NaCl), though some minerals have a range of compositions, since one element can substitute for another of similar size and charge (for example, the chemical formula for olivine is $(\text{Mg,Fe})_2\text{SiO}_4$, indicating its magnesium and iron content can vary). The atoms within minerals are lined up in an orderly fashion, so that the characteristic crystalline structure is just an outward manifestation of the internal atomic arrangement. Minerals are not only important for their many uses, but also as the building blocks of rocks.

Select an image to view larger

clear crystal mineral specimen

*Figure 3.
Quartz is
one of the
most
common
minerals in
the Earth's
crust, and
also one of
the most
recognizable.*

light blue rock specimen

*Figure 4.
Crystals of
turquoise,
crystals of
pyrite,
crystals of
quartz.
Copper
Cities Mines,
Gila, Arizona*

spikey red-orange mineral specimen

*Figure 5.
Wulfenite
from the
Defiance
Mine,
Arizona*

green, bumpy, tube-shaped mineral specimen

*Figure 6.
Malachite,
Bisbee,
Arizona –
Natural
History
Museum of
Utah*

red-orange crystals in a mineral specimen

*Figure 7.
Zincite from
Arizona*

Figure 8.
Malachite,
Quartz,
Chrysocolla,
Globe
Arizona. A
gorgeous
specimen
with an
antique
Ward's
Science
Establishmen
t label dating
it to
pre-WWI in
the early
1900s.
Ward's was
an active
buyer at the
time, but an
even older
(unidentified,
calligraphy)
label glued to
the back
indicates this
may date to
the earliest
days of
copper camp
mining in
Arizona.

Chunky mineral in dark blue, light blue, and red-orange

*Figure 9.
Azurite and malachite on iron oxide gossan from Arizona, USA. Blue = azurite, Green = malachite, Reddish-brown = gossan matrix*

*Figure 10.
Gypsum & Smithsonite & Azurite & Malachite from the Grand Canyon, Arizona.*

Module Objectives

At the completion of this module you will be able to:

1. Describe what an atom is and identify the elements that are important in geology.
2. Name common minerals and describe their structure.
3. Explain how to identify a mineral from its physical properties, and give examples for common minerals.

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 2 (Minerals)

Optional Resources

- PCC Rock and Mineral Guide
- Geology.com Mineral Guide
- Geology.com Rock Guide
- Minerals A-Z, Minerals.net

Module 4 Quiz

10 points

Module 4 Quiz has 10 multiple-choice questions and is based on the content of the Module 4 readings.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take

this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Prepare for Exam 1

75 points

For Exam 1, you will be asked to put your knowledge to work in the Great Outdoors or at your local rock shop! You will be assembling a mineral kit with 5 minerals of your choice, composed of samples you have collected yourself or purchased individually. As a result, your kit will be customized according to your own interests.

You can read more about this in the Exam 1 Instructions.

This is a “take-home” project. You will submit the results from your project in the Assignments tool during the week of **Module 5**.

Keep in mind that even though this exam is available for viewing a week earlier than the other exams you will take in this course, you will not be introduced to some of the content you need to complete this project until Module 5, so you are advised to keep this in mind as you start thinking about your project.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to

the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

18. Module 4 Quiz

[Click here for the Word file for Quiz 4.](#)

19. PCC Rock and Mineral Guide (optional)

PCC Rock and Mineral Guide (optional)

PART VI

MODULE 5 - IGNEOUS ROCKS

20. Introduction

Module 5

Igneous Rocks

A large outcrop of igneous rock, framed by trees

*Figure 1.
Devil's Tower
in Wyoming
is one of the
most famous
outcrops of
igneous rock
in the world.
It is
composed of
an igneous
rock type
called
phonolite
porphyry.*

Introduction

All rocks found on the Earth are classified into one of three groups: igneous, sedimentary, or metamorphic. This rock classification is based on the origin of each of these rock type or the rock-forming process that formed the rock. The focus of this chapter will be on igneous rocks, which are the only rocks that form from what was once a molten or liquid state. Therefore, based on their mode of origin, igneous rocks are defined as those rock types that form by the cooling of magma or lava. You would be right in thinking that there is more to the classification of igneous rocks than stated in the

previous sentence, as there are dozens of different igneous rocks that are considered commonplace, dozens of more types that are less common, and also quite a few igneous rock types that are quite scarce. Yet each igneous rock has a name that distinguishes it from all the rest. So, if they all start out as molten material (magma or lava), which must harden to form a rock, then it is logical to assume that these igneous rocks differ from one another primarily due to:

1. the original composition of the molten material from which the rock is derived, and
2. the cooling process of the molten material that ended up forming the rock. These two parameters— composition and texture— define the classification of igneous rocks. Igneous rock composition refers to what is in the rock (the chemical composition or the minerals that are present), and a rock's texture refers to the features that we see in the rock, such as the mineral sizes or the presence of glass, fragmented material, or vesicles (holes) in the igneous rock.

In this module you will be learning about intrusive and extrusive igneous rocks. Igneous rocks are very commonly encountered in nature. Well-known examples are the basalt rocks of Hawaii that formed during volcanic eruptions on the islands. However, igneous rocks have formed throughout Earth's history and, through the process of plate tectonics, are often located at great distances from active volcanoes. For example, in the Catalina Mountains to the north of Tucson, there are many examples of igneous rocks, including three sills of granite that formed about 50 million years ago through an intrusion into an older granite unit. In this module, you will learn about the different types of igneous deposits, including sills, and how composition is related to the environment in which the rocks formed.

Select an image to view larger

A black shiny porous rock

Figure 2.
Vesiculated
tachylite
(basaltic lava
flow
cross-section
, 1969 to 1974
lava tube
ceiling,
Mauna Ulu
Lava Field,
East Rift
Zone,
Kilauea
Volcano,
Hawaii, USA)

Green glass-like mineral

Figure 3.
Fosterite-Oli
vine, Suppat,
Northwest
Frontier
Province,
Pakistan

a pile of rocks of different colors and textures

Figure 4.

Obsidian

*(top – shiny
black),*

*Pumice (gray
below), and*

*Rhyolite
(light colored
rock on*

*right)at the
base of*

Panum

Crater, Mono

County,

California.

a light colored porous rock

Figure 5.
Pumice stone
in a wall in
Teguiise,
Lanzarote,
Canary
Islands,
Spain.
Pumice is a
light-colored,
extremely
porous
igneous rock
that forms
during
explosive
volcanic
eruptions. It
is used as
aggregate in
lightweight
concrete, as
landscaping
aggregate,
and as an
abrasive in a
variety of
industrial
and
consumer
products.
(geology.com)

Lava flowing over a field of basalt.

Figure 6.
Lava and
basalt at
Hawaii
Volcanoes
National
Park (2004,
Chain of
Craters
Road)

Woman watching lava flowing over the edge of a
basalt cliff

*Figure 7.
Lava and
basalt at
Hawaii
Volcanoes
National
Park (2004,
Chain of
Craters
Road)*

*Figure 8.The
Organ Pipes
near
Khorixas,
Namibia.
They are a
rock
formation
that
comprises a
group of
columnar
basalts
which
resemble
organ pipes.*

geometric shaped columns at the edge of water

*Figure 9. The
Giant's
Causeway on
the Antrim
Coast of
Northern
Ireland. A
UNESCO
World
Heritage Site
with 40,000
basalt
columns
from an
ancient
volcanic
eruption.*

columnar basalt

*Figure 10.
Giant's
Causeway,
Ireland*

A tall weathered rock formation at the top of a hill surrounded by smaller volcanic rocks and green vegetation

Figure 11.
Weaver's
Needle seen
from the
Fremont
Pass in the
Superstition
Mountains
band east of
Phoenix,
Arizona .
Weaver's
Needle was
created
when
volcanic tuff,
the effect of
the original
volcano
eruption,
began to
undergo
rapid
erosion,
leaving a
1388 meter
high turn.
The summit
was named
after the
famous
climber
Pauline
Weaver.

Figure 12.
Ancestral
homes made
of tuff,
Bandolier
National
Monument,
New Mexico.
Tuff is very
light and
soft. Over
time, wind
and water
gradually
eroded away
softer areas
of tuff,
creating
holes in the
exposed
canyon faces.
The
Ancestral
Pueblo
people used
these to their
advantage.
With hand
tools, they
enlarged and
shaped cliff
openings
into useful
shelters
called
cavates
(CAVE-eights
). They used
tuff blocks to
build
apartment-li
ke homes
along the
cliff faces in
front of the
cavates.
(National
Park Service)

Module Objectives

At the completion of this module you will be able to:

1. Explain the rock cycle and the processes involved.
 2. Name and describe the different types of intrusive and extrusive igneous deposits.
 3. Describe the composition of different types of igneous rocks and explain the processes involved in their formation.
 4. Explain which tectonic environment is associated with which kinds of igneous rock.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 3 (Intrusive Igneous Rocks)

Module 5 Assignment: Igneous Rock Lab

10 points

After you complete the reading, you can start working on Module 5 Assignment – Igneous Rock Lab.

Module 5 Quiz

10 points

Module 5 Quiz has 10 multiple-choice questions and is based on the content of the Module 5 readings and Assignment 5.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Exam 1

75 points

Exam 1 is due this module. You will be asked to put your knowledge to work in the Great Outdoors or at your local rock shop! You will be assembling a mineral kit with 5 minerals of your choice, composed of samples you have collected yourself or purchased individually. As a result, your kit will be customized according to your own interests.

You can read more about this in the Exam 1 Instructions.

This is a “work-at-home” project. You will submit the results from your project in the Assignments tool.

Check the Course Schedule for due date.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

2I. Igneous Rock Identification

Igneous Rock Identification

Introduction

Rocks are made of minerals. Rocks can be a mixture of different kinds of minerals, a mixture of many grains of the same kind of mineral, or a mixture of different grains of rocks. When you split a rock into very small pieces, the pieces are different from each other. For example, when you break granite apart, you get small pieces of quartz (clear), feldspar (pink or white), and mica (black). When you split a mineral into pieces, you still have pieces of the same mineral. If you break a big chunk of quartz into smaller pieces, you still have pieces of quartz.

There are three basic rock types: Igneous, sedimentary, and metamorphic.

Igneous Rocks

Igneous rocks (fiery rocks) are made when molten material inside or outside the earth cools and becomes solid. This melted rock is called *magma* when it is inside the earth. When magma finds its way to the surface through cracks or volcanoes, it is called *lava*. When lava cools on top of the earth's surface, it forms extrusive, or volcanic, igneous rock because it was extruded, or pushed, out onto the surface. Because it cools quickly, it only has time to make very

tiny crystals. Extrusive, or volcanic, igneous rocks look dull and do not sparkle much because they are fine grained.

If the magma stays inside the earth and takes thousands of years to cool, it has time to make big crystals. These crystals make a coarse-grained igneous rock called plutonic, or intrusive, igneous rock because the magma was intruded into cracks deep under the earth's surface. These coarse-grained crystals make the rock look sugary as the flat crystal faces reflect the light in hundreds of little sparkles. The name of the igneous rock depends on what minerals are present. If there are lots of light-colored minerals and the rock is coarse grained, it is granite. If there are mostly dark-colored minerals and the rock is fine grained, it is basalt.

Igneous Rock Charts

Igneous – Phaneritic (coarse-grained) or aphanitic (fine-grained [smaller than pencil point])

Igneous Rock Chart					
Texture V	Color>	Light colored: Pink, white, Gray, Green, Lavender	Medium to Dark Colored: Purple, Greenish	Dark Gray to Black	Dark Green to Black
—	">Minerals >	10 – 30% orthoclase (potassium-feldspar) 10 – 40% quartz 0-33% Na plagioclase 8-15% amphibole and biotite	55-70% plagioclase feldspar 15-40% biotite & amphibole	25-70% Ca plagioclase 25-75% dark mafic minerals (pyroxene, amphibole, olivine)	0-5% Ca plagioclase 65-100% olivine 0-25% pyroxene 0-10% ore minerals (magnetite, ilmenite, chromite)
Composition	">—	Felsic (sialic)	Intermediate	Mafic	Ultramafic
Fine = aphanitic	">Extrusive volcanic	Rhyolite	Andesite	Basalt	Komatite
Coarse = phaneritic	">Intrusive plutonic	Granite	Diorite	Gabbro	Peridotite
Environment	">—	Subduction zones	Subduction zones	Mid-ocean ridges, hot spots	Mid-ocean ridges, mantle

Examples of Igneous Rocks		
Grain	Color	Rock Name
course	light colored	Granite
course	medium colored	Diorite
course	black (dark) colored	Gabbro
fine	light colored (pastel)	Rhyolite
fine	medium colored	Andesite
fine	black (dark) colored	Basalt
ash particles	fine-grained ash	Tuff
glass	light colored, frothy	Pumice
glass	dark colored, glass	Obsidian

Intrusive Igneous Rocks

How Intrusive Igneous Rocks are Formed:

1. While molten, they intrude (push into) other rocks.
2. They cool below the earth's surface, generally deep.
3. They cool gradually and slowly.
4. Individual crystals have time and space to grow large.
5. Feldspar (pink to white blocky mineral) crystallizes at high temperatures early in the cooling process and, thus, has straight crystal sides.
6. Quartz (clear, glassy mineral) crystallizes later and fills spaces.

Characteristics:

1. Coarse-grained – The grains, or crystals, are big enough to tell what mineral each one is. The crystals are usually larger than 1 millimeter (larger than the point of a pen or pencil). They are commonly 1/8 to 1 inch long.
2. The edges of the crystals interlock. The crystals are shiny, flat

surfaces which fit together like jigsaw puzzle pieces, with straight edges on some crystals.

3. The minerals are very hard and will scratch glass. If the rock has been weathered by the elements, it may be crumbly.
4. The texture is generally uniform (the same in all directions).

Extrusive Igneous Rocks

How Extrusive Igneous Rocks are Formed:

1. While molten, they flow out onto the surface or flow into cracks near the Earth's surface.
2. They cool quickly with no time for large crystals to grow.
3. They are, thus, very fine grained.
4. Mineral composition can only be identified with a microscope unless phenocrysts are present (see below).
5. Field identification of hand specimens is based on light or dark color, unless phenocrysts are present.

Characteristics:

1. Fine-grained – The grains are too fine to identify the minerals without a microscope.
2. Some fine-grained igneous rocks have rectangular crystals in them.
3. Very hard! Specimens will scratch glass, although it will be crumbly if it has been out in the weather for a long time.
4. Some volcanic rocks have vesicles, which are holes caused by gas bubbles when the lava was molten.

Porphyritic igneous rocks have coarse crystals in a fine background. Crystals are two to three times size of the matrix, and less than 10% of rock is crystals.

- Porphyritic phaneritic: Smaller crystals surround larger crystals (phenocrysts).
- Porphyritic aphanitic: Massive, structureless ground mass surrounds crystals (phenocrysts).

Matrix, or ground mass, is the fine-grained background.

Phenocrysts are the crystals surrounded by the matrix; these are usually large, straight-sided, and glassy minerals unless they have been weathered.

Porphyritic is used as an adjective to modify the name of any fine-grained igneous rock that has less than 50% phenocrysts in it. Example: Porphyritic basalt, porphyritic andesite. Porphyry is used as a noun after the rock name if more than 50% of the rock is made of phenocrysts. Example: Basalt porphyry.

Vesicular volcanic rocks: Vesicular is the adjective used to modify the name of any fine-grained igneous (volcanic) rock which has vesicles (holes from gas bubbles), making a cinder-like or clinker-like appearance. Example: Vesicular basalt.

Scoria: Basalt with over 50% vesicles. It looks like cinders. It is irregularly porous with rough surfaces and sharp edges and is often red brown.

Volcanic Glass

How Volcanic Glass Rocks are Formed:

Formed by sudden cooling with no time to form even tiny crystals. This rapid crystallization produces glass with a random arrangement of atoms, therefore, these rocks are slightly less dense. The volcanic glasses are usually from a more viscous (harder to flow) lava of rhyolite chemical composition.

Vitrophyre is a glassy rock containing crystals (phenocrysts).

Obsidian is a black glass with conchoidal (circular) fracture.

Pumice is a light gray, glass froth with many, many holes from gas

bubbles. If there are enough holes that are not connected, pumice will float. It is very light because of all the holes.

Igneous – Glassy Chart			
Texture	Composition	Characteristics	Rock Name
Glassy	? not applicable	Massive, black glass	Obsidian
Glassy	? not applicable	Frothy, gray glass of sub parallel glass fibers with many squashed air bubbles – may float	Pumice
Glassy	? not applicable	Gray glass, rounded spherical structures	Perlite

Volcanic Fragmental Rocks

How Volcanic Fragmental Rocks are Formed:

Formed by explosive eruptions of solid fragments and ash.

Tuff: A light colored volcanic ash, sometimes with glass and pumice fragments in it. Some tuffs are light in weight if they were not compacted. Some are welded tuffs and look like rhyolite.

Agglomerate: Contains volcanic fragments larger than 2 centimeters (about 1 inch in diameter) that were blown out of a volcanic vent. They are larger than ash particles, but have the same origin.

Igneous – Pyroclastic (Fragmental) Chart			
Texture	Composition	Characteristics	Rock Name
Pyroclastic	Volcanic ash, pumice fragments, some rock fragments or glass	Light-colored volcanic ash, sometimes with glass and pumice fragments	Tuff
Pyroclastic	Volcanic ash, pumice fragments, some rock fragments or glass	Fine-grained or gritty, light in weight if not compacted; light color	Ash fall tuff
Pyroclastic	Volcanic ash, pumice fragments, some rock fragments or glass	Particles or grains are fused or welded, with flow lines	Ash fall tuff
Pyroclastic	Round pebbles and bombs that were blown out of a volcanic vent, with ash	Volcanic fragments larger than 2 millimeters (about size of pencil point)	Agglomerate
Pyroclastic	Volcanic bombs, pebbles, ash, pumice fragments, some rock fragments, or glass	Sharp, angular volcanic fragments larger than 2 centimeters (1 inch diameter) mixed with others	Volcanic breccia

Characteristics of Important Minerals in Igneous Rocks

Quartz: Occurs as irregular, glassy grains, commonly clear to smoky with no cleavage.

Muscovite: Brass or clear gray-colored flakes associated with quartz or K-feldspar. Perfect cleavage in 1 direction (layers)

Orthoclase (K-feldspar): Porcelain luster; commonly colored pink, white, or gray. Cleavage in 2 directions at right angles may be detected by a reflection of light when specimen is rotated.

Plagioclase: Usually gray or white in granite, dark-bluish color in

gabbro. Striations common. 2 cleavage directions at right angle may be detected.

Biotite: Small black flakes with perfect cleavage in 1 direction (layers), reflects light.

Amphibole (Hornblende): Long, black crystals in a light-colored matrix. Cleavage at 60 and 120 degrees.

Pyroxene (Augite): Short, dull, greenish-black minerals in darker rocks. Cleavage in two directions at 90 degrees.

Olivine: Glassy, light-green to dark green grains.

22. Assignment: Igneous Rock Lab

Igneous Rock Lab

An illustration of a volcano and the magma chamber below. Text says, Extrusive igneous rocks cool quickly and as a result these rocks are fine grained or has a lack of crystal growth. Intrusive igneous rocks are formed from magma that cools slowly and as a result these rocks are course grained.

Figure 1.

Overview

You can start the activity after you have completed the reading assignment.

In this lab you will be applying the principles that you have been studying and determining properties for a selection of the igneous rock you will study from photos on the Internet.

In addition to texture and the intrusive/extrusive determination for each sample, you will also be asked to determine the mineral content of the sample to the best of your ability. For example, you can expect to find abundant olivine, and maybe a little pyroxene and Ca-rich plagioclase in an ultramafic rock called peridotite or komatiite. Pyroxene, plagioclase, and possibly some olivine or amphibole may be present in a mafic rock such as gabbro or basalt. You can also expect to see quartz, muscovite, potassium feldspar, and maybe a little biotite and Na-rich plagioclase in a felsic (or silicic) rock such as granite or rhyolite.

The classification of an igneous rock depends partly on the minerals that may be present in the rock, and since the minerals

have certain colors due to their chemical makeup, then the rocks must have certain colors. For example, a rock composed of mostly olivine will be green in color due to olivine's green color; such a rock would be called ultramafic. A rock that has a large amount of ferromagnesian minerals in it will be a dark-colored rock because the ferromagnesian minerals (other than olivine) tend to be dark colored; an igneous rock that is dark in color is called a mafic rock ("ma-" comes from magnesium, and "c" from ferric iron). An igneous rock with a large amount of nonferromagnesian minerals will be light in color, such as the silicic or felsic rocks ("fel" from feldspar, and "sic" from silica-rich quartz). So, based on color alone, we've been able to start classifying the igneous rocks.

Instructions

A. Before you begin this activity, you may also wish to review the Igneous Rock Identification page. Some optional resources you can use are:

- PCC Rock and Mineral Guide
- Geology.com Mineral Guide
- Geology.com Rock Guide
- Minerals A-Z, Minerals.net

B. Select each photo below to view the igneous rock samples larger. You can also view the images in Flickr by clicking the link, and zoom in on each of these samples in the picture to get a better view of their texture:

Select an image to view larger

Glassy textured black rock

Figure 2.

Obsidian is
an easily
recognizable
igneous rock.

It is a
glassy-textur
ed, extrusive
igneous rock.

Obsidian is a
natural glass
– it lacks
crystals, and
therefore
lacks
minerals.

Obsidian is
typically
black in
color, but
most
obsidians
have a felsic
chemistry.

Felsic
igneous
rocks are
light-colored,
so a felsic
obsidian
seems a
paradox.

Mafic
obsidians are
scarce, but
they have the
same
appearance.

Obsidian is
an
uncommon
rock, but can
be examined
at several
famous
localities in
America,
such as
Obsidian
Cliff in the

Yellowstone
Caldera
(northwestern Wyoming,
USA) and Big
Obsidian
Flow in the
Newberry
Volcano
Caldera
(central
Oregon,
USA).
Obsidian is
moderately
hard, has
conchoidal
fracture
(smooth &
curved
fracture
surface), and
has
exceedingly
sharp edges.
Freshly-broken
obsidian
has the
sharpest
edges of any
material
known,
natural or
man-made
(as seen
under
scanning
electron
microscope).
Obsidian
forms two
ways: 1) very
rapid cooling
of lava,
which
prevents the
formation of
crystals; 2)
cooling of
high-viscosity
lava, which

prevents
easy
movement of
atoms to
form
crystals. An
example of
obsidian that
formed the
first way is
along the
margins of
basaltic lava
flows at
Kilauea
Volcano
(Hawaii
Hotspot,
central
Pacific
Ocean). This
is an
example of
obsidian that
formed the
second way .
– James St.
John

speckled rock with colors of pink, black, and white

Figure 3.
Granite from
the
Precambrian
of Wyoming,
USA. (8.9 cm
across at its
widest) This
is a sample
of
Precambrian
basement
rock from the
Rattlesnake
Mountain
Uplift (a.k.a.
Rattlesnake
Mountain
Anticline) in
northwestern
Wyoming.
The uplift is
part of a
extensive set
of mountain
ranges from
New Mexico
to western
Canada that
were formed
during the
Laramide
Orogeny
(late
Mesozoic to
mid-Cenozoic). Locality:
float from
roadcut on
the northern
side of Rt. 16
/ 20, just
west of third
tunnel west
of Cody, next
to Buffalo
Bill
Reservoir,
central Park
County,

*northwestern
Wyoming,
USA – James
St. John*

black matte rock with holes and some areas of white and black

Figure 4.
Basalt from
the upper
Holocene of
Hawaii (~6.5
cm across at
its widest).
This
attractive
piece of lava
is from the 13
January to 19
February
1960 Kapoho
Eruption at
the
easternmost
point of
Hawaii. The
former town
of Kapoho
was located
in the
Kapoho
Graben
(Puna Rift
Zone)
segment of
Mt. Kilauea's
East Rift
Zone.
Kapoho was
famously
burned,
buried, and
destroyed by
aa lava flows
erupting
continuously
for a little
over a month
in early 1960,
despite the
hasty
construction
of barriers.
The lava
flows
overtopped
the barriers

and even
“burrowed
under” the
barriers. The
rock is a
vesicular
porphyritic
olivine basalt
(more
technically,
it can be
called
vesicular
tholeiitic
picrite
basalt). It has
abundant
subrounded
to stretched
vesicles and
common
large
greenish
forsterite
olivine
phenocrysts.
The basalt
matrix is
lustrous and
cryptocrystal
line, with
very small
crystals of
plagioclase
feldspar and
pyroxene.
The sample
has an
obvious
black-and-w
hite speckled
xenolith of
gabbro from
the lower
oceanic
crust. –
James St.
John

a white and gray rock with a frothy appearance

Figure 5.

Pumice is a
distinctively
frothy-textur
ed, felsic,
extrusive
igneous rock.

Frothy
textured
igneous
rocks have
large
numbers of
tiny holes
formed by
the presence
of many gas
bubbles in
the original
volcanic
lava. If
cooling &
solidification
was
completed
before all the
gas bubbles
escaped to
the lava
surface, the
result is a
rock with
lots of empty
space
(porosity). Pu
mice is
actually a
volcanic
glass having
a frothy
texture. The
solid
portions of
pumice are
not
crystalline.
So, pumice
has no
minerals – it
has the

elemental
chemistry of
granite &
rhyolite, but
it doesn't
have any
minerals. Pumice is
typically
whitish, light
grayish, or
very light
brown in
color. Most
pumice
samples are
so
lightweight
that they
float on
water. After
the August
1883
eruption of
Krakatoa in
Indonesia,
sailors
observed
pumice
floating in
the Indian
Ocean for
many
months. Pumice is
typically
encountered
in the form
of small
chunks
littering the
land surface
around
eruptive
centers. They
typically fall
to Earth and
form air fall
pumice
deposits.
James St.

John

a triangle shaped white/gray rock

Figure 6.
Rhyolite is a
felsic,
extrusive
igneous rock.
It has the
same
chemistry &
mineralogy
as granite,
but is very
finely
crystalline
(aphanitic
texture;
crystals <1
mm in size)
due to
cooling of
high-viscosity
lava.
Rhyolites are
often light
gray to
pinkish to
somewhat
reddish in
color.
Rhyolite
lavas are
highly
viscous
(thick &
slow-moving
) when
erupted and
often appear
as if they
have flowed
like oozing
toothpaste.
Sometimes
the term
felsite is
applied to
rhyolites.
There does
not seem to
be a
consistent

definition of Obsidian

felsite, cf.

rhyolite.

However, • Granite

felsite

appears to be

the broader

term,

applicable to

all

light-colored

volcanic

rocks. –

James St. 1. Color

John

2. Texture (aphanitic, phaneritic, glassy, vesicular,

frothy, porphyritic, pyroclastic?)

3. Mineral content

4. Is the rock mafic, felsic, intermediate, or ultramafic (based on mineral content you identified above)?

5. Is the rock extrusive or intrusive (based on its texture you identified)?

6. For each sample, compare your observations to the sample(s) listed in the Rock and Mineral Guide. Are your findings consistent with the guide?

7. For one of the rock samples of your choice, write a half-page summary describing the physical characteristics you can determine from the photo or from any personal sample you have collected. If using a personal sample, please include a photograph. For all the other samples above, include a table summarizing the characteristics you observed (1 – 6). You will be graded on this activity as described in the rubric below.

Grading Rubric

10 points: Report accurately summarized the igneous rock characteristics, spelling and grammar are correct and complete

sentences are used, including a photograph. Characteristics of the other samples are included in a table and are accurate.

8 points: Report mostly captured the igneous rock characteristics, spelling and grammar are mostly correct and complete sentences are used, including a photograph. Characteristics of the other samples are included, but one or two details were missing.

5 points: Report missed two or more characteristics, included spelling and grammar errors, and/or did not include a photograph. Characteristics of the other samples are included, but over half of the minerals and/or characteristics are missing.

2 points: Report was inaccurate, included significant spelling and grammar errors, and/ or did not include a photograph. Characteristics of the other samples are not included. **0 points:** Did not complete the assignment.

0 points: Did not complete the assignment.

23. Exam 1 Information - Design Your Own Mineral Kit (Modules 1-5)

Design Your Own Mineral Kit (Modules 1-5)

Two young women looking at minerals inside of a cave

Figure 1. Crystal Cave, located in Northwest Ohio on the Island of Put-in-Bay in Lake Erie, is the world's largest geode. It is composed of celestine crystals (SrSO₄, or strontium sulfate) that are known for their beautiful light blue color. Geodes like this are often formed inside pockets of dissolved limestone.

Overview

For this exam you will be asked to put your knowledge to work in the Great Outdoors or at your local rock shop! You will be assembling a mineral kit with 5 minerals of your choice, composed of samples you have collected yourself or purchased individually (not from your kit). As a result, your kit will be customized according to your own interests.

If a) you have trouble locating local mineral samples; b) your community does not have a rock or mineral shop; or c) you have a disability that prevents you from being able to search for your own minerals, you also have the option of collecting all the information required (see numbers 1 and 2 below) for minerals of your choice using photographs and resources from the Internet, library, or bookstore. **Please contact your instructor in advance if this is your situation.**

You will submit the results from your project in the Assignments tool in the folder labeled “Exam 1” during the week of Module 5.

Keep in mind that even though this exam is available for viewing a week earlier than the other exams you will take in this course, you will not be introduced to some of the content you need to complete this project until Module 5, so you are advised to keep this in mind as you start thinking about your project. But, you can start collecting your minerals and taking the necessary photographs (see next section) any time you like! Please use the prompts below to help guide you in constructing your kit.

Instructions

See the Schedule of Work for date of availability and due date.

Items to Include in Your Kit

- At least 5 minerals you have collected either in nature or at a rock shop. These can be placed in a box, organizer, or any other container where they can be visually displayed. If you have any friends or family that are rockhounds, be sure to use them as a resource! They may be aware of some nearby places to find various minerals. (Please do not venture into any abandoned mines or other dangerous places to do this project!) If you have a rock and mineral shop where you live, this would also be a good resource for purchasing, or for collecting information on where to find them locally in your environment. You will be asked to include a photo of where you found your mineral sample (either in a shop or in nature or elsewhere), so be sure to take a picture while you are there. See #2 below for more details.
- A set of five Mineral Identification slides, identifying the minerals you chose to include in your kit. These can be constructed in a Word or Power Point document, for example, and should include the following information for each mineral:
 - Photograph of the mineral (either a photo of your personal sample or a similar one from an online source— be sure to cite the source);
 - Photograph and description of the location (including a rock shop!) in which the mineral was found;
 - Its chemical formula; Its mineral characteristics (color, luster, streak, hardness, cleavage, magnetism); Any particularly identifying characteristics that helped you identify this mineral. An example of this would be: “I can easily identify muscovite in the field because of its silvery color and the way it reflects the sunlight in the rocks, and because of its cleavage and the way it breaks so easily into the thin sheets. I can also scratch it with my fingernail.”
 - Tell me how this mineral is formed. For example: What

conditions are necessary for this mineral to form? Does it occur anywhere in Bowen's Reaction Series (Module 5)? Is it associated with any particular tectonic setting or layer in Earth's interior? For example, olivine is often associated with materials derived from the mantle.

Please cite your sources for the information you obtained for each mineral.

What to Submit to the Assignment Tool

When you are done with your project, you should have two files to submit to the **Assignments** tool:

- A photograph of your complete kit, with your student (or other) ID placed next to it. *If you were not able to construct this due to accessibility challenges listed previously, please briefly remind your instructor with a note when you submit your other materials to the Assignments folder.*
- Upload the document with the Mineral Identification slides (.doc, .docx, .ppt, or .pdf formats only). Remember that this document should include the required photos, mineral characteristics, and a description for each mineral, as well as the sources you used on each slide (refer to #2 above).

Grading Rubric for EACH Mineral (75 possible points)

Exceeds Expectations	Meets Expectations	Does Not Meet Expectations	Not Submitted
15 points. Mineral entry addressed each item from #2 above, and illustrated your efforts at providing an accurate, in-depth, and thoughtful entry. Slide contained few to no spelling or grammar errors.	10 points. Mineral entry addressed each item, but may be lacking sufficient detail or contains a few inaccuracies. Significant effort was shown in the crafting of your slide, despite the inaccuracies. Slide may contain a minor amount of spelling or grammar errors.	5 points. Mineral entry contained quite a few inaccuracies and did not address the required items with any effort or detail. Response seemed hurried or lacked depth or detail.	0 points.

24. Module 5 Quiz

[Click here for the Word file for Quiz 5.](#)

25. Exam 1

[Click here for the Word file for Exam 1.](#)

26. PCC Rock and Mineral Guide (optional)

PCC Rock and Mineral Guide

PART VII

MODULE 6 - VOLCANISM

27. Introduction

Module 6

Volcanism

a range of volcanic mountains, one with steam escaping, and one in the distance with a full plume of smoke

Figure 1. The Mount Bromo volcano on the island Java of Indonesia. Depending on the degree of volcanic activity, the Indonesian Centre for Volcanology and Disaster Hazard Mitigation sometimes issues warnings against visiting Mount Bromo.

Introduction

In the previous module, we studied different types of igneous rocks and intrusive igneous processes. Now, we are moving on to consider volcanism and extrusive activity. Without doubt, volcanic eruptions

are among the most spectacular of Earth's processes. Activity ranges from gentle eruptions that do not represent significant hazards to humans, as is the case in Hawaii, up to highly explosive and large events that have the potential to impact global climate. In this module, you will learn about the different types of volcanism and the hazards that they represent. In addition, you will read about several specific volcanoes to better understand the processes associated with different eruptions.

How would you like to live on an active volcano? Surprisingly, a lot of people are living on or near active volcanoes, and many more live near volcanoes that are currently considered to be “dormant,” exhibiting a volcanically-quiet period of time over the past 10,000 years, but with the potential to erupt in the future. Are they crazy? Maybe some are, but not all volcanoes erupt explosively; for example, the type of volcano that forms the Hawaiian Islands is a type that erupts effusively, with lava running down the sides (flans) of the volcano. Hawaiian citizens are familiar with this style of eruption, and they are also aware that their particular volcano will not erupt explosively.

Explosive eruptions are more likely for the volcanoes that make up the Islands of Sumatra and Java (Indonesia); these volcanoes are very dangerous, and yet Indonesia is one of the most densely populated countries in the world. So, it would seem very important to know why some volcanoes are dangerous, and why others are not. Of the “dangerous” types that are currently dormant, will we have enough of a warning before they erupt? Is it only the eruption that we should worry about, or are there other hazards that we must be aware of? These questions will be addressed in this module, along with a few other questions that you might have, such as why volcanoes form in certain locations, especially in relation to plate tectonics, and the association of magma type with volcano type and eruptive style.

Select an image to view larger

molten lava flowing down a street burning grass and trees

Figure 2.
This photo
from the U.S.
Geological
Survey offer
a glimpse
into the
destructive
volcanic
eruption
now
occurring on
the East Rift
Zone of
Hawaii
Island. At
07:45 a.m.
HST, May 7,
2018, lava
from fissure
7 slowly
advanced to
the northeast
on Hookapu
Street in
Leilani
Estates
subdivision
on Kīlauea
Volcano's
lower East
Rift Zone.

Two large telescope buildings with a sky full of stars.

Figure 3.
Strombolian
eruption of
Pacaya in
Guatemala,
1992.

A view of the inside of a volcano crater, surrounded by clouds of steam

Figure 4.
'This is the
view, as close
as I was
willing to go,
of inside
mount
Merapi in
Indonesia' –
Jimmy
McIntyre,
Editor of
HDR One
Magazine

Place alternative tag here.

Figure 5.
Casts of
some of the
Pompeiiian
victims of
Mt. Vesuvius'
eruption in
AD 79. The
people and
buildings of
Pompeii
were covered
in up to 12
different
layers of
tephra, in
total 25
metres (82.0
ft) deep,
which rained
down for
about six
hours.

A volcanic mountain with a large crater at the top

*Figure 6.
Sunset
Crater
Volcano
National
Monument,
just north of
Flagstaff,
Arizona.
Around 1085
the ground
began to
shake, and
lava spewed
high into the
air. When
the eruption
finished, it
had changed
both the
landscape
and the
people who
lived here.*

A mountain and lake with a sign that says No lifeguard swimming is not allowed

Figure 7. A lake has filled the caldera at Mt. Pinatubo, Philippines. It is an active stratovolcano that last erupted in 1993, but its massive eruption in 1991 was arguably one of the largest eruptions in more than 100 years. It caused a volcanic winter by dropping global temperatures by 1 °C in the Northern Hemisphere.

Module Objectives

At the completion of this module you will be able to:

1. Describe the different types of volcanoes.
2. Explain why there are different types of lava.
3. Explain how volcanism, igneous rocks and plate tectonics relate.
4. Describe the hazards associated with volcanism.
5. Explain how volcanism can impact life on Earth.

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 4 (Volcanism)

Discussion 3

30 points, class participation

For this week's "Current Events in Geology" discussion. It is important that you feel engaged in this class. Discussion topics are very flexible, and can cover anything in geology or a related field, including hydrology or water resources, environmental or climate science, paleontology, planetary geology, etc. This is a great opportunity for you to learn about topics in geology that interest YOU, and to see that many interesting things relating to geology are currently making headlines in the news. You are also helping your instructor to become aware of what is going on and to learn new things, so I appreciate your efforts and look forward to reading what you find!

Discussion 3 Instructions

Pay close attention to the Course Schedule for when each of your

posts are due. Some are due earlier than others. Failure to post on time will result in lost points.

Module 6 Assignment: Exploring Volcanic Features of the United States

15 points

After you complete the reading, you can start working on Module 6 Assignment – Volcanic Features of the United States

Module 6 Quiz

10 points

Module 6 Quiz has 10 multiple-choice questions and is based on the content of the Module 6 readings and Assignment 6.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature

such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

28. Assignment: Exploring Volcanic Features of the United States

Module 6 Assignment

Exploring Volcanic features of the U.S.

A volcanic cloud plume over an erupting volcano.

Figure 1. For more than nine hours a vigorous plume of ash erupted, eventually reaching 12 to 15 miles (20-25 kilometers) above sea level. The plume moved eastward at an average speed of 60 miles per hour (95 kilometers/hour), with ash reaching Idaho by noon. By early May 19, the devastating eruption was over. Shown here is a close-up view of the May 18 ash plume.

Overview

You can start the activity after you have completed the reading assignment.

Mount St. Helens Reawakens

The first earthquakes struck on March 20, 1980. Seismologists quickly determined that the quakes were centered beneath a snowy mountain, known to them, but not to the general public, as a potentially dangerous volcano, which had been dormant for more than a century. During the next week, the number of earthquakes increased, and these quakes triggered snow avalanches, which in turn forced closure of winter recreation areas around the mountain. Geologists and geophysicists converged on the scene to monitor the activity and met with local authorities to alert them to the possibility of an eruption. On March 27, steam and ash exploded from the summit of the volcano and marked the beginning of several small eruptions during the next two months.

A large mountain with a lake in the foreground

*Figure 2.
Mount St.
Helens before
the May 18,
1980
eruption.
View from
the northeast
of Spirit
Lake.*

Public authorities prudently closed the area surrounding the mountain after being informed of the volcano's past violent behavior by those who had conducted careful geological studies during the preceding 20 years. Although closure was a necessary precautionary measure, it created discontent and even anger on the part of some citizens who wanted access to their property and recreation sites. Continued monitoring of the volcano indicated that its north flank, which towered above the most popular recreation

area, was becoming increasingly unstable. Warnings were issued for landslides and large-scale snow avalanches. These warnings supported the need for continued closure of the area, although public pressure eventually led to brief, authorized forays into the area by cabin owners to retrieve belongings. One such trip was scheduled for the morning of May 18, but it never took place.

A car, mangled, and buried in volcanic ash

*Figure 3. Car
after Mount
St. Helens
1980
Eruption
(May 31).
Reid
Blackburn's
(photographer,
National
Geographic,
Vancouver
Columbian)
car, about 10
miles from
Mount St.
Helens.*

For more than nine hours a vigorous plume of ash erupted, eventually reaching 12 to 15 miles (20-25 kilometers) above sea level. The plume moved eastward at an average speed of 60 miles per hour (95 kilometers/hour), with ash reaching Idaho by noon. By early May 19, the devastating eruption was over.

At 8:32 a.m. on May 18, an earthquake triggered a gigantic landslide on the unstable north flank, which in turn unleashed a scorching, explosive blast of hot gas laden with rock fragments; massive floods of mud and rock down most river valleys; flows of hot, gas-rich volcanic rock; and an enormous plume of ash. The water-soaked landslide debris produced a series of dense slurries that raced downstream and nearly severed Interstate Highway 5 and the AMTRAK rail line connecting Portland, Oregon, and Seattle,

Washington. These debris flows brought shipping on the Columbia River to a halt and came close to blocking cooling-water intakes at an operating nuclear power plant. These events transformed a lush landscape of dense, green forest into a dusty volcanic wasteland and killed 57 people who were too close to the mountain. The eastern half of the State, where people were virtually unaware of any volcanic hazard, was blanketed with ash. The death toll, though large, could have been much, much higher without the previous warnings and resultant land closure. Luck also played a role in keeping the number of fatalities down.

The crater of Mt. St. Helens with a plume of smoke escaping.

Figure 4. Mount St. Helens in 1982> After the 1980 eruption, there was a massive debris avalanche that reduced the elevation of the mountain's summit from 9,677 ft (2,950 m) to 8,363 ft (2,549 m), leaving a 1 mile (1.6 km) wide horseshoe-shaped crater.

Had the eruption occurred on Monday rather than Sunday, several hundred loggers, working in an area near the volcano but outside the closed area, would have died. During the next decade, continued enforcement of restricted zones and careful observation and prediction of activity warned the public of impending eruptions, and

no additional lives were lost. Research into what had caused the catastrophic eruption led to increased appreciation of the inherent instability of high, snow-covered volcanoes and the hazards they pose. (Excerpts from *Living With Volcanoes*, by T.L. Wright and T.C. Pierson, The U.S. Geological Survey's Volcano Hazards Program: U.S. Geological Survey Circular 1073, 57p. 1992.)

3 images of Mt. St. Helens showing before and after with lines to indicate where the top of the cone used to be.

*Figure 5.
Mount St.
Helens before
and after the
1980
eruption
showing the
reduction in
height and
the resulting
crater.*

How Rocks Melt

Most magma is generated at the base of the earth's crust; the figure below is a pressure-temperature diagram. On the left side of the solid black line (called the solidus) is a region where the temperature is too low for a rock to melt. On the right side of the solidus line is the region where rock will melt. Notice that the solidus line is not a vertical line going straight down, but is sloped at an angle less than vertical, demonstrating that with increasing pressure the temperature must also increase in order for a rock to melt.

Figure 6. Pressure and Temperature graph of crustal rocks. The line that separates the region of solid versus liquid rock is called the solidus. Note that a rock at point X cannot melt unless one of the following conditions occur: either a temperature increase (arrow "a"), or a pressure decrease (arrow "b"), or any combination of these

two changes (arrow “c”), or by adding water to change the melting conditions which shifts the solidus line to the left (arrow “d”).

Now take a look at the conditions at the base of the crust, at point “X”. This rock at “X” is not hot enough to melt; or it can be said that the rock at point X is under too much pressure to melt. To make this rock melt, either the temperature must increase (arrow “a”), or the pressure must decrease (arrow “b”), or we can have both hotter temperature and lower pressure occur simultaneously (arrow “c”). Regardless of the path taken, we can make this rock X cross the solid line and become magma. The only other way we can make rock X cross the solid line and become magma is to move this line (arrow “d” in the figure); in other words, change the melting temperature of the rock. This can be done by adding water, which lowers the melting temperature of rock, and now we can make rock X melt without actually having to change the temperature and pressure conditions.

Now let us think of plate tectonics and the types of boundaries that have magma associated with them (see figure below). Tectonic plates that are diverging (or pulling apart), causes the underlying region of the mantle to experience reduced pressure conditions. If the mantle is already fairly warm, the decreased pressure may just be enough for magma to be produced (arrow “b” in the figure below). Where tectonic plates are converging (coming together), one of the plates may subduct below the other plate; recall that subduction will only occur if the tectonic plate has an oceanic crust type. This subducting oceanic crust-topped plate will contain minerals that are hydrated (water in their crystal structure), and as the plate subducts, the hydrated minerals will become unstable and water will be released.

*Figure 7.
Areas of
magma
generation
at certain
plate
boundaries
(b and d), or
within a
plate due to
a hotspot (a).
Arrows a, b,
and d
correspond
to the same
arrows as
shown in
Figure 6.*

This water will lower the melting temperature of the mantle region directly above the subducting plate, and as a result magma is produced (arrow “d” in the figure). The last way to melt rock is to just increase the temperature of the rock; this particular melting mechanism does not have to be associated with any particular plate boundary. Instead there must be a region known as a hot spot, caused by mantle plumes (arrow “a” in the figure above). Mantle plumes are thought to be generated at the core-mantle boundary, and are regions of increased temperature that can cause melting of the lithospheric region. With the lithosphere broken into several tectonic plates that have been migrating over these plumes throughout geologic time, the resulting hotspot-generated volcanoes can be found anywhere in the world.

Instructions

Before your begin this activity, please revisit section 3.2 of Chapter

3 in Physical Geology on how magma is formed. You can also review the following excerpt on how rocks melt. This website briefly reviews the 3 main ways that rocks melt (decompression melting, flux melting [volatiles], and addition of heat [conduction]).

1. Visit the USGS Geology of the National Parks. Select the link for each of the following parks and take the “standard” photo tour to explore the region:
 - Hawaii Volcanoes National Park
 - Devils Tower National Monument
 - Yellowstone National Park
 - Crater Lake National Park
 - Pinnacles National Park
 - Mount St. Helens National Volcanic Monument
 - Lava Beds National Monument
2. Pick four sites from the list above that intrigue you the most. For each of the four sites, address the following questions. Feel free to use other credible websites (such as NPS.gov) to help you explore the answers (be sure to cite your other sources):
 - Where is the park located (e.g. near which city, state, or specific region of the country?).
 - In 2 – 3 sentences, describe the central volcanic feature in the park. Is it an active, dormant, or extinct volcanic site, or is it another type of feature? If it is a volcano, what type of volcano is it (shield, stratovolcano, cinder cone, caldera, etc.)? If it is an active volcanic site, what specific type of volcanic activity does the USGS photo tour depict to help you determine this? (Include a screenshot of this activity from the photo tour where applicable.)
 - In 2 – 3 sentences, please describe the tectonic processes that resulted in the volcanic feature(s) in the park. For example, was the volcanic feature a result of activity at a plate boundary, a

hot spot, or some other activity?

- In 2 – 3 sentences, please give your own assessment of what type of melt process is occurring at each location. Is there more than one type of melt? Use the information you have learned in the text and from the excerpt above on How Rocks Melt.
- What specific questions arose while you researched each feature, and were you able to find satisfactory answers to address your curiosity? Submit a short report (maximum 2 pages, 1.5 spacing) discussing your answers to these questions. You will be graded on this activity as described in the following rubric.

Note that points may be deducted for spelling or grammar errors, or for not following the line spacing and length rules.

Grading Rubric

15 points: Accurately responded to the questions for each of the four volcanic sites. Any additional references used were cited.

12 points: Accurately responded to the questions for each of the sites, missing or answering incorrectly only one or two questions. Any additional references used were cited.

8 points: More than two questions missed or answered incorrectly. References (if applicable) were not included.

5 points: Only very partial information provided.

0 points: Did not complete the assignment.

29. Discussion 3: Current Events in Geology

Discussion 3

Current Events in Geology

Tall weathered rock formations peppered amongst
vegetation with a hill behind

Figure 1.
Pinnacles, or
Hoodoos, of
Massai
Point,
Chiricahua
National
Monument.
The
monument is
located
approximately 36 miles
(58 km)
southeast of
Willcox,
Arizona.
Geologists
believe that
it preserves
the remains
of an
immense
volcanic
eruption that
shook the
region some
27 million
years ago.
The thick
white-hot
ash spewed
forth from
the nearby
Turkey Creek
Caldera,
cooled and
hardened
into rhyolite
tuff, laying
down almost
two
thousand
feet of dark
volcanic ash
and pumice,
highly
siliceous in
nature,
which

*eventually
eroded into
the natural
features
visible that
we see at the
monument
today.*

Introduction

For this discussion, topics are very flexible, and can cover anything in geology or a related field, including hydrology or water resources, environmental or climate science, paleontology, planetary geology, etc. This is a great opportunity for you to learn about topics in geology that interest YOU, and to see that many interesting things relating to geology are currently making headlines in the news. You are also helping your instructor to become aware of what is going on and to learn new things, your efforts are appreciated. Looking forward to reading what you find!

For this discussion, you will write an initial post and reply to at least TWO of your classmates' posts. Follow the guidelines for each posting below:

Basic Guidelines for Initial Post

(20 points, required)

Click on "Start a New Thread". You need to include all of the following in your own thread:

1. Find a geology or geology-related article that is dated no earlier than 3 days before the discussion first opened (for example, if the discussion opens on March 10, then you would need to find an article dated March 7 or after).
2. Initial post must be made before 3 days (72 hours) before the discussion closes.
3. Start a New Thread in the discussion, and put the full title of your article in the "enter a subject" line. Do not just leave it

blank. It is very important that other students can see the title without entering your thread, so that it is easy for them to search for what they find most interesting.

4. In your post, please include the following information:
 - What is the title of your article? On what date (day/month/year) was it published online?
 - What is the full URL of your web-based source? (copy the whole web address; we must be able to visit the site and read the full article)
 - Why did you find this particular article interesting? In other words, what caught your attention, thus leading you to choose to share it?
 - In your own words, write a brief summary of what happened or was learned. In other words, what significant finding is being reported? (your answer must be at least five complete and meaningful sentences long, and **MUST** be in your own words; you will not get credit for sentences that you just copy/paste from the article!)

Basic Guidelines for Replies to Students

(10 points, required)

1. You are free to make replies to students with regard to either
 - a. your own article you may have posted for extra credit, or
 - b. another student's article.
2. Each reply must contain 6 or 7 meaningful sentences directly related to article content. Phrases like "that is a great article!" and "I really liked your summary" do not count as meaningful content. However, these are still encouraging phrases in support of your peers so please feel free to include them in your post.

3. You must reply to at least 2 other students. (3, or more, for extra credit.)
4. If your replies are too short, you will need to make more than 2 replies to reach your full sentence count for the discussion (2 replies x 6 or 7 sentences each = 12-14 sentences required in each discussion).
5. Do not wait until the last day of the discussion to make your replies. You only receive credit for one reply (up to 10 points max) on the last day.
6. Reply early and often, and earning your full discussion points will be easy!

Extra Credit

(5 points, optional)

Make a third reply (or more!) to a student following the guidelines above.

Learning Outcomes

As a result of your participation in the discussion, you will become more aware of current events and news articles relating to topics in geology (i.e. become a more informed citizen). You will have some freedom in customizing this course to pursue your own interests in geology, including things not covered in the content of this course, by finding news articles on topics that relate to you.

Grading Rubric

Initial Post

20 points: Initial post met length and content requirements

15 points: Initial post needs minor improvements in length and content

10 points: Initial post needs major improvements in length or content

5 points: Initial post was made but with very little effort

0 points: Initial post was not made

Reply posts (each)

5 points: Reply was thoughtful, relevant, and met length requirements.

4 points: Reply needs minor improvements in relevancy and/or length.

2.5 points: Reply needs major improvements in relevancy and/or length.

1 points: Reply was made but with very little effort.

0 points: Reply was not made.

30. Module 6 Quiz

[Click here for the Word file for Quiz 6.](#)

PART VIII

MODULE 7 - WEATHERING,
EROSION, AND
SEDIMENTARY ROCKS

31. Introduction

Module 7

Weathering, Erosion, and Sedimentary Rocks

weathered rocks in many red colors from the sunset

*Figure 1.
View of
Monument
Valley from
Hunts Mesa.*

Introduction

This module includes two chapters that are very closely related. Weathering, the subject of Chapter 5, is the process that breaks down existing Earth materials and leads to the creation of soil. Most materials can be broken down by weathering, but some materials are more susceptible than others. For example, igneous rocks are fairly resistant to weathering, but over long periods of time they still erode away. In addition, there are a number of different processes that cause weathering, including mechanical and chemical processes. Different processes affect different materials at different rates, which leads to the formation of different types of sedimentary rocks, as you will discover as you read through Chapter 6.

We are particularly interested in the history and events that occur on the surface of the Earth both because it is easier to directly observe and test, and it has direct relevance to our lives and our own history. Sedimentary rocks are the pages in which Earth's history is written, since they contain powerful environmental

indicators, traces of life, and chemical signatures that can inform us about a wealth of subjects from the occurrence of ancient catastrophes to the productivity of life.

The identification of sedimentary rocks is more than applying names, since each name is a loaded term that conveys information regarding its history, where it was formed, potentially when it was formed, and the processes that lead to its formation. Each sedimentary rock is a puzzle and by identifying a set of rocks, how they are layered, the fossils within, and patterns in the rocks a geologist can reconstruct an entire environment and ecosystem. Solving these puzzles is both an academic exercise to better understand the world around us as well as a tool for finding the resources that are important to our lives. In particular, fossil fuels as well as many other natural resources are made of, or are contained within, sedimentary rocks such as coal, natural gas, petroleum, salt, and cement, and more. Therefore, a better understanding of sedimentary rocks and how and where they are formed directly influences your everyday life.

Select an image to view larger

large sheets of rock show exfoliated layers

Figure 2.

This is an example of sheet foliation, or exfoliation, of a granite dome, which is caused by the release of pressure within the granite as overlying materials were eroded away over time. This photo was taken in Enchanted Rock State Natural Area, Texas.

A rock that has been cleaved, split into multiple pieces
laying on a bed of moss

Figure 3.

This photo shows a example of how freezing and thawing have weathered this rock in Iceland.

A weathered and layered rock formation.

Figure 4.
Sedimentary
rock layers
at Zion
National
Park. Most of
the rocks in
Zion
National
Park are
sedimentary
rocks –made
of bits and
pieces of
older rocks
that have
been
weathered,
eroded, and
deposited in
layers. These
rock layers
hold stories
of ancient
environment
s and
inhabitants
very
different
from those
found in
Zion today.
In this
distant past,
Zion and the
Colorado
Plateau were
near sea
level, and
were even in
a different
place on the
globe—close
to the
equator. The
rock layers
found in
Zion today
were
deposited

between
 approximately 110 – 270 million years ago – only in recent geologic time have they been uplifted and eroded to form the scenery of Zion National Park. (National Park Service)

A graphic showing the layers of rock in Zion National Park, from the bottom, Kaibab Formation, Moenkopi Formation, Chinle Formation, Moenave Formation, Springdale formation, Kayenta formation, Navajo Sandstone, Temple Cap formation, Camel formation

Figure 5. A stratigraphic column showing the history of the layers of rock in Zion National Park, illustrated by Geoscientist-in-the-Park David Tarailo.

Uplifted rocks of red-orange amidst green foliage

*Figure 6.
Garden of
the Gods,
Colorado –
Ancient
sedimentary
beds of
deep-red,
pink and
white
sandstones,
conglomerat
es and
limestone
that were
deposited
horizontally,
but have now
been tilted
vertically
and faulted
into fins by
the immense
mountain
building
forces caused
by the uplift
of the Rocky
Mountains
and the Pikes
Peak massif.*

Weathered red-orange sandstone formations shaped
similar to a church building, lit brightly by the sunset

*Figure 7. The
red
sandstone
formations
of Cathedral
Rock,
Sedona, AZ.*

A wave shaped eroded rock striped with the layers of sediment in reds, white, pinks and orange

*Figure 8.
‘The Wave’
Formation of
Vermillion
Cliffs, at the
border of
Utah and
Arizona,
formed by
erosion,
water and
wind.*

A rock that has been cleaved, split into multiple pieces
laying on a bed of moss

Figure 9.
Bryce
Canyon,
Utah. Bryce
Canyon is
not a 'real'
canyon. It is
not carved
by flowing
water. Water
is the active
ingredient
here, but in
the form of
'frost-wedgi
ng' and
chemical
weathering.
For 200 days
a year the
temperature
goes above
and below
freezing
every day.
During the
day, melt
water seeps
into
fractures
only to freeze
at night,
expanding by
9%. Now as
ice, it exerts
a
tremendous
force
(2,000-20,000
pounds per
square inch).
Over time
this
'frost-wedgi
ng' shatters
and pries
rock apart.
In addition,
rain water,
which is

*naturally
acidic, slowly
dissolves the
limestone,
rounding off
edges and
washing
away debris.
(National
Park Service)*

Module Objectives

- At the completion of this module you will be able to:
1. Explain why rocks formed at depth in the crust are susceptible to weathering at the surface.
 2. Describe the main processes of mechanical weathering and its products.
 3. Describe the main processes of chemical weathering and its products.
 4. Explain the type of weathering processes that are likely to have taken place to produce a particular sediment deposit.
 5. Discuss the relationships between weathering and soil formation, the origins of soil horizons, and some of the different types of soil.
 6. Explain the geological carbon cycle, and how variations in rates of weathering can lead to climate change.
 7. Describe the differences between cobbles, pebbles, sand, silt, and clay and explain how clast size relates to the mode of transport.
 8. Describe the various types of clastic and chemical sedimentary rocks, and apply your understanding of their characteristics to infer past depositional environments and climates.
 9. Differentiate between terrestrial and marine depositional environments, and explain how the formation of sedimentary basins can be related to plate tectonic processes.
 10. Explain the importance of and differences between groups, formations, and members

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 5 (Weathering)
- Chapter 6 (Sediments and Sedimentary Rocks)

Module 7 Assignment: Sedimentary Rock Lab

10 points

After you complete the reading, you can start working on Module 7 Assignment – Sedimentary Rock Lab.

Module 7 Quiz

10 points

Module 7 Quiz has 10 multiple-choice questions and is based on the content of the Module 7 readings and Assignment 7.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take

this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

32. Sedimentary Rock Identification

Sedimentary Rock Identification

Introduction

Rocks are made of minerals. Rocks can be a mixture of different kinds of minerals, a mixture of many grains of the same kind of mineral, or a mixture of different grains of rocks. When you split a rock into very small pieces, the pieces are different from each other. For example, when you break granite apart, you get small pieces of quartz (clear), feldspar (pink or white), and mica (black). When you split a mineral into pieces, you still have pieces of the same mineral. If you break a big chunk of quartz into smaller pieces, you still have pieces of quartz.

There are three basic rock types: Igneous, sedimentary, and metamorphic.

Sedimentary Rocks

Sedimentary rocks (layered rocks) are made by the deposition of particles carried in air or water and by the precipitation of chemicals dissolved in water. These particles and chemicals come from the weathering (breaking apart in place) and erosion (carrying away and breaking apart while moving) of rocks on the Earth's surface. Boulders, rocks, gravel, sand, silt, clay, and mud are carried by water currents in streams, rivers, lakes, and oceans. These particles are deposited in stream beds, shores, lake and ocean

bottoms, and deltas where rivers empty into lakes and oceans. These particles are cemented together and hardened to form the sedimentary rocks called conglomerate, sandstone, siltstone, shale or claystone, and mudstone.

Chemicals that are leached or dissolved from other rocks are carried invisibly in streams and oceans. When these invisible chemicals reach a lake or ocean, and the water evaporates, the chemicals are left behind in evaporite deposits. Salt around salt lakes and limestone from sea bottoms are examples of these chemical sedimentary rocks. Plants and animals are sometimes buried and preserved in the finer grained sedimentary rocks, such as shale or limestone.

Sedimentary rocks are derived from pre-existing rocks by weathering and erosion. The resulting particles settle out of water or air (clastic rocks such as sandstone and mudstone) or the resulting chemicals precipitate from concentrated solutions (non-clastic rocks such as limestone and salt).

Examples of Sedimentary Rocks

Formation	Characteristic	Rock Name
particles	course-angular	Breccia
particles	course-round	Conglomerate
particles	medium (less than 2 mm)	Sandstone
particles	fine (smooth)	Shale
chemicals	fizzes in dilute HCl acid	Limestone
chemicals	fizzes in acid only if scratched first	Dolomite
chemicals	salty taste	Halite
chemicals	scratched by a fingernail	Gypsum
chemicals	scratches glass, conchoidal fracture, like flint	Chert

Clastic Sedimentary Rocks

How Clastic Sedimentary Rocks are Formed:

1. Pre-existing rock undergoes chemical and mechanical weathering by roots, acid rainwater, gravity, wind, and water.
2. The broken particles are carried through water or air until they settle out in a lower area when the current wasn't fast enough to carry the particles.
3. Quartz is the most stable and has the greatest resistance to the mechanical and chemical abrasion during erosion, so most sand size grains are quartz.
4. Feldspar alters to clay with chemical weathering and erosion, so arkose, which is sandstone with more than 25% feldspar, indicates the sediment was deposited close to the source rock and was not in transport long.
5. Grain size and shape and composition can indicate the composition, distance, and height of the source rock.
6. Textures & structures (ripple marks, cross-bedding, sorting, etc.) and size, shape, and composition can indicate the environment of deposition.

Characteristics:

1. Soft, compared to igneous rocks.
2. Occur in layers or beds from a few millimeters thick to 100 feet thick, most commonly 1-5 ft. thick.
3. Granular and gritty if composed of sand and silt-sized particles; sand is often rounded, sometimes angular.
4. Sedimentary structures (cross-bedding, mud cracks, ripple marks, worm trails and burrows, fossil shells) are not usually visible in hand specimens, but are noticeable in outcrops.
5. Color is not usually significant, because as little as 3% hematite (iron oxide) gives a rich red color. Some pinkish sandstones get their color from feldspar.

6. Fossils are more common in shales than sandstones, because of the higher current activity in sandstones.

Clastic Sedimentary Rock Table					
Particles	Size	Minerals	Character	General Size	Rock Name
Gravel	> 2 mm	Rock fragments, quartz, feldspar	>Pebbles	Course	Conglomerate
Sharp Gravel	> 2 mm	Rock fragments, quartz, feldspar	Angular	Course	Breccia
Course Gravel to Fine Clay	> 2 mm	Any rock type	Poorly sorted, non-stratified, angular	Fine to Course	Tillite
Sand	2- 1/16 mm	Quartz, feldspar	Granular	Sandy	Sandstone
Silt	1/16-1/256 mm	Clay, quartz	Gritty	Gritty, fine-grained	Siltstone
Clay	< 1/256 mm	Clay	Platy, massive	Smooth, very fine-grained	Shale, Claystone
Silt and Clay	< 1/16 mm	Clay, quartz	Massive	Smooth, very fine-grained	Mudstone

Non-Clastic Sedimentary Rocks

How Non-Clastic Sedimentary Rocks are Formed:

Formed by chemical precipitation from a concentrated solution in water as salt, gypsum, or limestone.

Characteristics:

1. Soft, because they are composed of soft minerals such as halite, gypsum, calcite. They can easily be scratched with steel or a copper penny.
2. Commonly fine-grained and homogeneous.
3. Fossils are common in limestone.
4. Limestone fizzes in dilute hydrochloric (HCl) acid, because it is composed of the mineral calcite, CaCO_3 .
5. Some limestone contains chert, which is very, very hard silica (like flint). It typically weathers to brown on the surface and occurs in nodules and occasionally replaces fossil shells.

Non-Clastic Sedimentary Rock Table

Mineral	Chemical Form	Characteristics	Rock Name
Calcite	CaCO ₃	Fizzes in HCl acid	Limestone
Calcite	CaCO ₃	Medium to coarse-grained, fizzes in acid	Crystalline Limestone
Calcite	CaCO ₃	Microcrystalline, conchoidal fracture, fizzes in acid	Micrite
Calcite	CaCO ₃	Aggregates of small round spheres, fizzes in acid	Oolitic Limestone
Calcite	CaCO ₃	Fossils and fossil fragments loosely cemented, fizzes in acid	Coquina
Calcite	CaCO ₃	Fossils in calcareous matrix, fizzes in acid	Fossiliferous Limestone
Calcite	CaCO ₃	Shells of microscopic organisms and clay, soft, fizzes in acid	Chalk
Calcite	CaCO ₃	Banded calcite – cave deposits, fizzes in acid	Travertine
Halite	NaCl	Tastes salty, fine to coarse crystalline	Salt
Gypsum	CaSO ₄ ·2H ₂ O	Fine to coarse crystalline, softer than fingernail, white, grainy	Gypsum
Microscopic quartz chalcedony	SiO ₂	Cryptocrystalline, dense, conchoidal fracture, dull, very hard (scratches glass)	Chert
Dolomite	CaMg(CO ₃) ₂	Fizzes in acid only if scratched first	Dolomite
Carbon	C	Brownish plant material – soft, porous, fibrous	Peat
Carbon	C	Black, vitreous, crumbly	Coal

33. Assignment: Sedimentary Rock Lab

Module 7 Assignment

Sedimentary Rock Lab

A mountain showing layers of colorful sedimentary rocks

*Figure 1.
Colorful
layers of
sedimentary
rock in
Makhtesh
Ramon,
Israel*

Overview

You can start the activity after you have completed the reading assignment.

In Chapter 6 you learned about the different types of sedimentary rocks, and some of the key characteristics. In this lab, you will study photos of several sedimentary rocks and determine their physical properties.

Instructions

A. Before you begin this activity, you may also wish to review the Sedimentary Rock Identification page. Some optional resources you can use are:

- PCC Rock and Mineral Guide
- Geology.com Mineral Guide
- Geology.com Rock Guide
- Minerals A-Z, Minerals.net

B. Select each photo below to view the igneous rock samples larger. You can also view the images in Flickr by clicking the link, and zoom in on each of these samples in the picture to get a better view of their texture:

Select an image to view larger

Smooth flat and layered, black rock in a creek bed of other rocks

*Figure 2.
Black shale
in Whltstone
Creek*

light colored lumpy rock made of small tube shapes

Figure 3.

Calcareous

tufa with

plant

fragments

from the

Holocene of

Ohio, USA

(6.7 cm

across at its

widest).

Calcareous

tufa is a

scarce,

calcitic,

crystalline-t

extured,

chemical

sedimentary

rock. It

principally

forms

around cold

springs

having water

relatively

rich in

dissolved

calcium

carbonate.

Calcareous

tufa is often

characterize

d as a

lightweight,

porous,

friable

precursor to

travertine

(another

calcitic,

chemical

sedimentary

rock). Here's a

light

brown-color

ed

calcareous

tufa sample

with plant

fragments – a yellow-orange colored rock with a smoother
 many of the texture
 cylindrical
 structures Figure 4.
 visible here Sandstone
 are calcite from the
 tubes formed Paleozoic of
 around plant Ohio,
 stems, axes, USA.Sandsto
 or roots. – ne is the
 James St. second-most
 John common
 sedimentary
 rock on
 Earth. It is
 composed of
 sand-sized
 grains,
 which are
 between 2
 millimeter
 and 1/16 of a
 millimeter in
 size each.
 Most
 sandstones
 are
 dominated
 by quartz
 grains, but
 feldspar sand
 grains and
 lithic sand
 grains (= sand-sized
 rock
 fragments)
 are often
 present as
 well. – James
 St. John

a yellow and borwn rock made up of many pieces a
 number 1 sticker is on the top

Figure 5. A
 sample of a
 conglomerat
 e rock.

a light colored rock with a viable fossil on its surface

Figure 6.

Grand

Canyon_Fos

sil

Brachiopod

in Kaibab

Limestone

- Shale
- Calcareous Tufa
- Sandstone
- Conglomerate
- Limestone

C. Determine the following characteristics to the best of your ability from the photos of the samples above:

1. Color
2. Texture (clastic or crystalline/chemical?)
3. Approximate Grain Size (for clastic rocks only: fine, medium, or coarse grained?)
4. Sorting (for clastic rocks only: well-sorted, poorly-sorted, or somewhere in between?)
5. Depositional Environment (in what general environment was this rock originally formed?)
6. Compare your personal observations with the information in the course Rock and Mineral Guide (above). How is each sample different (or similar) from the Guide?
7. For one of the rock samples of your choice, write a half-page summary describing the physical characteristics you can determine from the photo or from any personal sample you have collected. If using a personal sample, please include a

photograph. For all the other samples above, include a table summarizing the characteristics you observed (1 – 6). You will be graded on this activity as described in the rubric below.

Grading Rubric

10 points: Report accurately summarized the sedimentary rock characteristics, spelling and grammar are correct and complete sentences are used, including a photograph. Characteristics of the other samples are included in a table and are accurate.

8 points: Report mostly captured the sedimentary rock characteristics, spelling and grammar are mostly correct and complete sentences are used, including a photograph. Characteristics of the other samples are included, but one or two details were missing.

5 points: Report missed two or more characteristics, included spelling and grammar errors, and/or did not include a photograph. Characteristics of the other samples are included, but over half of the samples and/or characteristics are missing.

2 points: Report was inaccurate, included significant spelling and grammar errors, and/or did not include a photograph. Characteristics of the other samples are not included.

0 points: Did not complete the assignment.

34. Module 7 Quiz

[Click here for the Word file for Quiz 7.](#)

35. PCC Rock and Mineral Guide (optional)

PCC Rock and Mineral Guide

PART IX

MODULE 8 -

METAMORPHISM AND
METAMORPHIC ROCK

36. Introduction

Module 8

Metamorphism and Metamorphic Rock

A steep canyon showing layers of rock with a river running through it

Figure 1. In Black Canyon of the Gunnison National Park, the Gunnison River cuts through Precambrian rock nearly 2 billion years old! Most of these rocks are metamorphic and show evidence of exposure to extreme pressures and temperatures. Some of the rocks are igneous and formed from magma that pushed its way up into cracks in the Earth's crust, where it cooled and crystallized. The metamorphic rock that dominates the walls of the Black Canyon is called gneiss (pronounced 'nice'), and is blended with schist, another rock that

normally has
flat or
elongated
crystals. You
might spot
the intense
folding of the
alternating
light and
dark bands
in this
adjacent
photo. These
rocks were
once buried
deep below
the Earth's
surface
where they
encountered
extreme heat
and
pressure.

Introduction

In any introductory textbook on physical geology, the reader will find the discussion on metamorphic rocks located after the chapters on igneous and sedimentary rocks, and for very good reason. Metamorphic rocks form by the physical and sometimes chemical alteration of a pre-existing rock, whether it is igneous or sedimentary. In some cases, even metamorphic rocks can be altered into a completely different metamorphic rock. With igneous rocks forming from the melt produced by any rock type and a sedimentary rock forming from the weathered product of any rock type, the alteration of any rock to produce a metamorphic one completes the components of what is known as the rock cycle.

Basically, the rocks we encounter today that we classify as either igneous, metamorphic, or sedimentary, could have belonged to a different rock classification in the past, because rocks are recycled throughout geologic time. This cycle is driven by the motion of the tectonic plates. It is easy to see that increasing the temperature of a rock can produce magma, and that rocks on the surface of the Earth can break up into sediment that can ultimately lithify into a sedimentary rock. But how can we alter a solid rock into a new rock, without melting it or making it become sediment?

All rocks are formed at certain temperatures and pressures either on Earth's surface or, more commonly, beneath the surface. These rocks are the most stable at the conditions under which they form. Therefore, changing the temperature and/or pressure conditions may lead to a different rock, one that changed in order to be stable under new external conditions. This new rock that forms in response to changes in its physical and chemical environment is called a metamorphic rock; the word metamorphism means to change form, and for rocks this means a recrystallization of minerals

(crystals) under subsolidus (temperatures too low for melt production) conditions. A metamorphic change can also occur if the rock's composition is altered by hot, chemically reactive fluids, causing a change in the mineral content of the rock. To distinguish between the pre-existing rock and the new metamorphic one, the term protolith, or parent rock, is used to describe the pre-existing rock. Therefore, all metamorphic rocks have at least one protolith that has altered during metamorphism. In this module you will learn that all metamorphic rocks are identified by the mineral content and texture of the rock; for metamorphic rocks, texture refers to the orientation of the minerals in the rock. In addition, crystal size also conveys important information regarding the temperature conditions during metamorphism.

To summarize, metamorphism is the process by which a pre-existing rock (the protolith) is altered by a change in temperature, pressure, or by contact with chemically reactive fluids, or by any combination of these three parameters. The alteration process is a recrystallization event, where the initial rock's minerals (crystals) have changed size, shape, and/or composition in response to these new external conditions. The end result is a new (metamorphic) rock that has an altered appearance, sometimes strikingly different from what it used to look like before metamorphism occurred. The metamorphic rock you end up with is strongly dependent on what rock you started with before the metamorphic event. Of secondary importance is the agent of metamorphic change: was recrystallization a result of increased temperature, pressure, or both? Or were chemically reactive fluids involved?

One must also consider how high the temperatures and pressures were, because metamorphism can occur in a range of temperature and pressure conditions. However, as mentioned in the preceding paragraph, metamorphism occurs under subsolidus conditions, meaning that elevated temperatures that promote the recrystallization of a rock are not high enough to cause melting.

Select an image to view larger

This map shows where the metamorphic rocks (shown in red) can be found within the continent of North America. Note that the majority of metamorphic rocks are situated in what is known as the Canadian Shield, in northeast Canada and around the Hudson Bay area. The Shield represents an area that is left over from the formation of North America -- a part of the geological core of the continent. Other narrower seams of metamorphic rocks are located along the eastern edge of the Appalachian Mountains, throughout the Rocky Mountains and the central Canadian Rockies and into Alaska, as well as along the coastal ranges in western Canada and the U.S. Smaller metamorphic core complexes can be found in the Sky Island ranges in Arizona and New Mexico.

*Figure 2.
Map shows
the North
American
distribution
of
metamorphic
rock.*



Figure 3.
Painted Wall
overlook –
Painted Wall
named for
the many
light colored
granitic
dikes that
appear to
some as an
artists brush
strokes on a
canvas of
dark
metamorphic
rocks. In fact,
the granitic
dikes are
igneous
intrusions
into the older
metamorphic
rocks.

Rshort cliff of vertically banded rocks in dark grays,
surrounded by grass

*Figure 4.
Vertically-til
ted
metamorphic
rocks near
Carn Eighe
in the
Northern
Highlands of
Scotland.
These rocks
belong to the
Glenfinnan
Group (part
of the Moine
Supergroup),
and they are
of
Neoproteroz
oic age.*

curved bands of striped rocks with a lighthouse in the background

Figure 5.
Rocks near
Pemaquid
Lighthouse
in
Maine. Bands
of the
metamorphic
rock type
called gneiss,
capped by a
light-coloured
pegmatite
vein, at
Pemaquid
Point, near
Pemaquid
Lighthouse
in Maine,
USA. The
gneiss
belongs to
the
Bucksport
Formation,
formed
originally as
sedimentary
rock during
the Silurian
period (about
440 to 430
million years
ago). Then,
during the
Devonian
period, the
sedimentary
rock was
heated and
squashed,
which
changed the
rock into
gneiss.
Although the
pegmatite
has not been
precisely
dated, it may

be of
Devonian
age.

a canyon viewed through an outcrop of gray and
orange rocks

Figure 6.
Long's Peak
framed by
metamorphic
rock outcrop
From Trail
Ridge Road,
Rocky
Mountain
National
Park, CO

a canyon road flanked by smooth green-blue rocks on
one side and pale orange-pink rocks on the other

Figure 7.
Metamorphic Rock and
Kings
Canyon Road
(Highway
180) The
metamorphic
rock is
remnants of
a ancient
mountain
range – the
Nevada
Range,
situated at
the western
edge of
Laurasia, the
Late Jurassic
supercontinent of the
north.

dark red-orange, smooth, rectangle shaped rocks
framing a tunnel

Figure 8.
Phyllite in
the
Precambrian
of Tennessee,
USA. This is
an outcrop of
Metcalf
Phyllite in
the Great
Smoky
Mountains.
It's one of
many
stratigraphic
units in the
~50,000 feet
thick Ocoee
Supergroup.
The Ocoee
has
considerable
deposits of
sandstone
and shale
originally
deposited as
sands and
muds in an
ancient
ocean
trench.
Trenches
form along
subduction
zones, where
a tectonic
plate
composed of
thin, heavy
oceanic
lithosphere
dives down
into the
mantle below
another
tectonic
plate of
either
oceanic

lithosphere or thick, lightweight continental lithosphere. Rocks in the Metcalf Phyllite were originally shales, but have been metamorphosed to phyllites. Phyllite is a foliated, low to intermediate grade metamorphic rock dominated by mica. It often has wrinkled and crinkled foliation surfaces.

Flat sheets of smooth black rock line the side of a roadcut (Figure 9). Slate in the Precambrian of Minnesota, USA. This is an outcrop of slate, a foliated metamorphic rock composed of clay minerals. Slate is the product of low-grade metamorphism of shale. The original shale bedding is visible in slate samples at this locality. The planar surfaces facing the viewer in the above photo are foliation planes.

a rock with elements of gray, white, and light green

Figure 10.

Augen

Gneiss.

Gneiss is a high-grade, foliated metamorphic rock that consists of alternating bands of light- and dark-colored minerals (often quartz and biotite mica). The surface shown above consists of Precambrian -aged gneiss. The surrounding outcrop is gneiss with some shear zones and minor faults. Some epidote is present in bands and small pods. Notice the eye-shaped masses of quartz in the middle part of the photo. Gneiss with roughly eye-shaped mineral masses is called augen gneiss (augen is German for eyes).

rippled striped rock in black, gray, brown and white

*Figure 11.
Quartzite
and schist
near
Kerguinou in
Crozon,
Brittany,
France*

A canon wall of reddish brown rock along a river

*Figure 12.
The Vishnu
Schist is a
metamorphic
complex that
forms the
basement
rock of the
Grand
Canyon. It is
a little over
1.7 billion
years old.*

Module Objectives

At the completion of this module you will be able to:

1. Summarize the factors that influence the nature of metamorphic rocks and the mechanisms for the formation of foliation, if present.
2. Classify metamorphic rocks on the basis of their texture and mineral content, and explain the origins of these differences.
3. Describe the various settings in which metamorphic rocks are

formed and explain the links between plate tectonics and metamorphism.

4. Summarize the important processes of regional metamorphism, and explain how rocks that were metamorphosed at depths of 10 km or 20 km can now be found on Earth's surface.
 5. Summarize the important processes of contact metamorphism and metasomatism, and explain the key role of hydrothermal fluids.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 7 (Metamorphism and Metamorphic Rock)

Module 8 Assignment: Metamorphic Rock Lab

10 points

After you complete the reading, you can start working on Module 8 Assignment – Metamorphic Rock Lab

Module 8 Quiz

10 points

Module 8 Quiz has 10 multiple-choice questions and is based on the content of the Module 8 readings and Assignment 8.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

37. Metamorphic Rock Identification

Metamorphic Rocks

Metamorphic Rock Identification

Introduction

Rocks are made of minerals. Rocks can be a mixture of different kinds of minerals, a mixture of many grains of the same kind of mineral, or a mixture of different grains of rocks. When you split a rock into very small pieces, the pieces are different from each other. For example, when you break granite apart, you get small pieces of quartz (clear), feldspar (pink or white), and mica (black). When you split a mineral into pieces, you still have pieces of the same mineral. If you break a big chunk of quartz into smaller pieces, you still have pieces of quartz.

There are three basic rock types: Igneous, sedimentary, and metamorphic.

Metamorphic Rocks

Metamorphic rocks (changed rocks) are made when existing rocks are subjected to high temperatures and high pressures for long periods of time. Metamorphism (meta = change, morph = form) happens when molten rock intrudes other rocks and bakes the

contact zone where the molten rock touches the preexisting rock. Metamorphism also happens when rocks are buried deeply during the process of mountain building. The kind of metamorphic rock made depends on the kind of original rock; for example, sandstone is turned to quartzite, shale is turned to slate, and limestone is turned to marble. Other kinds of metamorphic rock are named for the kinds of minerals present, the size of the grains and other textures. For example, mica schist has very thin layers of mica, and garnet gneiss (pronounced like nice) has garnet crystals in thick layers of quartz and feldspar. The amount of time, amount of pressure, and highness of temperature determine what types of metamorphic rocks are made.

How Metamorphic Rocks are Made

1. Pressure from the weight of overlying rocks or from stresses of mountain building rearranges the minerals in rocks into bands or rearranges the atoms of the minerals into new minerals.
2. Heat from the intrusion of a large igneous mass can metamorphose a large area.
3. Heat from the intrusion of a dike or sill or flow can bake the adjoining rocks in a contact metamorphic zone.

Composition

The mineral composition of the rock can be determined based on observations with a hand lens and if needed, physical or chemical tests. Start by identifying and list all visible minerals present in the rock.

Probable Parent Rocks

All metamorphic rocks are derived by the action of heat and/or pressure on pre-existing igneous, sedimentary, or metamorphic rocks. The pre-existing rock is called either the parent rock or the protolith. Your textbook incorrectly uses the term “source rocks” for the pre-existing rock. The term source rock used in sedimentary deposits to describe the rock from which petroleum is derived, or the rock that erodes to produce sediment and later sedimentary rock. Read the descriptions in your lab manual or textbook for the source rock of each of the metamorphic rocks that you identify. Indicate in the name(s) of the probable parent rock(s) in the last column of the metamorphic rock identification form.

Texture

The term texture refers to the size, shape, and boundary relationships of the minerals, particles, and other substances that make up a rock. There are two major textural groups in metamorphic rocks: Foliated and Non-Foliated.

Examples of Metamorphic Rock Textures

Texture	Characteristics	Rock Name
foliated (banded)	very thin layers	Slate
foliated (banded)	wavy layers with sheen	Phyllite
foliated (banded)	thin layers of mica	Schist
foliated (banded)	thick layers of quartz, feldspar, and mica	Gneiss
non-foliated (massive)	welded quartz sandstone	Quartzite
non-foliated (massive)	sugary to coarse crystals, fizzes in HCl acid	Marble
non-foliated (massive)	dense, black, fine grained, flint-like fracture	Hornfels

Foliated (Banded) Metamorphic Rocks

In this texture, the mineral crystals in the rock are aligned with each other. This alignment may be displayed as parallel planes along which the rock splits, by overlapping sheets of platy minerals such as micas, by the parallel alignment of elongate minerals such as amphiboles, or by alternating layers of light and dark minerals. Foliated texture is further subdivided based on the presence or absence of pronounced color banding in the rock. Rocks without distinct alternating bands of light and dark minerals are described as *nonlayered*, whereas rocks with alternating bands of dark and light minerals are described as *layered*. Layered is also referred to as gneissic foliation. Foliated textures are further described on the basis of the grain (crystal) size in the rock. Examples of complete descriptions of foliated metamorphic rocks include: foliated, nonlayered, very fine grained for slate, foliated, layered, coarse grained for gneiss, and foliated, nonlayered, fine grained for phyllite. Foliated textures produced by shearing and breaking, such as in a fault zone or a meteor impact crater, are referred to as *mylonitic*.

Foliated (Banded) Metamorphic Rock Table

Characteristics	Minerals	Rock Name
Very thin layers, like blackboards	Mica	Slate
Very fine-grained Smooth, flat surfaces, from slatey cleavage Separate grains not visible Dense, brittle, clinking sound	Quartz Clay (microscopic)	
Very, very thin, irregular layers of mica		
Usually pale gray green Satin sheen to rock rather than individual flakes Fine to medium-grained Uneven surfaces Grains visible	Mica Quartz Other minerals	Phyllite
Thin, irregular layers of mica & platy minerals	Mica (muscovite, biotite)	
Usually pale gray green Medium-grained Uneven surfaces Grains visible	Chlorite Talc Hornblende Quartz Garnet Feldspar	Schist
Thin, irregular layers of mica and platy minerals	Bluish color; mica, quartz	Blueschist
Thin, irregular layers of mica and platy minerals	Greenish color; mica, quartz, serpentine	Greenschist
Thick bands, wavy, semi-continuous layers of white quartz, feldspar, and mica	Feldspar Quartz Mica Hornblende Garnet	Gneiss
Medium to coarse-grained Banded, coarsely crystalline Large, crystalline grains		

Non-Foliated Metamorphic Rocks

In this texture the mineral crystals in the rock have grown in many

directions and do not show alignment. As a result, nonfoliated rocks commonly appear massive and structureless, with only a few lines of impurities through the rock. These rocks may break across, rather than around, mineral grains to produce a scaly surface on the specimen. Nonfoliated textures are further described on the basis of the grain (crystal) size in the rock. Examples of complete descriptions of nonfoliated metamorphic rocks include nonfoliated, medium grained for quartzite, or nonfoliated, coarse grained for marble.

Non-Foliated Metamorphic Rock Table

Characteristics	Former Rock	Rock Name
Very hard, smooth		
Stretched and welded cobbles and pebbles – Fractures through grains, not around them as in rougher conglomerate Composed of rock fragments, quartz, chert	Conglomerate	Meta-conglomerate
Very hard, smooth		
Welded sand grains – Fractures through grains, not around them as in rougher sandstone	Sandstone	Quartzite
Fizzes in dilute acid		
Medium to coarse-grained Sugary to crystalline Composed of calcite (CaCO ₃)	Limestone	Marble
Very hard, flint-like fracture	Claystone	
Smooth, very fine-grained Dark colored to black Very dense, compact	Slate Mudstone Shale	Hornfels
Black to brown		
Dense, highly altered plant remains Carbon, opaque, non-crystalline	Peat	Coal

38. Assignment: Metamorphic Rock Lab

Module 8 Assignment

Metamorphic Rock Lab

Shiny black rock cliff with weathered channels

*Figure 1.
Shiny Vishnu
Schist in the
Grand
Canyon. The
Vishnu
Schist is a
metamorphic
complex that
forms the
basement
rock of the
Grand
Canyon. It is
a little over
1.7 billion
years old.*

Overview

You can start the activity after you have completed the reading assignment.

In this lab, you will study photos of several metamorphic rocks and determine their physical properties.

Instructions

A. Before you begin this activity, you may also wish to review the Metamorphic Rock Identification page. Some optional resources you can use are:

- PCC Rock and Mineral Guide
- Geology.com Mineral Guide
- Geology.com Rock Guide
- Minerals A-Z, Minerals.net

B. Select each photo below to view the igneous rock samples larger. You can also view the images in Flickr by clicking the link, and zoom in on each of these samples in the picture to get a better view of their texture:

Select an image to view larger

A flat reddish-brown rock sample.

*Figure 2. Red
slate (5.8 cm
across at its
widest).*

a white rock sample

Figure 3.
Marble from
the Miocene
of Colorado,
USA. (6.2 cm
across at its
widest). The
specimen
shown above
is from the
Yule Marble,
the state
rock of
Colorado,
quarried
near the
town of
Marble,
Colorado,
USA. Yule
Marble
formed by
contact
metamorphi-
sm of the
Leadville
Limestone
(Mississippian). The
igneous
intrusion
that
metamorpho-
sed
limestone
into marble
is the
Treasure
Mountain
Granite
(Middle
Miocene, 12
Ma). – James
St. John

a triangular rock sample, gray, white and yellowish in color

Figure 4.
Quartzite
(metaquartzite). Quartzite is a common, crystalline-textured, intermediate- to high-grade metamorphic rock. It forms by metamorphism of quartzose sandstones or siltstones. Quartzite can be entirely composed of interlocking quartz crystals, or the original sand grains may still be visible. This rock is hard ($H = 7$), will not bubble in acid (unlike marble), and can be almost any color.

a rock sample with striping of white and black

Figure 5.

Gneiss.

Gneiss is a
high-grade,
foliated
metamorphic
rock. It
differs from
lower grade
foliated
metamorphic
s, such as
slate,
phyllite, and
schist, by
having
alternating
bands or
stripes of
light and
dark
minerals.
Metamorphi-
sm has been
so intense
that
minerals
have
self-segregat-
ed into
discrete
zones. Most
gneisses
form by
metamorphi-
sm of schists
or granites..

a light colored rock with shiny flecks embedded

*Figure 6.
Muscovite
Schist. The
muscovite
schist shown
above is a
common
variety of
mica schist.*

- Slate
- Marble
- Quartzite
- Gneiss
- Schist

C. Determine the following characteristics to the best of your ability from the photos of the samples above:

1. Color
2. Texture (foliated or non-foliated?)
3. Probable mineral content
4. Probable parent rock
5. Was this rock a product of low-, medium-, or high-grade metamorphism?
6. Compare your personal observations with the information in the course Rock and Mineral Guide (above). How is each sample different (or similar) from the Guide?
7. For one of the rock samples of your choice, write a half-page summary describing the physical characteristics you can determine from the photo or from any personal sample you have collected. If using a personal sample, please include a photograph. For all the other samples above, include a table summarizing the characteristics you observed (1 – 6). You will be graded on this activity as described in the rubric below.

Grading Rubric

10 points: Report accurately summarized the metamorphic rock characteristics, spelling and grammar are correct and complete sentences are used, including a photograph. Characteristics of the other samples are included in a table and are accurate.

8 points: Report mostly captured the metamorphic rock characteristics, spelling and grammar are mostly correct and complete sentences are used, including a photograph. Characteristics of the other samples are included, but one or two details were missing.

5 points: Report missed two or more characteristics, included spelling and grammar errors, and/or did not include a photograph. Characteristics of the other samples are included, but over half of the samples and/or characteristics are missing.

2 points: Report was inaccurate, included significant spelling and grammar errors, and/or did not include a photograph. Characteristics of the other samples are not included.

0 points: Did not complete the assignment.

39. Module 8 Quiz

Click [here](#) for the Word file for Quiz 8.

PART X

MODULE 9 - GEOLOGIC TIME

40. Introduction

Module 9

Geologic Time

layers of rock forming a canyon wall

*Figure 1.
There is
about a 1.2
billion year
gap in the
rock – that is
the Great
Unconformity.
Clear
Creek trail,
Grand
Canyon
National
Park*

Introduction

Geologic time is immense. The Earth has existed for approximately 4.6 billion years, and many geologic processes occur over timescales of millions of years. Given that it is unusual for a person to live over 100 years, grasping the immensity of geologic time is challenging. In this module, you will learn about ways in which relative time can be determined, and about techniques that can be used to estimate numerical ages of Earth materials. You will also learn about the units that are used to measure geologic time.

The amount of time that is involved in the carving of the landscape, the formation of rocks, or the movement of the

continents is an important scientific question. Different hypotheses about the age of the Earth can essentially change our perspective of the workings of geologic events that molded the Earth. If the geologic time is relatively short then catastrophic events would be required to form the features we see on the surface of the Earth, whereas a vast amount of time allows the slow and steady pace that we can easily observe around us today.

Geologists have used many methods to reconstruct geologic time and mapping the major events in Earth's history as well as their duration. Scientists studying rocks were able to piece together a progression of rocks through time to construct the Geologic Time Scale below. This time scale was constructed by lining up in order rocks that had particular features such as rock types, environmental indicators, or fossils. Scientists looked at clues within the rocks and determined the age of these rocks in a comparative sense. This process is called relative dating, which is the process of determining the comparative age of two objects or events. For example, you are younger than your parents. It doesn't matter your age or your parents' age, as long as you can establish that one is older than the other. As time progressed, scientists discovered and developed techniques to date certain rocks, as well as the Earth itself. They discovered the Earth was billions of years old (4.54 billion years old) and put a time frame to the geologic time scale. This process is called absolute dating, which is the process of determining the exact amount of time that has passed since an object was formed or an event occurred.

Figure 2. The geologic time scale. “Ma” stands for millions of years [ago], while “K Yr” stands for thousands of years [ago].

Both absolute and relative dating have advantages and are still frequently used by geologists. Dating rocks using relative dating allows a geologist to reconstruct a series of events cheaply, often very quickly, and can be used out in the field on a rocky outcrop.

Relative dating also can be used on many different types of rocks, where absolute dating is restricted to certain minerals or materials. However, absolute dating is the only method that allows scientists to place an exact age to a particular rock.

Select an image to view larger

A cliff along side a bay showing visible folding and erosion

Figure 3. These folded and crumpled strata are in the cliffs just to the north of Hartland Quay, Devon, UK. The rocks of Hartland Quay are the remains of a mountain range. Sedimentary rocks were deposited in a shallow sea during the Carboniferous period – about 320 million years ago. The layers are sequences of shales and mudstones representing the remains of sub-marine “avalanches” of sediments called turbidites. At the same time as the sands and mudstones were being deposited at Hartland, coals were being deposited in swamps, forming the

South Wales
coalfields.
Plate
tectonics
caused the
collision of
two super
continents
with
Hartland
Quay in the
middle.
Devon was
at the
southern
margin of a
super-contin
ent called
Laurasia,
which
collided with
the
super-contin
ent Pangaea
– to the
South. As
these two
mega-contin
ents collided
during the
Variscan
Orogeny the
rocks at
Hartland
Quay were
buckled and
folded,
producing
the
spectacular
chevron
shaped folds
exposed in
the cliffs
today. The
top surface
was then
eroded flat. –
Simon Jones

Figure 4.
Close up
image of the
layers of
sediment at
Hartland
Quay of
Figure 1.

Tall canyon walls on either side of a river

*Figure 5.
Santa Elen
Canyon, Big
Bend, Texas.
From 500
million year
old rocks at
Persimmon
Gap to
modern-day
windblown
sand dunes
at Boquillas
Canyon,
geologic
formations
in Big Bend
demonstrate
amazingly
diverse
depositional
styles over a
vast interval
of time.*

a photo of a striated rock showing sediment layers in stripes of black, white, and browns

Figure 6.
Acasta
Gneiss,
Northwest
Territory,
Canada. At
3.96 billion
years old,
this gneiss is
one of the
oldest known
Earth rocks.
The Earth is
500 million
years older
still, but little
record of
that early
time has
survived our
planet's
geologic
activity.

Figure 7. The Earth is very old – 4.5 billion years or more according to recent estimates. Most of the evidence for an ancient Earth is contained in the rocks that form the Earth's crust. The rock layers themselves – like pages in a long and complicated history – record the surface-shaping events of the past, and buried within them are traces of life – the plants and animals that evolved from organic structures that existed perhaps 3 billion years ago. Also contained in rocks once molten are radioactive elements whose isotopes provide Earth with an atomic

clock. Within these rocks, 'parent' isotopes decay at a predictable rate to form 'daughter' isotopes. By determining the relative amounts of parent and daughter isotopes, the age of these rocks can be calculated. Thus, the results of studies of rock layers (stratigraphy), and of fossils (paleontology), coupled with the ages of certain rocks as measured by atomic clocks (geochronology), attest to a very old Earth!

Module Objectives

At the completion of this module you will be able to:

1. Apply basic geological principles to the determination of the relative ages of rocks.

2. Explain the difference between relative and absolute age-dating techniques.

3. Summarize the history of the geological time scale and the relationships between eons, eras, periods, and epochs.

4. Understand the importance and significance of unconformities.

5. Describe the applications and limitations of using isotopes, tree rings, and magnetic data for geological dating.

Activities Overview

See the *Schedule of Work* for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time

accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 8 (Measuring Geologic Time)

Module 9 Assignment: Relative Dating and Cross Cutting Relationships

10 points

After you complete the reading, you can start working on Module 9 Assignment – Relative Dating and Cross Cutting Relationships

Module 9 Quiz

10 points

Module 9 Quiz has 10 multiple-choice questions and is based on the content of the Module 9 readings and Assignment 9.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

4I. Assignment: Relative Dating and Cross Cutting Relationships

Module 9 Assignment

Relative Dating and Cross Cutting Relationships

a sunset view of the Grand Canyon

Figure 1.
Grand
Canyon
National
Park
preserves an
iconic
geologic
landscape
and
resources
ranging from
1,840 to 270
million years
old,
including
diverse
paleontologic
al resources;
unconsolidat
ed surface
deposits; a
complex
tectonic and
erosion
history; and
Pliocene to
Holocene
volcanic
deposits. The
Colorado
River
established
its course
through the
canyon
about six
million years
ago, and
likely evolved
from
pre-existing
drainages to
its current
course.
Geologic
processes,
including
erosion of
tributaries

and slopes,
and active
tectonics
continue to
shape the
canyon
today. The
geologic
record in
Grand
Canyon is an
important
scientific
chronicle
and is
largely
responsible
for its
inspirational
scenery.

Overview

Well known for its geologic significance, the Grand Canyon is one of the most studied geologic landscapes in the world. It offers an excellent record of three of the four eras of geological time, a rich and diverse fossil record, a vast array of geologic features and rock types, and numerous caves containing extensive and significant geological, paleontological, archeological and biological resources. It is considered one of the finest examples of arid-land erosion in the world. The Canyon, incised by the Colorado River, is immense, averaging 4,000 feet deep for its entire 277 miles. It is 6,000 feet deep at its deepest point and 15 miles at its widest. The image below shows the layers of rock that are exposed in the canyon.

Figure 2. Diagram showing the placement, age and thickness of the rock units exposed in the Grand Canyon.

This is a geologic cross section (not drawn to scale) that shows the stratigraphy of the Grand Canyon. In other words, it represents what the rock layers would look like if you took a knife and sliced down through the Earth at a given location, like a piece of cake. You are viewing those layers from the “side” of the piece of cake in this image. Note that all three types of rock (sedimentary, metamorphic, and igneous) are present in this cross section. Note how the ages of the rock decrease in age from the bottom to the top. If it weren't already labeled, do you think you would be able to spot the Great Unconformity near the bottom of the canyon?

How Old is the Grand Canyon? (optional)

Listen to scientists talk about the age of the Grand Canyon and the controversy over the dating. Press the play button on the left of the page to listen. (Transcripts available on the left menu as well.)

How Old is the Grand Canyon?

Grand Canyon May be Older (and Younger) than you think.

Check out Basic Answers to your Geologic Questions.

This accompanying informational document comes from the Grand Canyon Guide newspaper, published by the Grand Canyon National Park.

Instructions

You will be determining the relative order in which geological events occurred, as shown in this generic stratigraphic cross section (below). Stratigraphy is the study of the rock strata, or layers, and is usually applied to sedimentary (and sometimes volcanic) rocks.

Figure 3. Diagram illustrating cross-cutting relations in geology. These relations can be used to give structures a relative age. Explanations: A – folded rock strata cut by a thrust fault; B – large intrusion (cutting through A); C – erosional angular unconformity (cutting off A & B) on which rock strata were deposited; D – volcanic dyke (cutting through A, B & C); E – even younger rock strata (overlying C & D); F – normal fault (cutting through A, B, C & E).

1. Study the 3-D cross section above. The cross section contains evidence of folding in layer G (a squeezing of the rock due to

compression— we'll learn more about that in module 11) and faulting among the various rock layers.

2. What rock type(s) are represented in each of the layers B, G, D, E (sedimentary, igneous, or metamorphic)? Explain how you determined this.
3. What type of unconformity does C represent? Explain. (Hint: Your choices are disconformity, nonconformity, angular unconformity, or paraconformity.)
4. To which letter(s) or layer(s) of rock does the Principle of Superposition apply, and why? Explain.
5. Write the order in which each lettered event (A-H) occurred in the sequence, from oldest to youngest. (Hint: Remember that A and F are fault lines, D is a dike, and C is an unconformity.)
6. At what point in the sequence do you think the folding of unit G took place, and why? Explain.
7. In 3 – 4 sentences, describe how the Law of Cross Cutting Relations applies to the cross section and the sequence in which you ordered the events.
8. Do some searching on the Internet (or elsewhere) to find another simple geologic cross section of your choice.
 - Include an image of this cross section in your write-up, and describe the order in which events occurred in the section.
 - Please put labels on your cross section if it does not already have them, so that it is clear which events you are referring to.
 - Cite your source for the cross section, please!

Grading Rubric

10 points: All questions were answered thoroughly and accurately. Complete sentences were used to answer the sample questions.

8 points: All questions were answered and were mostly accurate. Only two or three minor errors.

5 points: Answers were too brief and 1 – 2 questions were unanswered.

2 points: Only very partial information provided.

0 points: Did not complete the assignment.

42. Module 9 Quiz

[Click here for the Word file for Quiz 9.](#)

PART XI

MODULE 10 - EARTHQUAKES

43. Introduction

Module 10

Earthquakes

A house with pointed roofs that has been shaken off its foundation and is tilted sideways

*Figure 1.
Damage
from the
2009 Padang
earthquake,
Indonesia.*

Introduction

It was the deadliest day in the history of Mt. Everest. On April 25, 2015, a 7.8 magnitude earthquake hit Nepal. This triggered an avalanche that killed 19 climbers on Mt. Everest. In Nepal, over 8,800 people died, and many more were injured and made homeless. Hundreds of aftershocks (smaller earthquakes that follow a larger earthquake) have occurred since that day.

Figure 2. A map of the main earthquake to hit Nepal on April 25, 2015, along with a major aftershock on May 12, and numerous (>100) other aftershocks (shown in red). Note the magnitude scale in the upper right.

Earthquakes are not new to this region. A similar death toll was experienced in a 1934 earthquake, and many other smaller earthquakes have occurred within historical times. An 1833 quake of

similar magnitude resulted in less than 500 deaths, though this was most likely due to two very large foreshocks (smaller earthquakes that precede the main earthquake) that sent most residents out of doors in alarm, which was safer for them. Worldwide, there have been much deadlier and stronger earthquakes in just this century (e.g. Haiti, 2010 – 316,000 dead; Sumatra, 2004 – 227,000 dead; a large number of deaths in each of these events was due to ground shaking and the other hazards that were created by the earthquake). Earthquakes give geologists valuable information about Earth's interior and about conditions at Earth's surface. As you have learned, most earthquakes occur at plate boundaries.

Select an image to view larger

Figure 3. A fault scarp in the Gobi Desert of Mongolia. A fault scarp is an offset in the ground surface where one side of a fault has moved up or down relative to the other side, revealing the “face” of the fault.

a long street with sinking cracks running along the asphalt

Figure 4.
River Road
in
Christchurch
, New
Zealand with
earthquake
damage from
the February
22, 2011
event.

A damaged boat washed up on shore

Figure 5. A
boat and
trash sit in
the front
parking lot
of a church
after a
tsunami
caused a
great
amount of
structural
damage to
the island
and its
villages Oct.
1, 2009, in
Pago Pago,
American
Samoa.

Metal dome housing a
seismometer

*Figure 6.
Housed in a
vacuum
under a
protective
dome inside
a vault in the
Santa
Catalina
Mountains
north of
Tucson, a
seismometer
similar to
this one
(which is
located in
Antarctica)
registered
the Nepal
earthquake
15 minutes
after the
ground
started
shaking in
the
Himalayas.*

Module Objectives

At the completion of this module you will be able to:

1. Explain how the principle of elastic deformation applies to earthquakes.
2. Describe how the main shock and the immediate aftershocks define the rupture surface of an earthquake, and explain how stress transfer is related to aftershocks.
3. Describe the relationship between earthquakes and plate tectonics.

4. Distinguish between earthquake magnitude and intensity, and explain some of the ways of estimating magnitude.
 5. Describe how earthquakes lead to the destruction of buildings and other infrastructure, fires, slope failures, liquefaction, and tsunamis.
 6. Discuss the value of earthquake predictions, and describe some of the steps that governments and individuals can take to minimize the impacts of large earthquakes.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 11 (Earthquakes)

Discussion 4

30 points, class participation

For this week's "Current Events in Geology" topic, you should earn 30 points towards the 150 points of class participation. It is

important that you feel engaged in this class. Discussion topics are very flexible, and can cover anything in geology or a related field, including hydrology or water resources, environmental or climate science, paleontology, planetary geology, etc. This is a great opportunity for you to learn about topics in geology that interest YOU, and to see that many interesting things relating to geology are currently making headlines in the news. You are also helping your instructor to become aware of what is going on and to learn new things, so I appreciate your efforts and look forward to reading what you find!

Discussion 4 Instructions

Pay close attention to the Course Schedule for when each of your posts are due. Some are due earlier than others. Failure to post on time will result in lost points.

Module 10 Quiz

10 points

Module 10 Quiz has 10 multiple-choice questions and is based on the content of the Module 10 readings.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Exam 2

75 points

The questions in this exam are “deep-thinking” questions designed to cultivate critical thinking based on what you have learned in the course up to this point. Each question will be worth 25 points (25 points x 3 questions = 75 points total). You will submit this exam in the Assignments tool.

Exam 2

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

44. Discussion 4: Current Events in Geology

Discussion 4

Current Events in Geology 2

tall and curved canyon walls displaying striations and varied colors as the sun hits

*Figure 1.
Sunlight
shines inside
Antelope
Canyons
casting
shadows on
the curved
walls, Page,
Arizona.*

Like Discussion 3, topics are very flexible, and can cover anything in geology or a related field, including hydrology or water resources, environmental or climate science, paleontology, planetary geology, etc.

For this discussion, you will write an initial post and reply to at least TWO of your classmates' posts. Follow the guidelines for each posting below:

Basic Guidelines for Initial Post

(15 points, required)

Click on “Start a New Thread”. You need to include all of the following in your own thread:

1. Find a geology or geology-related article that is dated no earlier than 3 days before the discussion first opened (for example, if the discussion opens on March 10, then you would need to find an article dated March 7 or after).
2. Initial post must be made before 3 days (72 hours) before the discussion closes.
3. Start a New Thread in the discussion, and put the full title of your article in the “enter a subject” line. Do not just leave it blank. It is very important that other students can see the title without entering your thread, so that it is easy for them to search for what they find most interesting.
4. In your post, please include the following information:
 - What is the title of your article? On what date (day/month/year) was it published online?
 - What is the full URL of your web-based source? (copy the whole web address; we must be able to visit the site and read the full article)
 - Why did you find this particular article interesting? In other words, what caught your attention, thus leading you to choose to share it?
 - In your own words, write a brief summary of what happened or was learned. In other words, what significant finding is being reported? (your answer must be at least five complete and meaningful sentences long, and **MUST** be in your own words; you will not get credit for sentences that you just copy/paste from the article!)

Basic Guidelines for Replies to Students

(15 points, required)

1. You are free to make replies to students with regard to either
a) your own article you may have posted for extra credit, or b)
another student's article.
2. Each reply must contain 6 or 7 meaningful sentences directly
related to article content. Phrases like "that is a great article!"
and "I really liked your summary" do not count as meaningful
content. However, these are still encouraging phrases in
support of your peers so please feel free to include them in
your post.
3. You must reply to at least 2 other students. (3, or more, for
extra credit.)
4. If your replies are too short, you will need to make more than 2
replies to reach your full sentence count for the discussion (2
replies x 6 or 7 sentences each = 12-14 sentences required in
each discussion).
5. Do not wait until the last day of the discussion to make your
replies. You only receive credit for one reply (up to 10 points
max) on the last day.
6. Reply early and often, and earning your full discussion points
will be easy!

Extra Credit

(5 points, optional)

Make a third reply (or more!) to a student following the guidelines
above.

Learning Outcomes

As a result of your participation in the discussion, you will become more aware of current events and news articles relating to topics in geology (i.e. become a more informed citizen). You will have some freedom in customizing this course to pursue your own interests in geology, including things not covered in the content of this course, by finding news articles on topics that relate to you.

Grading Rubric

Initial Post

20 points: Initial post met length and content requirements

15 points: Initial post needs minor improvements in length and content

10 points: Initial post needs major improvements in length or content

5 points: Initial post was made but with very little effort

0 points: Initial post was not made

Reply posts (each)

5 points: Reply was thoughtful, relevant, and met length requirements.

4 points: Reply needs minor improvements in relevancy and/or length.

2.5 points: Reply needs major improvements in relevancy and/or length.

1 points: Reply was made but with very little effort.

0 points: Reply was not made.

45. Exam 2 Information (Modules 6-10)

Exam 2

(Modules 6-10)

A weathered rock formation in a desert landscape that is shaped somewhat like a tree - wide on top and very narrow at the base.

*Figure 1.
Natural
monolith
so-called
'Árbol de
Piedra'
(Stone Tree),
Pampa de
Siloli,
Eduardo
Avaroa
Andean
Fauna
Reserve,
Potosí,
Bolivia*

Overview

The questions in this exam are “deep-thinking” questions designed to cultivate critical thinking based on what you have learned in the course up to this point. Each question will be worth 25 points (25 points x 3 questions = 75 points total).

You will be asked to write a response to 3 of the 5 possible questions below. The specific three questions you will address will

be chosen randomly based on the first letter of your last name. This will be announced on the course home page on the day the exam is due, so it is best to have outlines and/or full responses prepared in advance for all the questions.

Feel free to prepare your answers in advance to save you time on Exam day.

- As you review these questions, you are permitted to draft your answers ahead of time, as well as use reputable, high-quality resources outside of the textbook. Please cite any additional sources you used in your research.
-

Instructions

See the Schedule of Work for date of availability and due date.

- Responses should be 3 – 4 paragraphs in length (where each paragraph consists of at least 5 – 6 sentences). Your response must directly answer the question posed. You will not be permitted to use tactics such as answering the question with more questions. All of your work should be in your own words, with no direct quotes from other sources.
- Do not include the original question in your document, because the plagiarism checker will detect this. Please aim for < 25% similarity to other sources in the plagiarism checker when you submit your document.
- Complete sentences with correct spelling and grammar will be expected.

Exam Questions

1. You have a long 3-day weekend ahead of you and decide to visit Chiricahua National Monument in Southeast Arizona with your roommate. Before leaving, you do a little research on the geology of the region. You quickly discover that there is a very large caldera, called the Turkey Creek Caldera, that is situated right in the middle of the National Monument. This caldera was the result of a volcanic eruption that took place approximately 27 million years ago, and is responsible for the deposition of the Turkey Creek Tuff that now dominates a large portion of the Chiricahua Mountains. You share this information with your roommate before you leave, but she is puzzled by the fact that there were volcanic eruptions that occurred in southeastern Arizona, fairly distant from any convergent tectonic boundary.
 - How do you explain the origin of the Turkey Creek volcanic caldera?
 - Why was there volcanic activity happening in this region 27 mya?
 - What kinds of information can you derive about the type of eruption that took place, given the geological evidence left behind (the volcanic crater and the deposition of an extensive layer of tuff, for instance)?

Figure 2. An interpretive map of the volcanic geologic history of the Chiricahua National Monument.

2. You are intrigued by the famous hoodoos that put Chiricahua National Monument on the map and worthy of federal protection. You head back to your computer to do

a little more research before you leave on your trip. In the photos you see online, the hoodoos look like narrow rock towers that could topple over if you leaned on them the wrong way. They certainly don't look like any "normal" rock formation, and in fact the landscape looks rather alien to you. But of course aliens weren't at work here—these formations were caused by geologic processes right here on Earth. Your roommate is curious about them and asks you several questions.

- What type of rock are they made of?
- How were they formed?
- Was it weathering and erosion at work here, or was it volcanic activity that caused their unique shape?
- What particular features does the rock type exhibit that might have contributed to this weird formation?
- You want to impress your roommate with this knowledge during the drive to the park. What do you tell her?

Figure 3. Balancing Rock. Hoodoo rock formations at Chiricahua National Monument.

2. When you completed your metamorphic rock lab, your eyes were immediately drawn to one metamorphic rock in particular: _____. Being the inquisitive student that you are, you decide you want to learn more about it, beyond what you have learned in class. You want to figure out where an outcrop of this particular rock might be situated in an area near you so you can explore more than just the small hand sample that came in your rock kit. Unfortunately, metamorphic rocks are not common on Earth's surface, and you find it more than a little challenging to find information

about a large outcrop of this particular rock near you. But you widen your search radius to include any outcrops across North America, and your grit finally pays off. Your roommate wonders why you have been sitting at the computer so long, so you show her the small sample in your rock kit, and you explain what you have discovered.

- What is the name of this metamorphic rock?
- How are metamorphic rocks characterized, in general, and what do those characteristics say about the conditions under which it was formed?
- Was this metamorphic rock formed during contact or regional metamorphism, and which visible characteristic in your hand sample might help you determine this?
- Where could one find this metamorphic rock in North America, and how did it get there?

Figure 4. An outcrop of Devonian-age, alternating folded schist and quartzite can be found in Brittany, France.

4. You and your family decide to take a day hike in Canyonlands National Park, Utah. At the trailhead, there is a small display showing a geologic cross section of all the major parks of southern Utah and northern Arizona, including the Grand Canyon. From this display, you can infer some information about the geologic history of the region.
 - How would you describe the geologic history of the region to your family, based on evidence in the cross sections?
 - For instance, what are the different rock types in the section, and how did they get there?
 - Why do the formations seem to “stair step” from west to east between the parks?

- How would you explain the Law of Superposition, Original Horizontality, and Uniformitarianism to your family in your assessment of the cross section?

Figure 5. This image shows the strata in the National Parks of the southwestern U.S. and the corresponding geologic time period.

4. During a trip to a local science museum, you visit an exhibit on earthquakes and seismic activity. You stop to read a display that shows you all the earthquakes that have occurred along the west coast of South America between 2008 and 2010. This display interests you because you have been considering studying abroad in Chile or Bolivia for a year. The display shows what looks like a rainbow of earthquakes all the way down the coast. A deep trench in the sea floor can also be seen, just to the west and offshore of the coast of the continent. The earthquakes are categorized by their depth and corresponding color (see caption below), where yellow represents the shallowest earthquakes, then orange, blue, purple, and finally red, which represents the deepest earthquakes.

- What can you conclude about the pattern of earthquake depths as you move inland from the coast?
- What does the pattern in earthquake depths and the graph tell us about the type of tectonic boundary that exists along the west coast of South America?
- Given all this information you have just learned, where do you think it might be seismically “safer” to live—closer to the coast or further inland, nearer the Andes Mountains?
- Aside from earthquake depth, frequency, and the tectonic setting, what else do you still need to

consider to make an adequate assessment of earthquake hazards in the region?

Figure 6. This is a Google Earth image of all the earthquakes that have occurred along the west coast of South America between 2008 and 2010, categorized by their depth. Orange = 0 – 35 km; Yellow = 35 – 70 km; Green = 70 – 150 km; Blue = 150 – 300 km; Purple = 300 – 500 km; Red = 500 – 800 km.” Grading Rubric: each answer is 25 points (rather than 20).

Grading Rubric

20 points: Answer addressed the question and was an appropriate length, but may be lacking sufficient detail or contains a few inaccuracies. Significant effort was shown in the crafting of your response, despite the inaccuracies. Answer may contain a minor amount of spelling or grammar errors.

15 points: Answer was the appropriate length, but contained quite a few inaccuracies. Response seemed hurried or lacked depth or detail.

10 points: Answer did not adequately address the question. Response was hurried and showed lack of detail and knowledge on the subject. Length was insufficient.

5 points: Answer was insufficient in length (less than 1 – 2 paragraphs) and did not address the question with any effort or detail. Knowledge on the subject was not demonstrated. 0 points: Response was not provided.

46. Module 10 Quiz

[Click here for the Word file for Quiz 10.](#)

47. Exam 2

[Click here for the Word file for Exam 2.](#)

PART XII

MODULE _{II} - STRUCTURAL GEOLOGY

48. Introduction

Module II

Structural Geology

A road cutting through a mountain. The cut part of the mountain is U shaped showing different layers of rock.

Figure 1. A syncline in a roadcut in Sideling Hill, in Maryland. Synclines are folds that most often exhibit a concave shape, where the youngest rocks are in the middle of the fold and the oldest rocks on the outside of the fold.

Overview

The Earth is an active planet shaped by dynamic forces. Such forces can build mountains and crumple and fold rocks. As rocks respond to these forces, they undergo deformation, which results in changes in shape and/or volume of the rocks. The resulting features are termed geologic structures. This deformation can produce dramatic

and beautiful scenery, as evidenced in the figure of above, which shows the deformation of originally horizontal rock layers.

Why is it important to study deformation within the crust? Such studies can provide us with a record of the past and the forces that operated then. The correct interpretation of features created during deformation is critical in the petroleum and mining industry. It is also essential for engineering. Understanding the behavior of deformed rocks is necessary to create and maintain safe engineering structures. When proper geological planning is not considered in engineering, disasters can strike.

For example, the Vajont Dam was constructed at Monte Toc, Italy in the early 1960s. The site was a poor choice for a dam because the valley was narrow, thorough geological tests were not performed, and the area surrounding the dam was prone to large landslides. The steep canyon walls were composed of limestone with solution cavities, not known for its stability, and shifting and fracturing of rock that occurred during the filling of the reservoir was ignored. An old photo showing a dam filled with dirt and debris.

Figure 2. An image of the Vajont reservoir shortly after the massive landslide (you can see the scar from the landslide on the right, and the dam is located in the foreground on the left).

In 1963, a massive landslide in the area displaced much of the water in the dam, causing it to override the top of the dam and flood the many villages downstream, resulting in the deaths of almost 2,000 people.

Figure 3. View of the village of Longarone, which was below the dam, showing the extent of the damage after the ‘wave of death’ had passed through.

Select an image to view larger

A close up of rock in a roadcut that curves like a U, showing the rock layers. Trees are interspersed in the rock.

*Figure 4.
Close up
view of
Sideling Hill
syncline.*

*Figure 5.
Diagram of
different
types of folds.
Think of a
stack of
blankets on a
table top that
you push
together so
that they
wrinkle up.
Now imagine
what would
happen if
you sliced
the peaks of
the folds so
that the
height was
the same.*

A rock formation with folds that zig zag in chevron shapes

*Figure 6.
Chevron
folds with
flat-lying
axial planes.
Millook,
North
Cornwall, UK.*

Rshort cliff of vertically banded rocks in dark grays,
surrounded by grass

*Figure 7.
Migmatite in
an exposed
roadcut,
showing
tight plastic
folds
resulting
from
shearing and
stretching in
the
migmatite.
Adirondack
Lowlands,
New York.*

a roadcut showing tilted rocks indicating a fault

Figure 8.
Copper
Creek Thrust
Fault. The
prominent
linear
feature from
upper left to
lower right is
the Copper
Creek Thrust
Fault in
Tennessee.
Thrust faults
are
low-angle
reverse
faults,
formed by
compression
al stress.
They are
common in
mountain
belts formed
by tectonic
collision –
this example
is in the
Appalachian
Mountains (=
result of a
collision
between
Africa and
North
America
during the
Pennsylvani
an). The
folded rocks
above the
fault are part
of the Rome
Formation
(Middle
Cambrian).
The tilted
rocks below
the fault at

lower left are
Moccasin
Formation
limestones
(Middle
Ordovician).

A rock formation showing layers of rock offset from
each other indicating faults

Figure 9.
Normal
Faults. Five
faults
totaling 12
meters in
offset.
Honaker
Trail
Formation.
In the
footwall of
the Moab
Fault Zone.

A rock formation showing layers of rock offset from
each other indicating faults

Figure 10.
Reverse Fault
in Eagle Ford
outcrop,
West of Del
Rio Texas.
This part of
the Eagle
Ford, closer
to the Sierra
Madre
Oriental, has
been
subjected to
Laramide-er
a
contraction.

Module Objectives

At the completion of this module you will be able to:

1. Describe the types of stresses that exist within the Earth's crust.
 2. Explain how rocks respond to those stresses by brittle, elastic, or plastic deformation, or by fracturing.
 3. Summarize how rocks become folded and know the terms used to describe the features of folds.
 4. Describe the conditions under which rocks fracture.
 5. Summarize the different types of faults, including normal, reverse, thrust, and strike-slip.
 6. Understand how measurements of strike and dip of a geological feature are determined.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 12 (Geological Structures)

Module 11 Assignment: Identifying Structural Features in a Geological Landscape

15 points

After you complete the reading, you can start working on Module 11 Assignment – Identifying Structural Features in a Geological Landscape

Module 11 Quiz

10 points

Module 11 Quiz has 10 multiple-choice questions and is based on the content of the Module 11 readings and Assignment 11.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once.

Note: that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

49. Assignment: Identifying Structural Features in a Geological Landscape

Module 11 Assignment

Identifying Structural Features in a Geological Landscape

a mountain with visible folds in the rock

*Figure 1.
Swartberg
Pass rock
formation,
South Africa*

Overview

Stress versus Strain: A Review

Rocks change as they undergo stress, which is just a force applied to a given area. Since stress is a function of area, changing the area to which stress is applied makes a difference. For example, imagine the stress that is created both at the tip of high heeled shoes and the bottom of athletic shoes. In the high heeled shoe, the area is very small, so that stress is concentrated at that point, while the stress is more spread out in an athletic shoe. Rocks are better able to handle stress that is not concentrated in one point. There

are three main types of stress: compression, tension, and shear. When compressional forces are at work, rocks are pushed together. Tensional forces operate when rocks pull away from each other. Shear forces are created when rocks move horizontally past each other in opposite directions. Rocks can withstand compressional stress more than tensional stress.

Applying stress creates a deformation of the rock, also known as strain. As rocks are subjected to increased stress and strain, they at first behave in an elastic manner, which means they return to their original shape after deformation (see figure below). This elastic behavior continues until rocks reach their elastic limit (point X on the figure below), at which point plastic deformation commences. The rocks may bend into folds, or behave in a brittle manner by fracturing (brittle behavior can be easily envisioned if you think of a hammer hitting glass), but regardless they do not return to their original shape when the stress is removed in plastic deformation. The resulting deformation from applied stress depends on many factors, including the type of stress, the type of rock, the depth of the rock and pressure and temperature conditions, and the length of time the rock endures the stress. Rocks behave very differently at depth than at the surface. Rocks tend to deform in a more plastic manner at depth, and in a more brittle manner near the Earth's surface.

A graph of strain versus stress. As stress and strain increase, rocks first experience elastic deformation that allows them to return to their original shape, until point X is reached. After this point, rocks will either experience plastic deformation or they will fracture, and they cannot return to their original shape.

Instructions

In this lab you will be applying what you have learned about folds

and faults and identifying these features from photographs. I have also included unconformities in this lab as a review, because these are often confused with faults. You may wish to go back and review some of the information about unconformities that you learned in the module on Geologic Time.

For each of the photographs below, please answer the following questions:

1. What type of feature is in the photograph? Is it a fold, a fault, or an unconformity?
2. After you have identified the type of feature, provide some more specifics on the feature. For example, if it is a fold, is it an anticline, syncline, or monocline? If it is a fault, is it a strike-slip, normal, or reverse (thrust) fault? If it is an unconformity, it is a nonconformity, a disconformity, or an angular unconformity?
3. Please describe in some detail how you were able to determine what type of feature was in the photograph— what visual cues did you use to help you?
4. If the feature is a fold or a fault, was it a result of tensional, compressional, or shear stress?

Your assessment should be between 1.5 to 2 pages in length.

An important note about folds:

Although **anticlines** most often occur “convex up” (meaning they look like a dome), their defining feature is that the oldest rocks will be at the center of the fold and the youngest rocks on the outside of the fold. If rocks have undergone extreme deformation and have completely overturned, it is possible to find an overturned anticline, in which case it appears “concave up,” but the oldest rocks are still in the middle. This is still considered an anticline, as they are truly defined by the placement of the oldest and youngest rocks. Conversely, a **syncline** is defined as having the youngest rocks at the center and the oldest rocks on the outside of the fold. These most often occur as a concave-upward fold, in which the layered strata

are inclined up (resembling a smile). However, for the purpose of this lab, assume that the anticlines are convex-up and the synclines are concave-up.

Grading Rubric

15 points: All questions were answered thoroughly and accurately. Complete sentences were used to answer the sample questions.

12 points: All questions were answered and were mostly accurate. Only two or three minor errors.

8 points: Answers were too brief and 1 – 2 questions were unanswered

5 points: Only very partial information provided.

0 points: Did not complete the assignment.

50. Module 11 Quiz

[Click here for the Word file for Quiz 11.](#)

PART XIII

MODULE 12 - STREAMS AND FLOODS

5I. Introduction

Module 12

Streams and Floods

a view of delta ponds full of water plants, and surrounded by trees

Figure 1.
Delta Ponds
in Eugene,
Oregon Delta
Ponds is a
150-acre
waterway
site
consisting of
numerous
ponds,
channels,
wetlands,
and
associated
riparian
areas. Up
until the late
1800s, the
Delta Ponds
area was
part of a
river
floodplain
network of
side
channels,
sloughs, and
tributaries
that
provided a
rich habitat
well-suited
for many
native fish
and wildlife
species. Over
time, flood
control
management
,
urbanization
, and land
use practices
changed the
area
dramatically.
The ponds,
peninsulas
and islands

that are
present
today at
Delta Ponds
were formed
by gravel
extraction
operations
that took
place in the
1950's and
60's. Perhaps
the biggest
change to the
area was
that
following
gravel
mining, this
former
side-channel
of the
Willamette
River became
disconnected
from the
river. -Rick
Obst

Introduction

Think about how many times a day you take water for granted— you assume the tap will be flowing when you turn on your faucet, you expect rainfall to water your lawn, and you may count on water for your recreation. Not only is water necessary for many of life's functions, it is also a considerable geologic agent. Water can sculpt the landscape dramatically over time both by carving canyons as well as depositing thick layers of sediment. Some of these processes are slow and result in landscapes worn down over time. Others, such as floods, can be dramatic and dangerous.

What happens to water during a rainstorm? Imagine that you are outside in a parking lot with grassy areas nearby. Where does the water from the parking lot go? Much of it will run off as sheet flow and eventually join a stream. What happens to the rain in the grassy area? Much of it will infiltrate, or soak into the ground. We

will learn about both surface water and groundwater in the next two modules. Both are integral parts of the water cycle, in which water gets continually recycled through the atmosphere, to the land, and back to the oceans. This cycle, powered by the sun, operates easily since water can change form from liquid to gas (or water vapor) quickly under surface conditions. Both surface water and groundwater are beneficial for drinking water, industry, agriculture, recreation, and commerce. Demand for water will only increase as population increases, making it vital to protect water resources both above and below ground.

Select an image to view larger

an aerial view of meandering streams surrounded by
wetland grass and trees

*Figure 2.
Chesapeake
Bay Virginia
National
Estuarine
Research
Reserve.
Aerial view
of Taskinas
Creek area
showing the
very low
gradient,
meandering
tidal
streams.*

*Figure 3.
Looking
down a
waterfall in
Pant Glas,
Scotland.
The constant
flow of water
has cut the
rock smooth
and created
small
stepped
pools.*

A flood across a desert wash

*Figure 4.
Flash floods,
like this one
in the Gobi
Desert of
Mongolia,
are common
across the
Southern
United
States, as
well.*

a photo of a a waterway with man made barriers
across to adjust water height. Several geese are
floating at the bottom

*Figure 5. A
weir was
built on the
Humber
River
(Ontario) to
prevent a
recurrence of
a
catastrophic
flood.*

a car floating in a flooded street. Around it are a tilted
stop sign and floating debris

*Figure 6.
Flooded
street in
Cedar
Rapids, IA*

two men measure flood levels in a flooded street

*Figure 7.
USGS
personnel
monitoring
flood waters
in Waverly,
Iowa.*

Module Objectives

At the completion of this module you will be able to:

1. Explain the hydrological cycle and residence times of water in its various compartments.
 2. Describe a drainage basin and different types of drainage patterns.
 3. Explain how streams form, how they are graded, and how flow velocity and sediment size are related to erosion and deposition in a stream channel.
 4. Describe the process of stream evolution and the types of environments where one would expect to find straight-channel, braided, and meandering streams.
 5. Describe examples of processes that lead to flooding.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time

accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 13 (Streams and Floods)

Module 12 Assignment: Calculating and Assessing Flood Recurrence Intervals

10 points

After you complete the reading, you can start working on Module 12 Assignment – Calculating and Assessing Flood Recurrence Intervals

Module 12 Quiz

10 points

Module 12 Quiz has 10 multiple-choice questions and is based on the content of the Module 12 readings and Assignment 12.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

52. Assignment: Calculating and Assessing Flood Recurrence Intervals

Module 12 Assignment

Exploring Earth's layers and seismic-wave travel times

2 workers standing knee and thigh deep in flood waters measuring the height

*Figure 1.
USGS
scientists
measuring
September
2009
flooding,
Springs
Creek,
Georgia*

Overview

Flooding is a common and serious problem in our nation's waterways. Flood stage is reached when the water level in a stream overflows its banks. Floodplains are popular sites for development, with nice water views, but are best left for playgrounds, golf courses, and the like. Have you ever heard someone say that a flood was a 1 in 100 year flood? Does that mean that a flood of similar magnitude will occur every 100 years? No, it only means that, on average, we can expect a flood of this size or greater to occur

within a 100 year period. One cannot predict that it will occur in a particular year, only that each year has a 1 in 100 chance of having a flood of that magnitude. It also does not mean that only 1 flood of that size can occur within 100 years.

In order to better understand stream behavior, the U.S. Geological Survey has installed thousands of stream gauges throughout the country, locations with a permanent water level indicator and recorder. Data from these stations can be used to make flood frequency curves, which are useful in making flood control decisions. In western Georgia, a dramatic flood event occurred in September, 2009 that resulted in 11 fatalities, over \$200 million in property damage, and closed Interstate 20 for a day. Rain fell from September 16-22, with a particularly intense period on September 20th. Use information below from a stream gauge located on Sweetwater Creek near Austell, Georgia, to create a flood frequency graph.

Instructions

Data from the chart below was collected from a USGS stream gage, and includes the 20 largest discharge events for Sweetwater Creek at station 02337000 from January 1, 2008 – May 1, 2015, excluding the dramatic 2009 flood. In order to create a flood frequency graph, first the recurrence interval must be calculated (one is calculated below for an example). A recurrence interval refers to the average time period within which a given flood event will be equaled or exceeded once. To calculate it, first determine the rank of the flood, with a 1 going to the highest discharge event and a 20 going to the lowest discharge event. Calculate the recurrence interval using the following equation:

$$RI = (n+1) / m$$

where RI = Recurrence Interval (yrs)

n = number of years of record (in this case, 2008 – 2015 = 8 individual

years of record)
m = rank of flood

Therefore, within this particular record of data, the recurrence interval for each flood would be calculated as:

$$RI = 9 / m$$

USGS Stream Gage Data			
Peak Discharge Date	Discharge (cfs – cubic feet per second)	Rank (1-20)	Recurrence Intervals
87/27/2008	5,140		
3/2/2009	2,360		
10/13/2009	3,290		
11/12/2009	6,120	1	9
12/3/2009	2,860		
12/10/2009	2,170		
12/19/2009	3,830		
12/26/2009	2,650		
1/25/2010	2,500		
2/6/2010	3,680		
3/12/2010	2,350		
4/17/2011	3,100		
2/24/2013	2,060		
2/27/2013	2,190		
5/6/2013	3,610		
12/23/2013	3,790		
4/8/2014	4,170		
1/5/2015	3,970		
4/20/2015	2,940		

Flood Recurrence Intervals as Probabilities

Your results for recurrence interval will tell you the probability that a flood of a particular magnitude will occur in any given year. If you roll a single dice, the chance of rolling a 4 will be a 1-in-6 chance, because there are only 6 possible outcomes on the dice. You could roll the dice a second time, and your chances of it landing on a 4 are still the same (1 in 6). You can think about flood recurrence intervals in the same way. If you calculate a recurrence interval of 3 for a flood event with a discharge of 3,000 cfs, it means that particular flood has a 1-in-3 chance of occurring in any given year. Another way of thinking about it is to say that a flood event with a discharge of 3,000 cfs is a “3-year flood.” It does not mean, however, that a flood of this magnitude will only occur every 3 years. In fact, two or more 3-year floods could easily occur within weeks or months of each other, or the opposite could be true, where there could easily be 10 years or more between two floods of this magnitude. In the same way, if you roll a dice, it could land on a 4 twice in a row, even though it is still a 1-in-6 probability each time you roll the dice. The recurrence interval simply represents the chance that something will occur.

Graphing Your Results and Drawing Best-Fit Line

You will be graphing these data and drawing a “best fit line” through the points in order to calculate the slope of line and examine trends in the data. An example of this process is shown below using data of sea-ice extent from the assignment in the Climate Change module. Use a straight edge to draw a best-fit line (a straight line along the graph that shows the general direction that the group of points seem to be heading – it doesn’t have to hit every point on the graph) through the data after all the points have been plotted.

Example.

Now that you have completed the chart, plot the discharge against the recurrence interval on the graph template below. Please note that the x-axis (for recurrence interval) is in logarithmic scale and you may need to estimate where the data points fall. A logarithmic scale is non-linear, based on orders of magnitude. Draw a best-fit line through your data after all the points have been plotted. Make sure your best-fit line continues to the edge of the graph.

Template.

Interpreting your results

1. On which date did a flood event have a recurrence interval of 0.5?
 - a. 2/27/2013
 - b. 10/13/2009
 - c. 3/10/2011
 - d. 4/20/2015
2. Of the following dated flood events, which one would you expect to happen more often?
 - a. 8/27/2008
 - b. 2/24/2013
 - c. 2/6/2010
 - d. 12/23/2013
3. Observe your best-fit line. What approximate discharge would be associated with a 50-year recurrence interval?
 - a. 2,000 cfs
 - b. 4,750 cfs
 - c. 8,500 cfs
 - d. 14,000 cfs

4. Flood stage, or bankfull stage, on Sweetwater Creek occurs at a discharge of ~4,500 cfs. According to your best-fit line, what is the recurrence interval of such a discharge?
 - a. 0.5 years
 - b. 3 years
 - c. 25 years
 - d. 50 years
5. During the flood event of 9/23/2009, the discharge measured at this gaging station was 21,200 cfs. Note where this would plot on your graph. Would the recurrence interval for this flood plot at:
 - a. 100 years
 - b. 300 years
 - c. 700 years longer than
 - d. 1,000 years
6. Is it possible that a flood with a similar discharge to that of the event from 9/23/2009 could happen again in the next 20 years?
 - a. Yes
 - b. No

Grading

10 points: Accurately responded to each question, including a clearly drawn figure of Earth's interior, a well-written brief summary, and showing the math for each of the 3 calculations. Any sources used were cited.

8 points: Responded to each question, but may have addressed one or two incorrectly.

5 points: More than two questions missed or answered incorrectly; sources were not cited.

2 points: Only very partial information provided.

0 points: Did not complete the assignment.

53. Module 12 Quiz

[Click here for the Word file for Quiz 12.](#)

PART XIV

MODULE 13 - GROUNDWATER

54. Introduction

Module 13

Groundwater

layers water welling up on rock terraces and steaming

*Figure 1.
Dead trees in
the terraces
of Canary
Spring at
Mammoth
Hot Springs,
Yellowstone
National
Park grew
during
inactivity of
the
mineral-rich
springs, and
were killed
when
calcium
carbonate
carried by
spring water
clogged the
vascular
systems of
the trees.
Crepuscular
rays are seen
in the steam
emerging
from the hot
springs.*

Introduction

We will be exploring groundwater and clearing up some of the misconceptions people have about groundwater and how it flows. For example, it is best not to envision groundwater as underground lakes and streams (which only occasionally exist in caves). Instead, think of groundwater slowly seeping from one minuscule pore in the rock to another. Have you ever been to the beach and dug a hole, only to have it fill with water from the base? If so, you had reached the water table, the boundary between the unsaturated and saturated zones. Rocks and soil just beneath the land's surface are part of the unsaturated zone, and pore spaces in them are filled with air. Once the water table is reached, then rocks and soil pore spaces are filled with water, in the saturated zone.

The water table is said to mimic topography, in that it generally lies near the surface of the ground (often tens of feet below the surface, though this can vary greatly with location). The water table rises with hills and sinks with valleys, often discharging into streams. The water table receives additional inputs as rainfall infiltrates into the ground (this is called recharge). Its position is dynamic; during droughts the water table lowers and during wet times, it rises.

Figure 2. The water table is the boundary between the unsaturated zone and saturated zone.

Two important properties of groundwater that influence its availability and movement are porosity and permeability. Porosity refers to the open or void space within the rock. It is expressed as a percentage of the volume of open space compared to the total rock volume. Porosity will vary with rock type. Many rocks with tight interlocking crystals (such as igneous and metamorphic rocks) will have low porosity since they lack open space. Sedimentary rocks formed from well-sorted sediment tend to have high porosity because of the abundant spaces between the grains that compose

them. To imagine this, envision a room filled from floor to ceiling with basketballs (similar to a rock composed completely of sand grains). Now add water to the room. The room will be able to hold a good deal of water, since the basketballs don't pack tightly due to their shape. That would be an example of high porosity.

Permeability refers to the ability of a geologic material to transport fluids. It depends upon the porosity within the rock, but also on the size of the open space and how interconnected those open spaces are. Even though a material is porous, if the open spaces aren't connected, water won't flow through it. Rocks that are permeable make good aquifers— geologic units that are able to yield significant water. Sedimentary rocks such as sandstone and limestone are good aquifers. Rocks that are impermeable make confining layers and prevent the flow of water. Examples of confining layers would be sedimentary rocks like shale (made from tiny clay and silt grains) or un-fractured igneous or metamorphic rock. In an unconfined aquifer, the top of the aquifer is the water table.

Figure 3. Groundwater flow in both confined and unconfined aquifers.

Groundwater generally flows from areas of higher elevation to lower elevation in the shallow subsurface. Note the flow paths in the figure above. Approximately 20% of the water used in the United States is groundwater, and this water has the potential to become contaminated, mostly from sewage, land fills, industry, and agriculture. The movement of groundwater helps spread the pollutants, making containment a challenge.

Module Objectives

At the completion of this module you will be able to:

1. Explain the concepts of porosity and permeability and the importance of these to groundwater storage and movement.
 2. Define aquifers, aquitards, confining layers, and the differences between confined and unconfined aquifers.
 3. Explain the concepts of hydraulic head, the water table, potentiometric surface, and hydraulic gradient, and apply the Darcy equation for estimating groundwater flow.
 4. Describe the flow of groundwater from recharge areas to discharge areas, and the nature of flow in karst systems.
 5. Explain how wells are used to extract groundwater, the implications of over-pumping a well, and how observation wells are used to monitor groundwater levels
 6. Describe some of the ways that groundwater can become contaminated, and how contamination can be minimized.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 14 (Groundwater)

Module 13 Assignment: Design Your Own Field Trip

20 points

After you complete the reading, you can start working on Module 13 Assignment – Design Your Own Field Trip

Module 13 Quiz

10 points

Module 13 Quiz has 10 multiple-choice questions and is based on the content of the Module 13 readings and Assignment 13.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding

my comments to you specifically), then send me an email from within this course

55. Assignment: Design Your Own Fieldtrip

Module 13 Assignment

Design Your Own Field Trip

A large rocky peak with green grass at its base, the sun shining on one side

*Figure 1.
Sunrise on
Picacho
Peak,
Arizona*

Overview

Many students choose a geology course because they enjoy the outdoors. Perhaps you are one of those people. Do you enjoy hiking, taking a picnic out to the mountains, or visiting National Parks? Or maybe you prefer taking long drives to enjoy the landscape around you or visiting museums? This assignment will encourage you to visit one of the parks, natural areas, or museums in your area as you design your own field trip!

Perhaps you have a favorite location you like to visit frequently that you would like to share with me. If you don't have a favorite place, or you are not accustomed to getting into the great outdoors, now is the time to start thinking about a local destination that intrigues you. This destination should have features that are related to the fields of geology, hydrology, astronomy, environmental science, or climate/atmospheric science.

This could be a museum, a park, a hiking trail, or a beautiful mountain drive, for example. If you don't know where to start, it is always a good idea to begin by asking your friends or family about places they might recommend. If you're not sure that your destination of choice is appropriate for this assignment, feel free to email your instructor to check in first.

Instructions

Step 1: Do a little research.

Before you begin planning your field trip, review some references (either online or at the library) that discuss the geology or natural history of the area you would like to visit. Read about your destination so you have a good idea of what to expect. Write down some notes for later.

Step 2: Map it out.

A map is always a helpful addition to any field trip. You can either create your own or use one that you find online. Just make sure that you cite your source in a caption under the map. If directions are needed to find this destination (particularly if it is not well known), be sure to include those as well.

Step 3: Get out and have some fun!

Take a notebook, any notes you made from your references, your map, and start exploring! A note for hikers or wilderness explorers: I encourage you to take a friend along, especially if you choose to hike in the wilderness.

Please take plenty of water, sunscreen, hat, cell phone, and emergency first aid. You are not required, nor is it recommended, to go out and explore any wilderness or remote areas for this course, particularly on your own. If you are accustomed to that type of activity and that is your preference, that is fine. But I am not asking you to put yourself in a situation where you might be vulnerable.

This should be a fun and safe activity that can incorporate friends and family if you wish!

Step 4: Tell the class about it.

Once you return home, write about your experiences! Tell us about where you visited, what you did while you were there, and some geological or natural history of the area. Don't skimp on this last part! Also include some details, such as:

- Where should one go first when they arrive?
- Are there particular field trip stops that you feel are most important?
- What should we expect at each stop?
- What geological (or related) feature are we looking at when we get to each stop?

Your write-up should be at least 2-3 pages, including photos, a map, and text. Most important, just be creative!

Submit to the Assignments tool and paste a copy into the Field Trip Discussion topic to share with the class.

Grading

20 points: Report summarized your experiences and included some background geological or natural history of the area. Spelling and grammar were correct and complete sentences were used. Photographs were included. Report was an appropriate length.

17 points: Report summarized your experiences and some geology of the area, photographs were included, but may need a little more discussion or length. Report may contain a few spelling or grammar errors.

15 points: Report is missing some detail on geology/natural history, or some necessary photographs. It included some spelling and grammar errors and may be missing some length.

10 points: Report was missing a good amount of detail on geologic or natural history of the area as well as length, did not include enough photographs, and may have significant spelling and grammar errors.

0 points: Did not complete the assignment.

56. Module 13 Quiz

[Click here for the Word file for Quiz 13.](#)

PART XV

MODULE 14 - MASS

WASTING AND GLACIERS

57. Introduction

Module 14

Mass Wasting and Glaciers

mountains cut by glaciers, topped with some snow
and a pond with ice floating in it

*Figure 1.
Meltwater
from
Grinnell,
Gem, and
Salamander
Glaciers
feeds the teal
lakes of
Grinnell
Valley in the
Many
Glacier are
of Glacier
National
Park,
Montana.*

Introduction

Landslides

Landslides constitute a major geologic hazard because they are widespread, occur in all 50 states and U.S. territories, and cause \$1-2 billion in damages and more than 25 fatalities on average each year. Expansion of urban and recreational developments into hillside

areas leads to more people that are threatened by landslides each year. Landslides commonly occur in connection with other major natural disasters such as earthquakes, volcanoes, wildfires, and floods.

The term landslide includes a wide range of ground movement, such as rock falls, deep failure of slopes, and shallow debris flows. Although gravity acting on an over-steepened slope is the primary reason for a landslide, there are other contributing factors:

- Erosion by rivers, glaciers, or ocean waves create over-steepened slopes.
- Rock and soil slopes are weakened through saturation by snowmelt or heavy rains.
- Earthquakes create stresses that make weak slopes fail.
- Earthquakes of magnitude 4.0 and greater have been known to trigger landslides.
- Volcanic eruptions produce loose ash deposits, heavy rain, and debris flows.
- Excess weight from accumulation of rain or snow, stockpiling of rock or ore, from waste piles, or from man-made structures may stress weak slopes to failure.

Slope material that become saturated with water may develop a debris flow or mud flow. The resulting slurry of rock and mud may pick up trees, houses, and cars, thus blocking bridges and tributaries causing flooding along its path.

Figure 2. Debris flow scars formed in 1968-1969 in greater Los Angeles. The image taken months after the debris flows occurred.

Landslide Locations

Landslides occur in every state and U.S. territory. The Appalachian Mountains, the Rocky Mountains and the Pacific Coastal Ranges and

some parts of Alaska and Hawaii have severe landslide problems. Any area composed of very weak or fractured materials resting on a steep slope can and will likely experience landslides.

Although the physical cause of many landslides cannot be removed, geologic investigations, good engineering practices, and effective enforcement of land-use management regulations can reduce landslide hazards.

– Excerpts from “Landslides 101,” Landslide Hazards Program, U.S. Geological Survey

Glaciers in Glacier National Park. Montana, USA

A glacier is a body of snow and ice of sufficient size and mass to move under its own weight. Glacier movement may be detected by the presence of crevasses, or cracks that form in the ice as the glacier moves. In Glacier National Park (GNP), USGS scientists define glaciers according to the commonly accepted guideline in which a body of ice has an area of at least 0.1 km² (100,000 m²), or about 25 acres. Below this size, the ice is generally stagnant and does not move, unless it is on a steep slope. Glaciers are dynamic, changing in response to temperature and precipitation. A glacier forms when winter snowfall exceeds summer melting. Glaciers retreat when melting outpaces accumulation of snow.

While the glaciers that carved GNP's majestic peaks were part of a glaciation that ended about 12,000 years ago, the relatively small alpine glaciers that cling to mountainsides today are considered geologically new, having formed about 7,000 thousand years ago. These glaciers grew substantially during the Little Ice Age (LIA) that began around 1400 AD and reached their maximum size at the end of the LIA around 1850 AD. Their maximum sizes can be inferred from the mounds of rock and soil left behind, known as moraines. Aerial photography reveals moraines of over 150 glaciers

that existed in Glacier National park at the end of the LIA. In 2015, only 26 active named glaciers remain.

Early park visitors and scientists noted that glaciers were retreating as early as 1914. The climate was already warming and glaciers were responding, but the industrial revolution added more carbon dioxide to the atmosphere, furthering glacier retreat. In Glacier National Park, as well as around the globe, glacier mass and extent has decreased during the 20th century in response to warmer temperatures.

– Excerpts from “Retreat of Glaciers in Glacier National Park,” Northern Rocky Mountain Science Center, U.S. Geological Survey

Select an image to view larger

an aerial view of a landslide showing mud water and debris over a rural neighborhood

Figure 3. A view from a Washington Army National Guard helicopter shows the bypass (left) that has been created to facilitate emergency workers' efforts after a mile-long stretch of Highway 530 was affected by the landslide.

A house teetering on the edge of a cliff, where the land has slid out from under it

*Figure 4.
This photo shows one of the houses damaged by the 2005 Laguna Beach Landslide. The house experienced an undermining of the landslide but remained intact.*

A mountain along water where talus cones have formed at the foot of the mountain, at the water's edge

*Figure 5.
Talus cones on the north shore of Isfjorden, Svalbard, Norway.*

A small grassy hill with terraces horizontally stepping
from top to bottom

Figure 6.
Some people
think these
terraces
were created
by sheep!
This is a
splendid
example of
soil creep, or
solifluction.
When it is
frosty, the
moisture in
the soil
freezes and
the ground
expands
because ice
expands
outwards at
right angles
to the slope.
Then, when
it thaws, the
soil subsides
vertically,
creating
these little
terraces on
grassy
slopes.

A glacier in the middle of a valley on a cloudy day

*Figure 7. This
is not a
glacier from
Glacier
National
Park, but
rather it is
“Oberaarglet
scher,” as
seen from
Oberaar,
Bern,
Switzerland
in July 2010.*

a glacier curving through a valley pass

*Figure 8.
Exit Glacier
in Kanai
Fords
National
Park, Alaska*

aA glacier cutting through a mountain pass

*Figure 9. The
Fox Glacier
in New
Zealand*

Module Objectives

At the completion of this module you will be able to:

1. Explain how slope stability is related to slope angle, and how various factors influence the strength of materials on slopes.
 2. Explain what types of events can trigger mass wasting, and the types of motion that can happen during mass wasting.
 3. Describe the main types of mass wasting, the steps we can take to delay it, and some of the measures that can be taken to mitigate the risks associated with mass wasting.
 4. Describe the timing and extent of Earth's past glaciations and the important geological events that led up to the Pleistocene glaciations.
 5. Explain the differences between continental and alpine glaciation.
 6. Identify the various landforms related to alpine glacial erosion, and various types of glacial lakes.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 15 (Mass Wasting)
- Chapter 16 (Glaciation)

Module 14 Assignment: A Virtual Field Trip Guide to Exploring the Volcanic History and Evidence of Mass Wasting at Sentinel Peak, Tucson, Arizona

20 points

After you complete the reading, you can start working on Module 14 Assignment – A Virtual Field Trip Guide to Exploring the Volcanic History and Evidence of Mass Wasting at Sentinel Peak, Tucson, Arizona

Discussion 5 – Climate Change

30 points (+5 points extra credit)

This week's discussion guidelines are different from the previous discussions. We will be having a conversation about climate change and the ways in which it might personally affect you or your family.

Discussion 5 Instructions

Check the Schedule of Work for Due Date.

Module 14 Quiz

10 points

Module 14 Quiz has 10 multiple-choice questions and is based on the content of the Module 14 readings and assignment.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

58. Assignment: A Virtual Field Trip Guide to Exploring the Volcanic History and Evidence of Mass Wasting at Sentinel Peak, Tucson, Arizona

Module 14 Assignment

A Virtual Field Trip Guide to Exploring the Volcanic History and Evidence of Mass Wasting at Sentinel Peak, Tucson, Arizona

A stone gazebo at the top of a mountain

*Figure 1.
View from
the top of
Sentinel
Peak*

This field activity is significantly modified from work by J. Rasmussen, Ph.D., Pima Community College, with permission

Overview

Sentinel Peak, also known as “A Mountain”, is one of a number of peaks in the Tucson Mountains, located on the west side of the City of Tucson. There is a rich geologic history surrounding Sentinel Peak and the Tucson Mountains. Your mission will be to follow this guide, collect “virtual” evidence, and ultimately decide if Sentinel Peak (A Mountain) is a volcano! In addition, there is an interesting conglomerate layer and you will have an opportunity to decide what sort of mass wasting event might have caused its deposition. I have outlined a series of short stops (see below) that will guide you in this quest.

Figure 1. Summit of Sentinel Peak (A-Mountain). There are beautiful views of the city from the top!

Maps and Publications

Before you begin your virtual field trip, it will be a good idea to do a little background research on Sentinel Peak, and on the Tucson Mountains, in general. You will include this information in your final write-up, so spend some time reading about its geologic history. It is recommended to review the following documents to start your research:

Map of bedrock geology of Sentinel Peak and Tumamoc Hill (courtesy of AZGS)

Field Guide to “A” Mountain and Surrounding Region (courtesy of AZGS)

There is also a ArcGIS Story Map that you can review. This application will help you see where all the stops are on map imagery. Included is some of the text from this document so you will have

descriptions of each rock formation to accompany your virtual field trip.

What you need

You will need the following items when you virtually visit Sentinel Peak:

1. AZGS bedrock geology map
2. Table 1
3. Field Guide to “A” Mountain and Surrounding Region

StoryMaps

StoryMap Stop # 1

Consult the geologic map on StoryMap.

StoryMap Stop # 2

Location: Stream channel (a dry wash) to the west of the parking lot. Note the caliche in the eroded stream bank. Caliche, also known as hardpan, is a calcium carbonate cement that forms within a few feet of the surface.

Figure 2. Caliche in stream channel at StoryMap #2. Look for white, highly weathered, crumbly material on the bank.

StoryMap Stop # 3

Location: Approximately 0.4 miles from Stop 1. Observe the dark, almost black, rocks scattered along the ground. This is an igneous rock called the basaltic andesite (Tb1 on the geologic map). If you crack open these rocks with a hammer, you would find a much lighter greyish color inside of them. The black on the outside is more of a varnish due to exposure in the desert environment.

- Describe this rock according to the characteristics listed in Table 1 for igneous rocks.

Figure 3. Basaltic andesite along trailhead at StoryMap Stop #3. Note the vesicular nature of the rock.

StoryMap Stops # 4 and 5

Location: Approximately 70 paces up the one-way road (to the southeast). On the left side of the road is an outcrop of conglomerate (Tc on the geologic map), which contains small pebbles of vesicular basalt in a matrix of silt, sand, and ash. This conglomerate may have been deposited by a mudflow or debris flow during an intense rainfall that resulted in a wet slurry of sand, mud, and volcanic clasts that it picked up along its path.

Figure 4. Volcanic conglomerate on the left side of the road, just after the fork.

- Describe this rock according to the characteristics listed in Table 1 for sedimentary rocks.
- In the questions at the end of this field activity, you are asked to take a closer look at the clast size and composition of the

conglomerate.

- Please refer to Question 3 at end of this activity to guide you in your assessment of this formation while you are visiting this stop.

Figure 5. Volcanic clasts of vesicular basalt populate the conglomerate. The tip of the pen points to a basalt clast.

StoryMap Stops # 6 and 7

Location: Approximately 0.2 miles further up the road. On the left (north/northwest) side of the road you will find a tan- to white-colored igneous formation called tuff. This is the Tumamoc Tuff (Tt on the geologic map). After some observation, you may find fragments of pumice, and possibly some biotite and feldspar in the tuff. Can you spot these?

Figure 6. Tan material is Tumamoc tuff.

- Describe this rock according to the characteristics listed in Table 1 for igneous rocks.

Location: Approximately 10 paces up the road from where you observed the Tumamoc Tuff at Stop 4. Look for the contact between a pink- to grey-colored tuff and the tan tuff underneath. The pink/grey tuff is also part of the Tumamoc Tuff formation, but it is called a different member of the Tumamoc Tuff.

Figure 7. Pumice fragment embedded in the Tumamoc tuff.

- Describe this rock according to the characteristics listed in Table 1 for igneous rocks.

StoryMap Stops # 8 and 9

Location: Approximately 0.3 miles up the road to the parking area on the east side of the mountain, overlooking the city, and just under the “A” near the top.

Figure 8. Tumamoc basaltic andesite under the “A” near the top of the mountain.

Observe the rock formation at road level, under the A. This is basaltic andesite again, but part of a different formation called Tumamoc Basaltic Andesite (Tb2 on the geologic map). How is it different from the Tb1 formation you observed at Stop 2?

- Describe this rock according to the characteristics listed in Table 1 for igneous rocks.

Figure 9. Note the vasicular nature of the rock, similar to the basaltic andesite at StoryMap Stop #3.

StoryMap Stop # 10

(Optional, for the purpose of observation only)

Location: Approximately 0.2 miles to the parking area. Here you will find another outcrop of Tumamoc Basaltic Andesite that is visible from the parking area, near the top of the peak. Look for the dark red-brown color rock near the top.

Now you are finished with your field work!

Figure 10: Though it is difficult to see in this photo, near the top is another outcrop of Tumamoc basaltic andesite, with the trailhead for the Sentinel Summit in the foreground.

Assignment

You will need to submit the following to the Assignments tool:

1. Table 1 completed (this can be submitted as a separate document, and can be scanned in if you have hand-written your observations);
2. A short paragraph (3 – 5 sentences) addressing the origin of clasts in the conglomerate layer at Stop 3. Where did these materials come from if they were deposited by a mudflow or debris flow? How might you determine the original direction of flow in the conglomerate? What visual cues can you find that might help you determine this?
3. A short paragraph (3 – 4 sentences) on whether Sentinel Peak complies with the Law of Superposition, and why or why not;
4. A short paragraph (3 – 4 sentences) on whether Sentinel Peak is considered a volcano. What is your final assessment?

Please submit your observations to the Assignment 14 folder. You will need to upload two separate files— one with Table 1, and one with your written assessment addressing items 1 – 5 above.

Grading Rubric

20 points: Table was complete, photos were included, and paragraphs addressed the questions thoroughly.

17 points: Table was mostly complete, photos were included, and paragraphs addressed questions thoroughly but may have been a bit too brief.

15 points: Table was incomplete and a couple photos were missing. Paragraphs addressed questions but were too brief.

10 points: Only very partial information was given. Photos were not included, and paragraphs missing or too brief.

0 points: Assignment was not turned in.

59. Discussion: Climate Change

Discussion 5

Climate Change

a river winding through a canyon, with a white ring on the rocks where the surface of the water hits

*Figure 1.
Aerial view
of Lake
Powell,
showing the
white ring
left by
dropping
water levels,
Page,
Arizona.*

Introduction

This week's discussion guidelines are different from the previous discussions.

We will be having a conversation about climate change and the ways in which it might personally affect you or your family. You should have some basic knowledge about the subject and can make educated post(s).

For this discussion, you will write an initial post and reply to at least TWO of your classmates' posts. Follow the guidelines for each posting below:

Basic Guidelines for Initial Post

(20 points, required)

1. Watch the following two NASA visualizations on how CO₂ concentrations change throughout the year in Earth's atmosphere:

2-D model of CO₂ concentrations

3-D model of CO₂ concentrations

2. Click on "Start a New Thread". You need to include all of the following in your own thread:

- a. Answer the following questions thoroughly. Each question should be addressed in the form of a paragraph (3-5 sentences each):
- b. Why do you think CO₂ concentrations are generally higher in the Northern Hemisphere?
- c. Why should we be concerned about climate change on a global scale?
- d. How might climate change affect you or your family personally, either presently or in the future?
- e. What are some actions you can reasonably take to curtail (reduce) CO₂ emissions in your life?

Initial post must be made before 3 days (72 hours) before the discussion closes.

Basic Guidelines for Replies to Students

(10 points, required)

1. Each reply must contain 6 or 7 meaningful sentences directly related to article content. Phrases like "that is a great article!" and "I really liked your summary" do not count as meaningful content. However, these are still encouraging phrases in

support of your peers so please feel free to include them in your post.

2. You must reply to at least 2 other students. (3, or more, for extra credit.)
3. If your replies are too short, you will need to make more than 2 replies to reach your full sentence count for the discussion (2 replies x 6 or 7 sentences each = 12-14 sentences required in each discussion).
4. Do not wait until the last day of the discussion to make your replies. You only receive credit for one reply (up to 10 points max) on the last day.
5. Reply early and often, and earning your full discussion points will be easy!

Extra Credit

(5 points, optional)

Make a third reply (or more!) to a student following the guidelines above.

Learning Outcomes

As a result of your participation in the discussion, you will become more aware of others' concerns with a changing climate. You will begin to think more broadly about how climate change affects Earth's systems, features, and population on a global scale. You will practice critical thinking skills with regard to a current and relevant issue in geology and the scientific community in general.

Grading Rubric

Initial Post

20 points: Initial post met length and content requirements

15 points: Initial post needs minor improvements in length and content

10 points: Initial post needs major improvements in length or content

5 points: Initial post was made but with very little effort

0 points: Initial post was not made

Reply posts (each)

5 points: Reply was thoughtful, relevant, and met length requirements.

4 points: Reply needs minor improvements in relevancy and/or length.

2.5 points: Reply needs major improvements in relevancy and/or length.

1 points: Reply was made but with very little effort.

0 points: Reply was not made.

60. Module 14 Quiz

[Click here for the Word file for Quiz 14.](#)

PART XVI

MODULE 15 - CLIMATE CHANGE

6I. Introduction

Module 15

Climate Change

streams of ice melt running through ice sheets

*Figure 1.
Melt streams
on the
Greenland
Ice Sheet on
July 19, 2015.
Ice loss from
the
Greenland
and
Antarctic Ice
Sheets as
well as
alpine
glaciers has
accelerated
in recent
decades.*

Introduction

Climate is an average of the long-term weather patterns across a geographic area, which is a complicated metric controlled by factors within the lithosphere, atmosphere, cryosphere, hydrosphere, biosphere, and anthrosphere (the part of the environment that is influenced and modified mainly by human activity— sometimes also called the technosphere), as well as factors beyond our own planet. It is helpful to separate out humans from other life (anthrosphere

verses biosphere) for several reasons, primarily because many of our activities are unique (industrialization, for instance) and it is helpful in understanding our role in climate change. Therefore, the science examining past, current, and future climate is extremely complex and interdisciplinary.

You may not think of climate as a geological field of study, but the history of climate is recorded within rocks, the current climate is altered by geologic events, and the future climate will be influenced by our use of geological resources such as fossil fuels. In addition to the complex nature of this subject, it is also one, if not the most, important scientific fields of study, both in terms of understanding the dynamics and implications of future climate change as well as attempting to combat or mitigate the potential effects.

Figure 2. In this photo you can see a collapsed block of ice-rich permafrost along Drew Point, Alaska. Coastal bluffs in this region can erode 20 meters/year (~65 feet). USGS scientists continually research the causes of major permafrost thaw and bluff retreat along the Arctic coast of Alaska. In addition, with the loss of sea ice to protect the beaches from ocean waves, salt water inundates the coastal habitats. You can learn more at: USGS Alaska Science Center: and USGS Pacific Coastal and Marine Science Center

Though the basic science behind climate and climate change has been well studied to a point of near consensus within the scientific community, there is still significant debate among the broader population. This is likely related to many factors beyond science, including economics, politics, the portrayal of the science by the media, and the overall public's scientific literacy. Gaining a better understanding of this issue is difficult given the enormous wealth of information and disparity in scientific literacy. This lab will explore this issue by examining climate data, as well as how we, as scientists or scientific-minded citizens, make interpretations and conclusions regarding data— how it is presented, and how it relates to our understanding of the world around us.

Module Objectives

At the completion of this module you will be able to:

1. Summarize the properties of greenhouse gases and their role in controlling the climate.
 2. Explain the difference between climate forcing and climate feedbacks, and describe the mechanisms of climate forcing.
 3. Describe the significance of both albedo and permafrost melting to climate.
 4. Explain how extraction of fossil fuels and food production contribute to climate change.
 5. Describe the role of climate change in sea-level rise.
 6. Describe the link between climate change and the distribution of diseases and pests.
 7. Examine ways in which we as individuals can limit our personal contribution to climate change.
-

Activities Overview

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

Physical Geology by Steven Earle

- Chapter 19 (Climate Change)

Module 15 Assignment: Changes in Extent of Sea Ice at the Poles

10 points

After you complete the reading, you can start working on Module 15 Assignment – Changes in Extent of Sea Ice at the Poles

Module 15 Quiz

10 points

Module 15 Quiz has 10 multiple-choice questions and is based on the content of the Module 15 readings and Assignment 15.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Exam 3: Final Exam

75 points

The questions in this exam are “deep-thinking” questions designed to cultivate critical thinking based on what you have

learned in the course up to this point. Each question will be worth 25 points (25 points x 3 questions = 75 points total).

Exam 3 Instructions and Questions

You will submit the results from your project in the Assignments folder labeled “Exam 3” by the end of this week (Module 15).

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

62. Assignment: Changes in Extent of Sea Ice at the Poles

Module 15 Assignment

Changes in Extent of Sea Ice at the Poles

people in multicolored wetsuits snorkeling between to large rock formations

Figure 1. South African scientists work putting trackers on the ice in the Marginal Ice Zone of Antarctica on the Cape Agulhas II during a scientific cruise to the area in the winter of 2017

Overview

With regard to arguments supporting (or not supporting) climate change, climate scientists agree that climate change is happening and that it is indeed exacerbated by human activity. However, there are still a few skeptics and whole organizations outside of the field of climate science that are dedicated to debunking climate change.

They might use real data to support their argument, but important data are often omitted or presented in such a way as to paint a very different or skewed picture of the evidence for or against climate change. In this lab activity, you will have an opportunity to explore and compare data presented from different points of view, including data presented in a widely circulated (but unattributed) article entitled “Antarctic Sea Ice for March 2010 Significantly Greater Than 1980,” which was published in April 2010 by a website called “Global Warming Hoax”. Feel free to visit the website and read the article before completing this lab, although it is not required.

How to Draw a Best Fit Line

All of the data provided in this lab originally come from the National Snow and Ice Data Center (NSIDC), housed at the University of Colorado, and can be freely downloaded at nsidc.org. You will be graphing these data and drawing a “best fit line” through the points in order to calculate the slope of line and examine trends in the data. An example of this process is shown below.

Example of creating a best fit line

Figure 2.

Instructions

Part A – Original Data

The two data points on sea ice extent that are included in the Figure 2 were obtained from the article “Antarctic Sea Ice for March 2010 Significantly Greater Than 1980,” which was published on a website called “Global Warming Hoax.” The data, which is included to the left

of the graph below, is the extent of Antarctic sea ice in millions of square kilometers as measured in March of 1980 and 2010. This data is accurate and is consistent with data that can be downloaded from NSIDC. To do this, follow the instructions on how to draw a best-fit line (above). In this case, steps two and three are the same and you can easily calculate slope using the original data.

1. Based exclusively on the data provided and the graph, what conclusion would one make regarding climate change? Explain.
2. Using the method illustrated in Figure 1, what is slope of the line of best fit for these two data points? Show all your work.
3. Even though the above data are accurate, give and explain two reasons why this dataset might lead you to an incorrect conclusion regarding global climate change.
 - a. Reason #1:
 - b. Reason #2:

template for plotting a best fit line for sea ice extent in the southern hemisphere

Figure 3. Sea Ice Extent

Part B – South Pole Sea Extent

Figure 4. Map of Antarctica showing the extent of the polar ice cap and the extent of the floating ice shelves.

In part B, you will explore an expanded dataset of Antarctic sea ice extent measured during March 1980 through 2018, downloaded from NSIDC. Only the even-numbered years are presented, but the addition of odd years does not alter the trend in the data. Following the instructions for how to draw a best-fit line (above), graph the data, draw a line of best fit, and calculate the slope of the line.

Ice Extent – Southern Hemisphere	
Year	Ice Extent, million square kilometers
1980	3.29
1982	4.29
1984	3.61
1986	3.7
1988	3.97
1990	3.97
1992	3.57
1994	4.55
1996	4.18
1998	4.11
2000	4.09
2002	3.75
2004	4.53
2006	3.21
2008	5.28
2010	3.85
2012	4.55
2014	4.9
2016	4.07
2018	3.53

template for plotting a best fir line for sea ice extent in the northern hemisphere

Figure 5. Sea ice extent in Southern Hemisphere measured in million square kilometers

1. What is the slope of the line of best fit you estimated for this data set? Show all your work.
2. What do these data tell you about how sea ice extent is changing in the southern hemisphere? How does your result

for the extended dataset compare to the results from the data presented from the article presented in Part A?

3. What can you say about the data variability, or how wide of a range the data points cover, between the earlier years and the later years on the graph?
4. Please offer one suggestion for why the variability in sea ice extent has been changing between 1980 and 2018.

Part C – North Pole Sea Ice Extent

Figure 6. Map of Greenland showing the extent of the polar ice cap.

Next, we will examine the ice-extent patterns of the northern Arctic polar ice sheet that is located on Greenland. The ice-extent data are from March 1980 through 2018 for even-numbered years, also downloaded from NSIDC. Again, here you will graph the data, draw a line of best fit, and calculate the slope of the line.

Ice Extent – Northern Hemisphere	
Year	Ice Extent, million square kilometers
1980	16.04
1982	16.04
1984	15.58
1986	15.91
1988	15.96
1990	15.87
1992	15.48
1994	15.55
1996	15.12
1998	15.6
2000	15.22
2002	15.35
2004	14.99
2006	14.42
2008	15.18
2010	15.14
2012	15.2
2014	14.76
2016	14.4
2018	14.3

Figure 7. Sea ice extent in Northern Hemisphere measured in million square kilometers

1. What is the slope of the line of best fit you estimated for this data set? Show all your work.
2. What do these data tell you about how sea ice extent is changing in the northern hemisphere? How does your result for the North Pole compare to that of the South Pole (Part B)?

3. Explain why you might see a different trend, or slope of the best-fit line, when comparing the sea-ice extent data between the northern and southern hemispheres.

63. Exam 3 Information (Final Exam)

Exam 3:

Final Exam

Tall limestone formations, lined up closely together stretching across a distance resembling a forest of trees

*Figure 1.
Limestone
formations
that
resemble a
forest of
trees in
Kunming,
Yunnan, China,
appropriately
named the
Stone Forest.*

Overview

The questions in this exam are “deep-thinking” questions designed to cultivate critical thinking based on what you have learned in the course up to this point. Each question will be worth 25 points (25 points x 3 questions = 75 points total).

You will be asked to write a response to 3 of the 6 possible questions below. The specific three questions you will address will be chosen randomly based on the first letter of your last name. This will be announced on the course home page on the day the exam is

due, so it is best to have outlines and/or full responses prepared in advance for all the questions.

Feel free to prepare your answers in advance to save you time on Exam day.

- As you review these questions, you are permitted to draft your answers ahead of time, as well as use reputable, high-quality resources outside of the textbook. Please cite any additional sources you used in your research.
-

Instructions

See the Schedule of Work for date of availability and due date.

You will be asked to write a response to 3 of the 6 possible questions below. The specific three questions you will address will be chosen randomly based on the first letter of your last name. This will be announced on the course home page on the day the exam is due, so it is best to have outlines and/or full responses prepared in advance for all the questions.

- Responses should be 3 – 4 paragraphs in length (where each paragraph consists of at least 5 – 6 sentences).
- Your response must directly answer the question posed. You will not be permitted to use tactics such as answering the question with more questions.
- All of your work should be in your own words, with no direct quotes from other sources.
- Do not include the original question in your document, because the plagiarism checker will detect this. Please aim for < 25% similarity to other sources in the plagiarism checker when you submit your document.
- Complete sentences with correct spelling and grammar will be

expected.

Exam Questions

1. You are applying for a summer internship at the Nevada Geology Survey. At the interview, your future employer asks you to take a look at this simple cross section of Death Valley. What information can be derived from this cross section with regard to the formation of Death Valley? Include some discussion of the type of faulting present and any evidence you used to determine this. In addition, please address the larger “big-picture” tectonic setting that was at work in the formation of this valley, based on what you can conclude from the cross section, as well as what you have learned about plate tectonics and structural geology.

a diagram of deathvalley showing Panamint Range in the west (left) and Black Mountains East (right), the valleys are filled with yellow indicating sediment

Figure 2. The deep Death Valley basin is filled with sediment (light yellow). Black lines show the location of the major faults.

2. You are hired as a consultant for the Center for Biological Diversity, which is concerned about a new, large housing development that will be situated adjacent to a nearby river and riparian area. The proposed development will draw water from its own drilled groundwater wells (approximately 10), rather than the public water supply. The cross section below shows the current water table in the river, the unconfined aquifer, and in a rancher's nearby private well that he uses to provide water for his stock tank (the water table is represented by the dotted black line). Describe the predicted effects the proposed development and well field may have on the height of the water table, the rancher's private well, and water level in the river. Use colored pencils to draw your predicted outcome

with regard to changes to the water table in the figure below, including any cone(s) of depression that may result from groundwater withdrawal in new or existing wells. Include in your response some discussion as to why maintaining the current (pre-development) level of the water table is critical to the ecosystem.

A diagram of a ranch showing the water table and location for a proposed well

Figure 3. Rancher's private well and homestead.

3. Recent and devastating forest fires in a national forest have removed a significant amount of vegetation across several hundred square kilometers around the perimeter of a steep canyon and popular recreation area in the Southwest. The climate models for the coming summer monsoon are predicting above-average monsoon precipitation. As a land manager for the Forest Service, you quickly realize that the canyon and nearby recreation area may become vulnerable to several geological and hydrological hazards. What specific hazards might the canyon experience during the coming summer, if the climate models are correct? Explain why you think the canyon is vulnerable to these specific hazards. What steps can you take to keep the public safe and avoid fatalities during the summer tourist season?
4. You have been hired as a tour guide for the American Museum of Natural History in New York City. The museum has recently acquired a piece of the Acasta Gneiss, dated at over 4 billion years old, and found in the Northwest Territories, Canada. The people in your tour are always asking the same questions: How can scientists figure out how old this rock is? What is "gneiss?" Why is this type of rock rare on Earth's surface? Why is this continental rock so old compared to oceanic rocks? Being the professional that you are, you are able to answer each of their questions with confidence and clarity. What do you tell them?
a rock with black and white striations

Figure 4. A fragment of Acasta gneiss exhibited at the Natural

History Museum in Vienna.

5. You are serving on the Intergovernmental Panel on Climate Change and are preparing an updated publication that will inform all levels of government and the public on the state of the global climate. As a key committee member, how would you summarize for the public the main drivers (causes) of climate warming? What scientific measurements have been made (either directly or by proxy) that have led to the conclusion that Earth is indeed warming? What recommendations would you make for changing habits or policy, on either a governmental or personal level (or both)? Include some discussion on the biggest concerns with regard to the effects of global warming on Earth's systems.
 6. You are taking relatives to see the Grand Canyon for the very first time. Knowing that you have recently completed a rigorous course in geology, naturally they have lots of questions. At the Visitor Center, they spot the following display of all the rock formations in the canyon (see the key in the image caption). Your relatives ask you specific questions: What type of rocks are predominant in the canyon (igneous, metamorphic, sedimentary)? Which rock layer is the oldest and which is the youngest (and how do you know)? Relatively speaking, when did the Colorado River start carving out the canyon (after the deposition of which layer)? What caused the canyon to form? You feel compelled to brag a little about your new knowledge. Tell them everything you know
- diagram of a cross section of the grand canyon, numbered 1-6 based on the rock type. 1 is at the bottom, 6 is at the top
- Figure 5. Cross section of the Grand Canyon, as shown in a display in the Grand Canyon Visitor Center. **Group 6** —Hermit, Coconino, Toroweap, and Kaibab (shale, sandstone, limestone). **Group 5** – Supai Group (mudstone, sandstone, limestone). **Group 4** – Temple Butte, Redwall, and Surprise Canyon Formations (conglomerate, sandstone, limestone). **Group 3** – Tonto Group (limestone, shale, and

sandstone). **Group 2** – Grand Canyon Supergroup. **Group 1** – Vishnu Group (Vishnu Schist [1a] and Zoroaster Granite [1b]). Photo of an actual display in the Grand Canyon Visitor's Center.

Grading Rubric

Answers are worth 25 points each (3 answers x 25 points each = 75 points total). Points will be deducted for spelling errors, grammatical errors, or insufficient length. Points will be awarded for each answer according to the following rubric:

25 points: Answer addressed the question and illustrated your efforts at providing an accurate, in-depth, and thoughtful response. Answer was at least 3 – 4 paragraphs and contained few to no spelling or grammar errors.

20 points: Answer addressed the question and was an appropriate length, but may be lacking sufficient detail or contains a few inaccuracies. Significant effort was shown in the crafting of your response, despite the inaccuracies. Answer may contain a minor amount of spelling or grammar errors.

15 points: Answer was the appropriate length, but contained quite a few inaccuracies. Response seemed hurried or lacked depth or detail.

10 points: Answer did not adequately address the question. Response was hurried and showed lack of detail and knowledge on the subject. Length was insufficient.

5 points: Answer was insufficient in length (less than 1 – 2 paragraphs) and did not address the question with any effort or detail. Knowledge on the subject was not demonstrated. 0 points: Response was not provided.

64. Module 15 Quiz

[Click here for the Word file for Quiz 15.](#)

65. Exam 3: Final Exam

[Click here for the Word file for the Final Exam.](#)

PART XVII

MODULE 16 - GEOLOGIC
HISTORY OF NORTH
AMERICA

66. Introduction

Module 16

Geologic History of North America

a map showing the age of geology in the US

Figure 1.

Relief map
showing the
varying age
of bedrock
underlying
North
America.

This
cartographic
tapestry is
woven from
a geologic
map and a
shaded relief
image. This
combination
reveals the
geologic
history of
North
America
through the
interrelation
of rock type,
topography
and time.
Regional
surface
processes as
well as
continent-sc
ale tectonic
events are
exposed in
the three
dimensions
of space and
the fourth
dimension,
geologic
time. From
most recent
to oldest, age
is indicated
by: yellow,
green, blue,
red. See the
time scale in
the gallery

below.

Introduction

If you took a road trip across the continental United States of America you would see significant changes in the landscape in terms of the topography, rocks, soils, geological structures, and plant life that are evident even through the car window on the highway. Regions vary in their geologic history, from the rocky coastline of New England, to the plains of the Midwest, to the sharp peaks of the Rocky Mountains, to the volcanoes of the Pacific Northwest. These observable differences across the United States can be broken into physiographic provinces. Physiographic provinces are identifiable by their distinctive landforms, geologic features, and suites of rocks.

Select an image to view larger

*Figure 2.
This is the
time scale for
the North
America
Tapestry of
Time and
Terrain map.*

Module Objectives

At the completion of this module you will be able to:

1. Distinguish the different physiographic provinces of the United States based on their topography, geology, and other features.
2. Describe the tectonic origin of the major mountain ranges in the United States.
3. Explain why the central portion of the United States differs

from the edges of the continent.

Activities

See the Schedule of Work for dates of availability and due dates.

Be sure to read through the directions for all of this module's activities before getting started so that you can plan your time accordingly. You are expected to work on this course throughout the week.

Read

The Physiographic Provinces of the United States of America

Investigate

Check out this interactive map from the National Park Service – click on a province to learn more.

Physiographic Provinces Map

Watch

Nova, Making North America: Origins

Module 16 Assignment: Making North America

10 points

After you complete the reading, you can start working on Module 16 Assignment – Making North America

Module 16 Quiz

10 points

Module 16 Quiz has 10 multiple-choice questions and is based on the content of the Module 16 readings and Assignment 16.

The quiz is worth a total of 10 points (1 points per question). You will have only 10 minutes to complete the quiz, and you may take this quiz only once. **Note:** that is not enough time to look up the answers!

Make sure that you fully understand all of the concepts presented and study for this quiz as though it were going to be proctored in a classroom, or you will likely find yourself running out of time.

Keep track of the time, and be sure to look over your full quiz results after you have submitted it for a grade.

Your Questions and Concerns...

Please contact me if you have any questions or concerns.

General course questions: If your question is of a general nature such that other students would benefit from the answer, then go to the discussions area and post it as a question thread in the “General course questions” discussion area.

Personal questions: If your question is personal, (e.g. regarding my comments to you specifically), then send me an email from within this course.

67. Physiographic Provinces of the United States of America

Module 16

Physiographic Provinces of the United States of America

Introduction

The physiographic provinces of the United States of America can be broken into three different broad areas: Western, Central, and Eastern regions (Figure 1). Adjacent provinces will share features or will at least be affected by the geologic events that define the nearby region. The Western Provinces are shaped by relatively young events (Post-Paleozoic), which are mostly the result of an active plate tectonic margin (the western edge of the continent is also the edge of a tectonic plate).

a map Geophysical Provinces of the Conterminous United States. Legend says: 1 Adirondack 2 Appalachian Plateaus 3 Basin and Range 4 Blue Ridge 5 Cascade-Sierra Mountains 6 Central Lowland 7 Coastal Plain 8 Colorado Plateaus 9 Columbia Plateau 10 Great Plains 11 Interior Low Plateaus 12 Lower Californian 13 Middle Rocky Mountains 14 New England 15 Northern Rocky Mountains 16 Ouachita 17 Oark Plateaus 18 Pacific Border 19 Piedmont 20 Southern Rocky Mountains 22 St. Lawrence Valley 23 Superior Upland 24 Valley and Ridge 25 Wyoming Basin

Figure 1. Geophysical Provinces of the Conterminous United States. Click to see larger.

The Eastern Provinces are a mix between young and old geologic events. Most of the individual provinces within this region result from the deformation of ancient mountain building as well as the recent passive sedimentary buildup observable today. Since the Central Provinces of the country has been largely shielded from tectonic activity, this area is flatter and less deformed than the coasts of the United States. Before the individual provinces are discussed in depth, it will be helpful to review the geologic time scale that was presented in earlier in this course.

Western U.S.

The geologic provinces in the Western United States occupy roughly a third of the country and stretch from the Rocky Mountains to the Pacific Ocean. We can group this tectonically active area into four types of provinces: the Rocky Mountains, the Coastal Pacific Mountain System, Interior Plateaus, and the extensional Basin and Range.

The Rocky Mountains are an immense range that stretches from New Mexico to Northern Canada. The Rocky Mountains first started to form during the Late Paleozoic, but their main growth occurred during the Laramide Orogeny during the Late Mesozoic and Early Cenozoic. An **orogeny** is a large-scale deformational event that is the result of the interaction between tectonic plates. In short, it is mountain building. The formation of this range differs from the Continent-Continent convergent boundaries, such as the Himalayas. The Rocky Mountains are the result of low-angle subduction, which caused deformation in the overlying plate. This striking mountain range is no longer active nor growing and has since been glaciated and eroded, which has rounded its highest peaks.

The Pacific Coast Mountains stretch from Mexico to the Arctic Circle in Alaska. Not only do the Pacific Coast Mountains differ

significantly from the Rocky Mountains, but the mountain ranges within the Coastal Pacific Mountain System also differ amongst themselves. The Sierra Nevada Range runs 400 miles across the middle of California and contains iconic features such as Yosemite's Half Dome, which is a mecca for mountain climbers (Figure 2). As with the Rocky Mountains, the Sierra Nevada Range is the byproduct of convergence and subduction. During the same time as the growth of the Rocky Mountains (Late Mesozoic), the subduction led to the formation of volcanoes and the intrusion of massive granite batholiths. The volcanoes have long since eroded away exposing the batholiths at the surface. The Sierra Nevada topography is relatively recent (within the last 5 million years), as these rocks have been deformed by extensional stress, creating large fault blocks that build the steep face of the range. The Cascade Range is the northern portion of the Pacific Coast Mountain Range that spans an area from Northern California to Canada. The Cascade Range is the result of modern subduction of the Juan de Fuca and Gorda Plates under the North American Plate. Whereas the Sierra Nevada range is the eroded exposed core of a Mesozoic chain of volcanoes, the Cascade Range is modern and active. This chain encompasses thousands of volcanoes, including well-known landmarks such as Mount Rainier and Mount Saint Helens.

a hemisphere shaped mountain surrounded by trees and a waterfall
Figure 2. Half Dome at Yosemite National Park, which is part of the Sierra Nevada Range. Click to see larger.

Between the Rocky Mountains and the Pacific Coast Mountain Range is a large broad area containing a great diversity of geologic features. The Northernmost portion between the Cascades and the Rocky Mountains is the Columbia Plateau. The Columbia Plateau is a large igneous province dominated by Cenozoic volcanic rocks that are a product of the Yellowstone Hotspot. This hotspot produced several massive, though infrequent, eruptions; the largest eruption covering over 50,000 square miles. The Yellowstone Hotspot is still active and supplies the heat that feeds the classic geysers and hot

springs throughout Yellowstone National Park (Figure 3). Southeast of this province is the Colorado Plateau, which is a broad expanse that, considering its neighboring provinces, is remarkably undeformed. The Colorado Plateau is mostly composed of horizontal Paleozoic and Mesozoic sedimentary rocks that contain abundant fossils, including the massive bone beds of Dinosaur National Monument. During the Laramide Orogeny this area was dramatically uplifted, allowing rivers to erode downward thus producing immense canyons, such as Grand Canyon National Park. The southeastern portion of the expanse between the Rocky Mountain and Pacific Coast Ranges is called the Basin and Range Province. This area can easily be recognized by the abundant horsts and grabens, which you may remember are series of elevated plateaus and low basins produced from the extensional deformation and normal faults. There are multiple hypotheses for the source of the extension, which range from heating from the mantle to movement along the San Andreas Fault.

A pool of water that you can see into the earth, the earth makes the water appear to have rings of color

Figure 3. Hot Spring in Yellowstone National Park within the Columbia Plateau Province. Click to see larger.

Eastern U.S.

The physiographic provinces that occupy the eastern third of the country range from New England to Texas, wrapping around the Gulf of Mexico. These provinces can easily be split into three regions: (1) provinces associated with the building of the Appalachian Mountains, (2) provinces built by much older orogenies in the Northeast, and (3) provinces created from more recent passive accumulation of sediments along the coast.

The Appalachian Mountains are the product of multiple collisions with small island chains during the Paleozoic, culminating with a

collision with the supercontinent of Gondwana during the formation of Pangaea. These ancient mountains have been significantly eroded down to rolling hills that span most of the Southeastern United States as seen in Great Smoky Mountains National Park (Figure 4). The Appalachian Mountains can be further divided into four distinctive physiographic provinces based on their topography and geology. The center of the Appalachian Mountains is called the Valley and Ridge Province, which is composed of highly folded and faulted sedimentary rock. Fossils within these rocks indicate that they are Paleozoic in age, with thick and resistant Pennsylvanian-age sandstones forming its ridges while weaker Devonian and Cambrian shales form its valleys. To the east of the Valley and Ridge is the Blue Ridge Province, which was uplifted along with the Valley and Ridge but is composed of much older igneous and metamorphic rock. Absolute dating of these rocks indicates that the Blue Ridge was formed during the Proterozoic and later deformed during the Middle Paleozoic. The topography between these two provinces differs with the more uniform rocks in the Blue Ridge producing random peaks, valleys, and ridges as opposed to the resistant and non-resistant rocks of the Valley and Ridge, which produce more uniformly parallel ridges.

A range of mountains with winter trees in the foreground seen from the air

Figure 4. Appalachian Mountains within Great Smoky Mountains National Park, which contains multiple physiographic provinces. Click to see larger.

Southeast of the Blue Ridge is the Piedmont Province, which is typified by much lower, rolling hills along with small isolated mountains such as Stone Mountain in Georgia (Figure 5). The Piedmont is composed of igneous and metamorphic rock from the cores of long eroded mountain chains ranging from the Proterozoic to the end of the Paleozoic period. On the adjacent west side of the Valley and Ridge province is the Appalachian Plateau, which is an uplifted and largely undeformed region analogous to the Colorado

Plateau. The rocks in this province are similar in age and lithology to those in the Valley and Ridge, but the preservation of fossils is enhanced because of the absence of extensive folding and faulting. In addition, the Appalachian Plateau contains abundant geological resources, including coal in West Virginia and iron in Alabama.

A mountain that resembles a large smooth stone, with a confederate memorial, soldiers and horses, carved into it

Figure 5. Stone Mountain within the Piedmont Province. Click to see larger.

The physiographic provinces in the northeastern United States are very similar to the Piedmont and Blue Ridge Provinces. The New England Province is similar to the Piedmont in that it is composed of Late Proterozoic and Paleozoic intrusive igneous and metamorphic rocks. The major difference between these two provinces is in their history following exposure, with the New England Province showing extensive weathering and erosion from glaciers that is absent from its southeastern counterpart. The Adirondack Mountain Province located in upstate New York is similar to the Blue Ridge in that they are both composed of igneous and metamorphic rock. However, the Adirondacks are fairly unique considering that they are a circular rather than linear range of mountains. The rocks themselves are billion-year-old remnants of the building of a Proterozoic supercontinent called Rodinia. The actual mountains in the range are quite young and represent Late Cenozoic uplift, which exposed these ancient rocks.

The last eastern physiographic province is the Coastal Plain that spans a vast area along the Atlantic Ocean and Gulf of Mexico from New England to Texas. This province is composed of the sediment that has accumulated since the rifting of Pangaea when the eastern edge of the continent became tectonically inactive. The sediment was derived from the continent and was deposited in shallow marine sedimentary environments with abundant, mature sediment and marine fossils.

Central U.S.

The central third of the country is mostly flat, undeformed, and dominated by sequences of sedimentary rocks. We separate this broad expanse into two physiographic provinces based largely on the source of the sediment. The Interior Lowlands Province covers the Midwestern states and consists largely of undeformed Paleozoic marine rocks (limestones and shales) that have been since carved and shaped by the activity of glaciers and rivers. This description may not seem as geologically exciting as those to the east or west, but spectacular cave developments can occur in these marine limestones, such as those from Mammoth Cave, Kentucky (Figure 6). To the west of the Interior Lowlands Province is the Great Plains Province, which is composed of sediments that eroded from the Rocky Mountains and are, therefore, substantially younger (Mesozoic and Cenozoic) with a higher proportion of clastic material. As with Interior Lowlands, the Great Plains have since been shaped by glaciers and rivers.

A large cave interior in golden light with stalagmites and stalagmites, and a walkway with a railing going through

Figure 6. Mammoth Cave National Park in Central Kentucky. Click to see larger.

68. Assignment: Making North America

Module 16 Assignment

The Making of North America

sandstone rock formations in a desert setting, with plateaus in the background

Overview

For this exercise, be aware that you will need to have viewed the NOVA episode “Making North America: Origins” which is available from PBS online. This video reveals and summarizes the unique and often surprising geologic history of North America, from evidence for vast shallow seas and sand dunes in the West; to the remnants of a rift zone around Lake Superior where the continent tried, without success, to break apart; to evidence left behind in Central Park of the majestic Taconic Mountains that once stood where the bustling metropolis of New York City is now.

Instructions

After watching the video, please choose one of the following questions, and write a one to one and a half page response based on what you learned from it (1.5 spacing, 12-point font, no title or

headers). You are welcome to expand your knowledge with other sources as long as you include a reference list:

1. Describe the story of the North American continental craton that was called Laurentia. Include some discussion of the underlying geology of Lake Superior, and what it tells us about the geologic history of Laurentia.
2. The Manhattan schist is a geological remnant left behind in New York City that gives us clues about Manhattan's exciting geologic history. What can we learn from it and other pieces of evidence left behind in the city?
3. Describe the geological evidence for major tectonic collisions across the United States. Include some discussion of the sand dunes in Utah, the jagged and near vertical sandstone slabs in Colorado, fossil evidence in northwestern North America, and the San Andreas fault.

Grading Rubric

15 points: Accurately responded to the question of your choice and followed length requirements. Reference list (if needed) was included.

12 points: Accurately responded to the question of your choice, but response might be a little short or the information contains some inaccuracies. Reference list (if needed) was included.

8 points: Response was too brief or inaccurate. Reference list (if needed) was omitted.

5 points: Only very partial information provided.

0 points: Did not complete the assignment.

69. Module 16 Quiz

[Click here for the Word file for Quiz 16.](#)